

# Painting Tools

## FOR THE PROFESSIONAL

**ROTA!**<sup>®</sup>

Paint rollers and accessories



**kana**<sup>®</sup>

Paint brushes



**masq**<sup>®</sup>

Masking products



**prep**<sup>®</sup>

Surface preparation, covering  
and further accessories



2021



### **Paint rollers and accessories**

High quality paint rollers and accessories for paint application: The Rota assortment includes powerful, branded products as well as low budget items. The assortment is clearly structured and presented in an attractive way you are able to offer the best roller for each application to your customer.



### **Paint brushes**

Kana - our selected and innovative brush assortment for the professional: Bristle-mixtures are optimized for each application. From low budget series to our premium line.



### **Masking products**

Masq: our assortment in the range of covering offers exclusive branded products with high quality standards but also low budget items for simple jobs. All series are designed individually and are available in all common sizes and measurements.



### **Surface preparation, covering and further accessories**

From putty knives, spatulas abrasives, wallpapering tools to personal safety equipment: Our Prep-assortment involves everything the painter needs for his work. Premium-, Professional- and Standard-quality.

## Index

|                             |   |
|-----------------------------|---|
| Competence in Manufacturing | 3 |
| The visual concept          | 5 |

# ROTA!®

Paint rollers and accessories

7



# kana®

Paint brushes

35



# masq®

Masking products

49



# prep®

Surface preparation, covering  
and further accessories

63



|       |    |
|-------|----|
| Index | 97 |
|-------|----|



# Competence in Manufacturing

## FOR THE PROFESSIONAL

### **Rota, Kana, Masq and Prep**

The Storch-Ciret-Group provide professional retailers with high-quality paint rollers (Rota), paintbrushes (Kana), masking products (Masq) and hand tools / accessories (Prep).

In order to always achieve the highest possible stability in product and quality and to ensure our quality standards are met, we produce the dominant part of our assortment in our own factories.





#### PRODUCTION OF STICK-FRAMES



#### PRODUCTION OF ROLLER REFILLS



#### FINISHING OF SMALL FOAM REFILLS



#### COMPLETING OF CQ FOIL



### Rota, Kana, Masq and Prep Innovation with experience

No. 1 in Europe for Painting Tools, more than 6.000 products from our own production facilities, more than 100 owned patents and designs - figures which proves the competence of the Storch-Ciret-Group as developer and producer of high quality painting tools. It is our tradition: we produce and sell painting tools since 1896.

Based on this experience and expertise we work continuously on the development of our tools and machines - exactly based on the special requests of our branch with focus on highest quality and best usability for the end-user. Our product development is influenced by the latest research results about ergonomics and materials as well as our own production know-how.

Our new developments will be realized quickly in our modern manufacturing plants. So we can develop continuously and flexible innovative and powerful products to improve working for painters and plasterers.

More than 80 percent of our branded products of the RKMP assortment are produced in our own factories to ensure the well-known and constant quality of our painting tools.

# Optimal product presentation

For correct purchase decisions  
and satisfied customers.



Our booth on the trade fair BAU 2017 in Munich

We offer high quality and professional painting tools – and corresponding concepts for POS presentation. Everything is clearly structured and designed in an attractive way. Single product highlights are positioned as eyecatcher.

## Attractive product presentation

The entire assortment is separated into different segments which can be easily identified: paint rollers/green, brushes/red, masking and preparation/blue. Your customer will recognize immediately where he is located. The POS texts are printed in the respective country language.



## Informative data sheet

On the product data sheet you and your customers will find all product specifications, technical data and advantages. Take away and read up.



## Multilingual packaging

Multilingual product descriptions on the packaging will help your customers – even if they do not know the national language.









# ROTA!®

## Paint rollers & Accessories



### Index

|                                            |    |
|--------------------------------------------|----|
| Which plush for which paint                | 9  |
| Paint rollers for large and small surfaces |    |
| RotaStreif 21                              | 10 |
| RotaStreif 13                              | 11 |
| RotaGold 18                                | 12 |
| RotaGold 12                                | 13 |
| RotaFlor 18                                | 14 |
| RotaFinish 15                              | 15 |
| RotaClassic 18                             | 16 |
| RotaNyl 18                                 | 17 |
| RotaNyl 11                                 | 17 |
| RotaNyl 6                                  | 18 |
| RotaStar 9                                 | 19 |
| RotaStar 5                                 | 20 |
| RotaFilt 5                                 | 21 |
| RotaVelours 4                              | 22 |
| RotaFlock Concave                          | 22 |
| RotaSchaum Concave                         | 23 |
| RotaSchaum Classic                         | 23 |
| RotaSchaum Standard                        | 26 |
| Edge-Trim-Roller                           | 27 |
| Pipe-Roller                                | 27 |
| Accessories                                |    |
| RotaKnick                                  | 28 |
| RotaGrip                                   | 28 |
| RotaClassic                                | 29 |
| RotaJumbo                                  | 29 |
| Wipe Grids                                 | 30 |
| Paint Trays                                | 31 |
| Paint Tray Inlays                          | 31 |
| Paint Buckets                              | 32 |
| Paint Buckets Inlays                       | 32 |
| Telescopic poles                           | 33 |




# ROTA®!

| Page | Roller Cover       | Wall Paints |                         |              |                |               |                       |                |               | Water Based Lacquers |                       | Solvent Based Lacquers |                       |                 | Wood stain / Glaze |           |
|------|--------------------|-------------|-------------------------|--------------|----------------|---------------|-----------------------|----------------|---------------|----------------------|-----------------------|------------------------|-----------------------|-----------------|--------------------|-----------|
|      |                    | Primers     | Wall and Ceiling Paints | Latex Paints | Ceramic Paints | Facade Paints | Silicone/Resin Paints | Silicate Paint | Roll-plasters | Water Based Lacquers | 2-compounds Varnishes | Solvent-Based Lacquers | 2-compounds Varnishes | Rust-Protectors | Glazes             | Wood-Oils |
| 10   | RotaStreif 21      |             | ★                       | ★            | ☆              | ★             | ★                     | ☆              | ★             |                      |                       |                        |                       |                 |                    |           |
| 11   | RotaStreif 13      |             | ★                       | ★            | ★              |               | ☆                     | ☆              | ☆             |                      |                       |                        |                       |                 |                    |           |
| 12   | RotaGold 18        |             | ★                       | ★            | ☆              | ★             | ★                     | ☆              | ★             |                      |                       |                        |                       |                 |                    |           |
| 13   | RotaGold 12        |             | ★                       | ★            | ★              |               | ☆                     | ☆              | ☆             |                      |                       |                        |                       |                 |                    |           |
| 14   | RotaFlor 18        |             | ☆                       | ★            |                | ★             | ★                     | ★              |               |                      |                       |                        |                       |                 |                    |           |
| 15   | RotaFinish 15      |             | ★                       |              | ★              |               |                       |                |               |                      |                       |                        |                       |                 |                    |           |
| 16   | RotaClassic 18     | ☆           | ☆                       | ☆            |                | ☆             |                       |                |               |                      |                       |                        |                       |                 |                    |           |
| 17   | RotaNyl 18         |             | ☆                       |              |                |               |                       |                |               |                      |                       |                        | ☆                     |                 |                    |           |
| 19   | RotaStar 9         | ★           | ☆                       |              |                |               |                       |                |               |                      |                       |                        |                       |                 |                    |           |
| 17   | RotaNyl 11         |             |                         |              |                |               |                       |                |               |                      |                       | ☆                      | ★                     | ☆               |                    |           |
| 18   | RotaNyl 6          |             |                         |              |                |               |                       |                |               |                      |                       | ★                      | ★                     |                 |                    |           |
| 19   | RotaStar 9         |             |                         |              |                |               |                       |                |               | ☆                    | ☆                     |                        | ☆                     | ★               | ★                  | ★         |
| 20   | RotaStar 5         |             |                         |              |                |               |                       |                |               | ★                    | ★                     |                        |                       |                 | ★                  | ★         |
| 21   | RotaFilt 5         |             |                         |              |                |               |                       |                |               | ☆                    | ☆                     | ★                      |                       | ★               |                    |           |
| 22   | RotaVelours 4      |             |                         |              |                |               |                       |                |               |                      |                       | ☆                      | ☆                     |                 |                    |           |
| 22   | RotaFlock          |             |                         |              |                |               |                       |                |               | ★                    | ★                     | ☆                      |                       |                 |                    |           |
| 23   | RotaSchaum Concave |             |                         |              |                |               |                       |                |               | ☆                    | ☆                     | ★                      |                       |                 |                    |           |
| 23   | RotaSchaum Classic |             |                         |              |                |               |                       |                |               | ☆                    | ☆                     | ★                      |                       |                 |                    |           |
| 26   | Schaum Standard    |             |                         |              |                |               |                       |                |               |                      |                       | ☆                      |                       |                 |                    |           |

★ best suitable

☆ good suitable

## Intuitive consumer management at POS



The texture of the work surface is a decisive criterion for selecting the tool. For this reason, a clear identification with simple symbols are shown on the product labels. Your customers immediately recognize whether the product is optimally suited for smooth, rough or coarse surfaces.



Liquid-tight core system, easy rolling with the side mounted bearing and sockets, improved thermofusion connection - our 60 mm rollers ensure a minimized linting through the folded in plush ends on the roller sides. The ROTA CORE-icon shows your customers this product feature of the thought-out roller system at the POS.



Introduction of refill pictogram:

A - frame diameter (mm)

B - inner core diameter (mm)

C - core diameter including padding (mm)

D - total diameter including plush pile length (mm)

# RotaStreif 21

Premium roller cover from polyamide staple fibre

- Prewashed plush
- ▶ Reduced linting
- Extra long pile (21mm)
- ▶ Extra high paint loading and release

☒ Wall Paints ☐ Water Based Lacquers ☐ Solvent Based Lacquers ☐ Wood Stains



- Extra thick padding (12mm) for extra rough surfaces
- Also to use in corners



110 8  44 68

| Art. No.   | Width | Label        | PU |
|------------|-------|--------------|----|
| 37 963-301 | 27 cm | <b>ROTA!</b> | 5  |



- Water repellent padding material (8mm)
- Also to use in corners



102 8  44 60

| Art. No.   | Width | Label        | PU |
|------------|-------|--------------|----|
| 15 963-301 | 20 cm | <b>ROTA!</b> | 5  |
| 17 963-301 | 27 cm | <b>ROTA!</b> | 5  |



- Premium core with 60mm diameter
- Extra big, water-proof core construction
- Folded in plush ends
- Also to use in corners



102 8  60

| Art. No.   | Width | Label        | PU |
|------------|-------|--------------|----|
| 77 963-301 | 25 cm | <b>ROTA!</b> | 5  |



- Corner roller with special shaped refill
- Perfect for inner corner coatings



| Art. No.   | Description   | Label        | PU |
|------------|---------------|--------------|----|
| 60 963-301 | corner roller | <b>ROTA!</b> | 5  |
| 61 963-301 | refill        | <b>ROTA!</b> | 10 |





## RotaStreif 13

Premium roller-cover from polyamide staple fibre

- Prewashed plush
- Reduced linting
- Short pile (13mm)
- Especially fine surface finish

☒ Wall Paints   ☐ Water Based Lacquers   ☐ Solvent Based Lacquers   ☐ Wood Stains



■ Water-proof core construction



|                                                                                           | Art. No.   | Width | Label        | PU |
|-------------------------------------------------------------------------------------------|------------|-------|--------------|----|
| 74 8  48 | 25 960-301 | 18 cm | <b>ROTA!</b> | 12 |
|                                                                                           | 27 960-301 | 25 cm | <b>ROTA!</b> | 12 |



|                                                                                             | Art. No.   | Width | Label        | PU |
|---------------------------------------------------------------------------------------------|------------|-------|--------------|----|
| 56 6  30 | 40 960-306 | 12 cm | <b>ROTA!</b> | 10 |
|                                                                                             | 45 960-301 | 16 cm | <b>ROTA!</b> | 10 |



|                                                                                             | Art. No.      | Width     | Label        | PU |
|---------------------------------------------------------------------------------------------|---------------|-----------|--------------|----|
| 43 6  17 | 50 960-306-01 | 10 cm     | <b>ROTA!</b> | 10 |
|                                                                                             | 50 960-306-04 | 2 × 10 cm | <b>ROTA!</b> | 10 |
|                                                                                             | 55 960-306-01 | 15 cm     | <b>ROTA!</b> | 10 |



# RotaGold 18


Premium roller-cover from polyamide endless fibre

- Endless fibre
- ▶ Practically lintfree
- Long pile (18mm)
- ▶ Extra high paint loading and release
- With LoTex technology
- ▶ Advantages see below

☒ Wall Paints   ☐ Water Based Lacquers   ☐ Solvent Based Lacquers   ☐ Wood Stains



- Water repellent padding material (8mm)
- Also to use in corners



96 8 44 60

| Art. No.   | Width | Label        | PU |
|------------|-------|--------------|----|
| 17 253-301 | 27 cm | <b>ROTA!</b> | 5  |



- Premium core with 60mm diameter
- Extra big, water-proof core construction
- Folded in plush ends
- Also to use in corners



96 8 60

| Art. No.   | Width | Label        | PU |
|------------|-------|--------------|----|
| 77 253-301 | 25 cm | <b>ROTA!</b> | 5  |



- Water-proof core construction



84 8 48

| Art. No.   | Width | Label        | PU |
|------------|-------|--------------|----|
| 25 253-301 | 18 cm | <b>ROTA!</b> | 12 |
| 27 253-301 | 25 cm | <b>ROTA!</b> | 12 |



- Corner roller with special shaped refill
- Perfect for inner corner coatings



| Art. No.   | Description   | Label        | PU |
|------------|---------------|--------------|----|
| 60 253-301 | corner roller | <b>ROTA!</b> | 5  |
| 61 253-301 | refill        | <b>ROTA!</b> | 10 |

available from June 2020



☒ Wall Paints ☐ Water Based Lacquers ☐ Solvent Based Lacquers ☐ Wood Stains

## RotaGold 12

Premium roller-cover from polyamide endless fibre

- Endless fibre
- ▶ Practically lintfree
- Short pile (12mm)
- ▶ Especially fine surface finish
- With LoTex technology
- ▶ Advantages see below




■ Water-proof core construction



|                                                                                           | Art. No.   | Width | Label        | PU |
|-------------------------------------------------------------------------------------------|------------|-------|--------------|----|
| 72 8  48 | 25 233-301 | 18 cm | <b>ROTA!</b> | 10 |
|                                                                                           | 27 233-301 | 25 cm | <b>ROTA!</b> | 12 |



|                                                                                             | Art. No.   | Width | Label        | PU |
|---------------------------------------------------------------------------------------------|------------|-------|--------------|----|
| 54 6  30 | 40 233-306 | 12 cm | <b>ROTA!</b> | 10 |
|                                                                                             | 45 233-301 | 16 cm | <b>ROTA!</b> | 10 |



|                                                                                             | Art. No.      | Width     | Label        | PU |
|---------------------------------------------------------------------------------------------|---------------|-----------|--------------|----|
| 41 6  17 | 65 233-306-04 | 2 × 6 cm  | <b>ROTA!</b> | 20 |
|                                                                                             | 50 233-306-01 | 10 cm     | <b>ROTA!</b> | 10 |
|                                                                                             | 50 233-306-04 | 2 × 10 cm | <b>ROTA!</b> | 10 |
|                                                                                             | 55 233-306-01 | 15 cm     | <b>ROTA!</b> | 10 |



## New RotaGold - with LoTex technology

Paint rollers with LoTex-technology run through a new finishing process, which improves significantly the paint loading & release, cleanliness, pile stability and lifetime of the plush.



### Your advantages:

- significantly higher paint loading & -release
- faster and more efficient cleaning
- stable plush structure
- noticeable longer product lifetime



The new RotaGold satisfies through its stable plush structure and improved pile stability.



Thanks to LoTex technology it is also easy to clean.

# RotaFlor 18

High quality roller-cover from polyamide staple fibre

- Excellent pile raising ability
- ▶ Especially low spatter with silicate- and latex paints
- Long pile (18mm)
- ▶ Extra high paint loading and release

☒ Wall Paints   ☐ Water Based Lacquers   ☐ Solvent Based Lacquers   ☐ Wood Stains



- Water repellent padding material (8mm)
- Also to use in corners



96 8 44 60

| Art. No.   | Width | Label        | PU |
|------------|-------|--------------|----|
| 15 901-301 | 20 cm | <b>ROTA!</b> | 5  |
| 17 901-301 | 27 cm | <b>ROTA!</b> | 5  |



- Premium core with 60mm diameter
- Extra big, water-proof core construction
- Folded in plush ends
- Also to use in corners



96 8 60

| Art. No.   | Width | Label        | PU |
|------------|-------|--------------|----|
| 77 900-301 | 25 cm | <b>ROTA!</b> | 5  |



- Water-proof core construction



84 8 48

| Art. No.   | Width | Label        | PU |
|------------|-------|--------------|----|
| 25 900-301 | 18 cm | <b>ROTA!</b> | 12 |
| 27 900-301 | 25 cm | <b>ROTA!</b> | 12 |



| Art. No.   | Width | Label        | PU |
|------------|-------|--------------|----|
| 40 900-306 | 12 cm | <b>ROTA!</b> | 10 |
| 45 900-301 | 16 cm | <b>ROTA!</b> | 10 |

66 6 30







☒ Wall Paints   ☐ Water Based Lacquers   ☐ Solvent Based Lacquers   ☐ Wood Stains



- Water-proof core construction
- Optimized for extra fine Q4 surfaces

## RotaFinish 15

High quality roller-cover from special polyester endless fibre

- endless fibre
- ▶ practically lintfree
- optimised for using on Q4 surfaces
- ▶ extrafine, first-class surface finish
- special structured medium long pile plush
- ▶ efficient working with high paint loading and release



|                                                                                           | Art. No.   | Width | Label        | PU |
|-------------------------------------------------------------------------------------------|------------|-------|--------------|----|
| 78 8  48 | 25 590-301 | 18 cm | <b>ROTA!</b> | 10 |
|                                                                                           | 27 590-301 | 25 cm | <b>ROTA!</b> | 10 |



- Optimized for extra fine Q4 surfaces



|                                                                                             | Art. No.      | Width | Label        | PU |
|---------------------------------------------------------------------------------------------|---------------|-------|--------------|----|
| 47 6  17 | 50 590-306-01 | 10 cm | <b>ROTA!</b> | 10 |



- RotaFinish Starter Set
- Optimized for extra fine Q4 surfaces
- Includes: 1 large roller, 3 small rollers, 2 handles in 3K-design and a metal wipe grid


|  | Art. No.      | Width | Label        | PU |
|--|---------------|-------|--------------|----|
|  | 77 590-301-55 | -     | <b>ROTA!</b> | 2  |



# RotaClassic 18

Standard roller-cover of mixed fibre

- Long pile (18mm)
- Universal use



☒ Wall Paints   ☐ Water Based Lacquers   ☐ Solvent Based Lacquers   ☐ Wood Stains



- Special set for effective coating of facades
- Water repellent padding material (8mm)
- Also to use in corners




96 8 44 60

| Art. No.      | Width          | Label        | PU |
|---------------|----------------|--------------|----|
| 17 860-301-55 | 27 cm / set    | <b>ROTA!</b> | 10 |
| 17 860-301    | 27 cm / refill | <b>ROTA!</b> | 5  |



- Water repellent padding material (4mm)
- Also to use in corners




88 8 44 52

| Art. No.   | Width | Label        | PU |
|------------|-------|--------------|----|
| 95 860-301 | 20 cm | <b>ROTA!</b> | 10 |
| 97 860-301 | 27 cm | <b>ROTA!</b> | 10 |



- For simple coating works



80 8 44

| Art. No.   | Width | Label        | PU |
|------------|-------|--------------|----|
| 93 860-301 | 25cm  | <b>ROTA!</b> | 10 |



| Art. No.    | Width | Label                                                                               | PU |
|-------------|-------|-------------------------------------------------------------------------------------|----|
| 86 59 10 10 | 10 cm |  | 10 |

37 6 15

available from October 2020





## RotaNyl 18

High quality roller-cover of textured nylon fibre

- Textured nylon-fibre
- ▶ Especially low spatter with emulsions (dispersions)
- Long pile (18mm)
- ▶ High paint loading and release

☒ Wall Paints   ☐ Water Based Lacquers   ☒ Solvent Based Lacquers   ☐ Wood Stains



- Water-proof core construction



| Art. No.   | Width | Label        | PU |
|------------|-------|--------------|----|
| 27 140-301 | 25 cm | <b>ROTA!</b> | 5  |



## RotaNyl 11

High quality roller-cover of textured nylon fibre

- Textured nylon fibre
- ▶ No felting even with viscous paints and lacquers
- Heavy duty, short pile roller-cover (11mm)
- ▶ Suitable for special lacquers like 2 compound lacquers

☐ Wall Paints   ☐ Water Based Lacquers   ☒ Solvent Based Lacquers   ☐ Wood Stains



- Premium core with 60mm diameter
- Extra big, water-proof core construction
- Folded in plush ends
- Also to use in corners




| Art. No.   | Width | Label        | PU |
|------------|-------|--------------|----|
| 77 110-301 | 25 cm | <b>ROTA!</b> | 5  |



- Water-proof core construction




| Art. No.   | Width | Label        | PU |
|------------|-------|--------------|----|
| 25 110-301 | 18 cm | <b>ROTA!</b> | 5  |
| 27 110-301 | 25 cm | <b>ROTA!</b> | 5  |





| Art. No.      | Width | Label        | PU |
|---------------|-------|--------------|----|
| 50 110-306-01 | 10 cm | <b>ROTA!</b> | 10 |



## RotaNyl 6

High quality roller-cover of textured nylon fibre

- Textured nylon fibre
- ▶ No felting even with viscous paints and lacquers
- Heavy duty, extra short pile roller-cover (6mm)
- ▶ Suitable for special lacquers like 2 compound lacquers

☐ Wall Paints ☐ Water Based Lacquers ☒ Solvent Based Lacquers ☐ Wood Stains




- Water-proof core construction


| Art. No.   | Width | Label        | PU |
|------------|-------|--------------|----|
| 25 060-301 | 18 cm | <b>ROTA!</b> | 5  |
| 27 060-301 | 25 cm | <b>ROTA!</b> | 5  |
| 38 060-301 | 38 cm | <b>ROTA!</b> | 1  |



| Art. No.   | Width | Label        | PU |
|------------|-------|--------------|----|
| 40 060-306 | 12 cm | <b>ROTA!</b> | 10 |



| Art. No.      | Width | Label        | PU |
|---------------|-------|--------------|----|
| 50 060-306-01 | 10 cm | <b>ROTA!</b> | 10 |







## RotaStar 9

High quality roller-cover of microfibre

- 100% Microfibre
- Loads paint up to 6-times of its own volume
- Short pile (9mm)
- Optimal paint holding
- Low spatter, suitable also for overhead works

☒ Wall Paints   ☒ Water Based Lacquers   ☒ Solvent Based Lacquers   ☒ Wood Stains



- Premium core with 60mm diameter
- Extra big, water-proof core construction
- Folded in plush ends
- Also to use in corners



|                                                                                           | Art. No.   | Width | Label        | PU |
|-------------------------------------------------------------------------------------------|------------|-------|--------------|----|
| 78 8  60 | 75 695-301 | 18 cm | <b>ROTA!</b> | 5  |
|                                                                                           | 77 695-301 | 25 cm | <b>ROTA!</b> | 5  |



- Water-proof core construction
- Beveled sides
  - extra low streaking



|                                                                                             | Art. No.   | Width | Label        | PU |
|---------------------------------------------------------------------------------------------|------------|-------|--------------|----|
| 66 8  48 | 25 695-301 | 18 cm | <b>ROTA!</b> | 10 |
|                                                                                             | 27 695-301 | 25 cm | <b>ROTA!</b> | 12 |



|                                                                                             | Art. No.   | Width | Label        | PU |
|---------------------------------------------------------------------------------------------|------------|-------|--------------|----|
| 48 6  30 | 40 695-306 | 12 cm | <b>ROTA!</b> | 10 |



|                                                                                             | Art. No.      | Width     | Label        | PU |
|---------------------------------------------------------------------------------------------|---------------|-----------|--------------|----|
| 35 6  17 | 65 695-306-04 | 2 × 6 cm  | <b>ROTA!</b> | 10 |
|                                                                                             | 50 695-306-01 | 10 cm     | <b>ROTA!</b> | 10 |
|                                                                                             | 50 695-306-04 | 2 × 10 cm | <b>ROTA!</b> | 10 |





- Special set for efficient coating with waterbased lacquers
- Surface coating with the refill RotaStar9
  - for extra rich paint application
- Finishing with the refill RotaSchaum concave
  - for a superfine surface finish
- with paint can opener & mixer

48/35 6  30/17

| Art. No.                                  | Width      | Label        | PU |
|-------------------------------------------|------------|--------------|----|
| 40 895-301-55                             | 12 / 11 cm | <b>ROTA!</b> | 10 |
| <b>Spare refill set for 40 895-301-55</b> |            |              |    |
| 940 895-301-04                            | 12 / 11 cm | <b>ROTA!</b> | 10 |



## RotaStar 5

High quality roller-cover of microfibre

- 100% Microfibre
  - Receives paint up to 6-times of its own volume
- Extra short pile (5mm)
  - Optimal paint holding
  - Low spatter, suitable also for overhead works

☐ Wall Paints ☒ Water Based Lacquers ☐ Solvent Based Lacquers ☒ Wood Stains



| Art. No.   | Width | Label        | PU |
|------------|-------|--------------|----|
| 40 895-306 | 12 cm | <b>ROTA!</b> | 10 |

40 6  30



| Art. No.      | Width | Label        | PU |
|---------------|-------|--------------|----|
| 50 895-306-01 | 10 cm | <b>ROTA!</b> | 10 |

27 6  17



- Special roller for efficient coating of tongue & groove siding
  - simultaneous coating of flat surface and grooves
- Adjustable plush ring

| Art. No.   | Width | Label        | PU |
|------------|-------|--------------|----|
| 60 895-301 | 12 cm | <b>ROTA!</b> | 5  |

40 6  30



# RotaFilt 5

High quality roller cover of textured endless fibre

- Textured roller-cover
- No felting even with viscous paints and lacquers
- Short pile & even plush surface (5mm)
- For an extra smooth surface finish

☐ Wall Paints ☒ Water Based Lacquers ☒ Solvent Based Lacquers ☐ Wood Stains




- Water-proof core construction




| Art. No.   | Width | Label        | PU |
|------------|-------|--------------|----|
| 27 750-301 | 25 cm | <b>ROTA!</b> | 5  |



| Art. No.   | Width | Label        | PU |
|------------|-------|--------------|----|
| 40 750-306 | 12 cm | <b>ROTA!</b> | 10 |




| Art. No.      | Width     | Label        | PU |
|---------------|-----------|--------------|----|
| 50 750-306-01 | 10 cm     | <b>ROTA!</b> | 10 |
| 50 750-306-04 | 2 × 10 cm | <b>ROTA!</b> | 10 |



- Spec. set for efficient coating with solvent based lacquers
- Surface coating with the refill RotaFilt5
  - for extra rich paint application
- Finishing with the refill RotaSchaum concave
  - for a superfine surface finish
- With paint can opener & mixer

| Art. No.      | Width      | Label        | PU |
|---------------|------------|--------------|----|
| 40 750-301-55 | 12 / 11 cm | <b>ROTA!</b> | 10 |



|                                          |            |              |    |
|------------------------------------------|------------|--------------|----|
| <b>Spare refill set for 40750-301-55</b> |            |              |    |
| 940 750-301-04                           | 12 / 11 cm | <b>ROTA!</b> | 10 |



## RotaVelours 4

Premium roller-cover of woven lamb-wool

- Fine fibre structure
- For a smooth surface finish
- Heavy duty, extra short pile roller-cover (4mm)
- Suitable for special lacquers like 2 compound lacquers

☐ Wall Paints ☐ Water Based Lacquers ☒ Solvent Based Lacquers ☐ Wood Stains



■ Water-proof core construction



56 8 48

| Art. No.   | Width | Label        | PU |
|------------|-------|--------------|----|
| 25 530-301 | 18 cm | <b>ROTA!</b> | 10 |
| 27 530-301 | 25 cm | <b>ROTA!</b> | 12 |



| Art. No.      | Width    | Label        | PU |
|---------------|----------|--------------|----|
| 65 530-306-04 | 2 × 6 cm | <b>ROTA!</b> | 20 |
| 50 530-306-01 | 10 cm    | <b>ROTA!</b> | 10 |
| 55 530-306-01 | 15 cm    | <b>ROTA!</b> | 10 |

25 6 17



## RotaFlock Concave

Premium Flock roller with patented concave roundings

- Flocked cover
- Extra high paint loading
- Concave sides
- For streakless lacquering

☐ Wall Paints ☒ Water Based Lacquers ☒ Solvent Based Lacquers ☐ Wood Stains



■ Perfect for first time coatings



35 6 15

| Art. No.      | Width | Label        | PU |
|---------------|-------|--------------|----|
| 50 499-306-01 | 11 cm | <b>ROTA!</b> | 10 |





☐ Wall Paints
 ☒ Water Based Lacquers
 ☒ Solvent Based Lacquers
 ☐ Wood Stains



■ Perfect for renovation works

## RotaSchaum Concave


Premium foam roller with improved surface and patented concave roundings

- Superfine foam structure
  - For superfine surface finish, specially at finishing works directly after application of the paint with RotaStar 9 or RotaFilt 5
- Concave sides
  - For streakless lacquering



DuPont Patent Application WO 2005/007302 A2

| Art. No.      | Width     | Label        | PU |
|---------------|-----------|--------------|----|
| 50 469-306-01 | 11 cm     | <b>ROTA!</b> | 10 |
| 50 469-306-04 | 2 × 11 cm | <b>ROTA!</b> | 10 |



## RotaSchaum Classic

High quality foam roller

- Superfine foam structure
  - For a fine surface finish


☐ Wall Paints
 ☒ Water Based Lacquers
 ☒ Solvent Based Lacquers
 ☐ Wood Stains



■ Straight ends




| Art. No.      | Width     | Label        | PU |
|---------------|-----------|--------------|----|
| 60 400-306-04 | 2 × 5 cm  | <b>ROTA!</b> | 20 |
| 50 400-306-01 | 11 cm     | <b>ROTA!</b> | 10 |
| 50 400-306-04 | 2 × 11 cm | <b>ROTA!</b> | 10 |



■ Both side rounded




| Art. No.      | Width | Label        | PU |
|---------------|-------|--------------|----|
| 50 409-306-01 | 11 cm | <b>ROTA!</b> | 10 |





# The lacquering refill RotaSchaum Concave

with optimised material loading and release  
for perfect lacquered surface



## Your advantages at a glance:


- Improved superfine surface for increased paint loading
- Better paint release for an optimal surface finish
- Concave\* sides to avoid streaking
- Special foam with specified compressive hardness for long durability

\* DuPont Patent Application  
WO 2005/007302 A2



# Supply the world with high quality foam roller products.

**Competence in Manufacturing**



## **Advantages of our own production facilities:**

- Individuality in development and designing of new products
- Excellent flexibility and well-timed solutions based on new trends in painting and coating materials
- Fully controlled production process and instant multiple quality checking – from the incoming material, during the production process and finally by the dispatching and delivery

# RotaSchaum Standard

Standard foam roller

- Fine foam structure
- For simple lacquering works

☐ Wall Paints ☐ Water Based Lacquers ☒ Solvent Based Lacquers ☐ Wood Stains



■ Straight ends



|  | Art. No.      | Width      | Label        | PU |
|--|---------------|------------|--------------|----|
|  | 60 300-306-01 | 5 cm       | <b>ROTA!</b> | 20 |
|  | 50 300-306-01 | 11 cm      | <b>ROTA!</b> | 10 |
|  | 70 300-306-01 | 16 cm      | <b>ROTA!</b> | 10 |
|  | 60 300-306-20 | 20 × 5 cm  | <b>ROTA!</b> | 10 |
|  | 50 300-306-10 | 10 × 11 cm | <b>ROTA!</b> | 10 |



■ Both side rounded



|  | Art. No.      | Width | Label        | PU |
|--|---------------|-------|--------------|----|
|  | 50 309-306-01 | 11 cm | <b>ROTA!</b> | 10 |
|  |               |       |              |    |



■ Both side rounded



|  | Art. No.    | Width | Label | PU |
|--|-------------|-------|-------|----|
|  | 85 85 25 10 | 25 cm |       | 5  |
|  |             |       |       |    |



■ Ready set for simple coating works



|  | Art. No.    | Width | Label | PU |
|--|-------------|-------|-------|----|
|  | 86 70 72 10 | 11 cm |       | 10 |
|  |             |       |       |    |

# Edge-Trim-Roller

Special-Roller for exact trimming

- Side cover plate
- Fast and clean trimming of edges

☒ Wall Paints    ☐ Water Based Lacquers    ☐ Solvent Based Lacquers    ☐ Wood Stains



| Art. No.    | Description      | Label | PU |
|-------------|------------------|-------|----|
| 86 83 11 19 | edge trim roller |       | 2  |
| 86 83 12 10 | spare refill     |       | 1  |
| 86 83 13 10 | spare trim plate |       | 1  |





## RotaKnick

Premium roller frame with 2 compound handle and bent stainless steel wire

- Bent wire
- Optimal power transfer and controllability
- Stainless steel wire
- No corrosion/rust
- 2-compound handle
- Slip safe holding of roller



| Art. No.   | Width | Label        | PU |
|------------|-------|--------------|----|
| 87 353-302 | 25 cm | <b>ROTA!</b> | 5  |

## RotaGrip

High quality roller frame with 2 compound handle

- 2-compound material
- Slip safe holding of roller
- Zinc coated wire
- Rustproof



| Art. No.   | Width | Label        | PU |
|------------|-------|--------------|----|
| 85 253-302 | 18 cm | <b>ROTA!</b> | 10 |
| 85 353-302 | 25 cm | <b>ROTA!</b> | 10 |

| Art. No.   | Width / Total Length | Label        | PU |
|------------|----------------------|--------------|----|
| 85 653-302 | 5 - 7 cm / 19 cm     | <b>ROTA!</b> | 10 |
| 85 453-302 | 10 - 12 cm / 27 cm   | <b>ROTA!</b> | 10 |
| 85 553-302 | 10 - 12 cm / 39 cm   | <b>ROTA!</b> | 10 |
| 85 753-302 | 15 - 16 cm / 27 cm   | <b>ROTA!</b> | 10 |



## RotaClassic

Standard roller frame with 1 compound handle

- Zinc coated wire
- Rustproof

- Optimal for working with telescopic poles

| Art. No.   | Width | Label        | PU |
|------------|-------|--------------|----|
| 86 153-302 | 18 cm | <b>ROTA!</b> | 10 |
| 86 253-302 | 25 cm | <b>ROTA!</b> | 10 |



- Optimal for working with telescopic poles

| Art. No.   | Width / Total Length | Label        | PU |
|------------|----------------------|--------------|----|
| 86 353-302 | 10 - 12 cm / 27 cm   | <b>ROTA!</b> | 10 |
| 86 453-302 | 10 - 12 cm / 39 cm   | <b>ROTA!</b> | 10 |



## RotaJumbo

Special roller frame, metal

- Adjustable width size to use with floor coating refills
- Suitable refills to be found on page 18

| Art. No.    | Width      | Label                                                                               | PU |
|-------------|------------|-------------------------------------------------------------------------------------|----|
| 85 05 61 10 | 30 - 61 cm |  | 1  |



# Wipe grid

For an even distribution of paints on the roller

- Zinc coated steel
- With fixing metal stripes



| Art. No.    | Dimension  | Label | PU |
|-------------|------------|-------|----|
| 84 83 21 10 | 11 × 20 cm |       | 20 |
| 84 83 22 10 | 22 × 30 cm |       | 10 |
| 84 83 27 10 | 26 × 30 cm |       | 20 |

- Shock-resistant plastic
- With hooks for fixing in bucket



| Art. No.   | Dimension  | Label        | PU |
|------------|------------|--------------|----|
| 84 927-302 | 27 × 29 cm | <b>ROTA!</b> | 10 |

## Paint tray

High quality paint tray, made from shock-resistant plastic

- Stable construction
- High stability and wrap resistance
- Structured wipe-off surface
- Optimal wipe-off of excessive paint
- Specially shaped edge
- Simply outpouring of excessive paints



| Art. No.   | Dimension    | Label        | PU |
|------------|--------------|--------------|----|
| 84 815-302 | 14 × 27,5 cm | <b>ROTA!</b> | 10 |
| 84 826-302 | 26 × 32 cm   | <b>ROTA!</b> | 10 |
| 84 832-302 | 32 × 36 cm   | <b>ROTA!</b> | 10 |



| Art. No.    | Dimension  | Label                                                                               | PU |
|-------------|------------|-------------------------------------------------------------------------------------|----|
| 84 80 30 10 | 34 × 50 cm |  | 6  |

## Inlays for paint tray

Paint tray inlays made from transparent plastic material

- Perfect fit
- Saves cleaning works of paint trays

■ 1 pack = 3 pcs

| Art. No.    | Dimension    | Label                                                                               | PU |
|-------------|--------------|-------------------------------------------------------------------------------------|----|
| 84 80 15 10 | 14 × 27,5 cm |  | 10 |
| 84 80 26 10 | 26 × 32 cm   |  | 10 |



## Paint bucket

Paint bucket, made from shock-resistant plastic

- Big, structured wipe off surface
- Optimal wipe-off of excessive paint on roller



| Art. No.    | Volume    | Label                                                                             | PU |
|-------------|-----------|-----------------------------------------------------------------------------------|----|
| 84 82 08 10 | 8 litres  |  | 5  |
| 84 82 14 10 | 12 litres |  | 5  |
| 84 82 44 10 | 14 litres |  | 5  |

## Paint bucket inlays

Paint bucket inlays made from transparent plastic material

- Perfect fit
- Saves cleaning works of paint buckets

■ 1 pack = 5 pcs



| Art. No.    | Volume    | Availability | Label                                                                               | PU |
|-------------|-----------|--------------|-------------------------------------------------------------------------------------|----|
| 84 80 08 10 | 8 litres  | on demand    |  | 10 |
| 84 80 13 10 | 12 litres | on demand    |  | 10 |



# Telescopic poles

For fatigue-proof working, also at difficult reachable places

- Main body made of epoxy-glass resin
  - extra stabile
- With click-mechanism
  - easy rod length fixing without efforts
- With extra cone to change
  - for a secure fixing of all ROTA! Roller frames



| Art. No.    | Length       | Label                                                                             | PU |
|-------------|--------------|-----------------------------------------------------------------------------------|----|
| 84 96 62 10 | 130 - 238 cm |  | 5  |

- Main body made of epoxy-glass resin
  - extra stabile
- With big outside screw fixing
  - easy rod length fixing
- With universal cone
  - for easy fixing of most known roller frames



| Art. No.    | Length       | Label                                                                               | PU |
|-------------|--------------|-------------------------------------------------------------------------------------|----|
| 84 96 12 10 | 70 - 120 cm  |  | 6  |
| 84 96 22 10 | 120 - 220 cm |  | 6  |

- Main body made of aluminium
  - extra light
- With big outside screw fixing
  - easy rod length fixing
- With universal cone
  - for easy fixing of most known roller frames



| Art. No.    | Length       | Label                                                                               | PU |
|-------------|--------------|-------------------------------------------------------------------------------------|----|
| 84 92 31 10 | 100 - 200 cm |  | 10 |

- Steel body
- For simple works



| Art. No.    | Length       | Label                                                                               | PU |
|-------------|--------------|-------------------------------------------------------------------------------------|----|
| 84 90 13 10 | 80 - 130 cm  |  | 10 |
| 84 90 20 10 | 115 - 200 cm |  | 10 |
| 84 90 30 10 | 165 - 300 cm |  | 10 |







## Paintbrushes




### Index

|                                        |    |
|----------------------------------------|----|
| Which bristles for which type of paint | 37 |
| KanaStar                               | 38 |
| KanaTank                               | 38 |
| KanaClassic                            | 39 |
| KanaAqua                               | 41 |
| Flat Paintbrushes                      | 43 |
| Corner Brushes                         | 45 |
| Block Brushes                          | 46 |
| Ceiling Brushes                        | 47 |



# kana®

| Page | Bristles                                            |                                                                                     | Wall Paints | Water Based Lacquers | Solvent Based Lacquers | Wood Stains / Glaze |
|------|-----------------------------------------------------|-------------------------------------------------------------------------------------|-------------|----------------------|------------------------|---------------------|
| 38   | KanaStar                                            |    | ★           | ★                    | ★                      |                     |
| 38   | KanaTank                                            |    |             |                      |                        | ★                   |
| 39   | KanaClassic                                         |   |             |                      | ★                      |                     |
| 41   | KanaAqua<br>design 2019<br>approx. till Summer 2020 |  | ★           | ★                    |                        |                     |
| 41   | KanaAqua<br>design 2020<br>approx. from Summer 2020 |  | ★           | ★                    |                        |                     |

★ best suitable



## KanaStar

Premium-quality, innovative, full-synthetic bristle-mix

- Perfectly balanced bristle-mix
- ▶ Suitable for all kind of paints/glazes and lacquers
- High-quality plastic ferrule
- ▶ Swellproof & stainless
- High abrasion resistant bristle
- ▶ Up to 5x longer lifetime as usual bristles

☒ Wall Paints   ☒ Water Based Lacquers   ☒ Solvent Based Lacquers   ☐ Wood Stains

FLAT  
BRUSH

- Thickness: 12<sup>th</sup> grade
- Ferrule material: plastic
- Handle material: hardwood



| Art. No.    | Width | Bristle-Length | Thickness | Label | PU |
|-------------|-------|----------------|-----------|-------|----|
| 464 040-411 | 40 mm | 52 mm          | 19 mm     | kana  | 12 |
| 464 050-411 | 50 mm | 57 mm          | 20 mm     | kana  | 12 |
| 464 060-411 | 60 mm | 64 mm          | 21 mm     | kana  | 12 |

## KanaTank

Innovative 2in1-combination of natural bristle tank and synthetic bristle outside cover

- Natural bristle core
- ▶ Extra high paint absorption and low dripping
- Synthetic-bristle cover with conical tapered fine tops
- ▶ For homogeneous paint transfer and a very fine finish

☐ Wall Paints   ☐ Water Based Lacquers   ☐ Solvent Based Lacquers   ☒ Wood Stains

FLAT  
BRUSH

- Thickness: 12<sup>th</sup> grade
- Ferrule material: stainless steel
- Handle material: hardwood



| Art. No.    | Width | Bristle-Length | Thickness | Label | PU |
|-------------|-------|----------------|-----------|-------|----|
| 466 050-411 | 50 mm | 64 mm          | 20 mm     | kana  | 12 |
| 466 080-411 | 80 mm | 68 mm          | 21 mm     | kana  | 12 |

BLOCK  
BRUSH

| Art. No.    | Width  | Bristle-Length | Thickness | Label | PU |
|-------------|--------|----------------|-----------|-------|----|
| 536 010-411 | 100 mm | 76 mm          | 30 mm     | kana  | 6  |





☒ Wall Paints
 ☐ Water Based Lacquers
 ☒ Solvent Based Lacquers
 ☒ Wood Stains

## KanaClassic

High-quality bristle mixtures made of synthetic bristles stabilized natural bristles

- Stabilized bristles
- ▶ Stable shape also at high viscosity paints
- Optimal natural bristle ratio
- ▶ High paint absorption
- Optimal synthetic bristle ratio
- ▶ Low swelling

### FLAT BRUSH

- Thickness: 12<sup>th</sup> grade
- Ferrule material: tin plated steel
- Handle material: hardwood

| Art. No. | Width  | Bristle-Length | Thickness | Label       | PU |
|----------|--------|----------------|-----------|-------------|----|
| 325 010  | 30 mm  | 44 mm          | 16 mm     | <b>kana</b> | 6  |
| 325 015  | 40 mm  | 51 mm          | 17 mm     | <b>kana</b> | 6  |
| 325 020  | 50 mm  | 51 mm          | 19 mm     | <b>kana</b> | 6  |
| 325 025  | 70 mm  | 57 mm          | 20 mm     | <b>kana</b> | 6  |
| 325 030  | 80 mm  | 64 mm          | 22 mm     | <b>kana</b> | 6  |
| 325 040  | 100 mm | 67 mm          | 22 mm     | <b>kana</b> | 6  |



### FLAT BRUSH

- Thickness: 9<sup>th</sup> grade
- Ferrule material: brass plated steel
- Handle material: hardwood, glazed

| Art. No.    | Width | Bristle-Length | Thickness | Label       | PU |
|-------------|-------|----------------|-----------|-------------|----|
| 456 030-411 | 30 mm | 44 mm          | 15 mm     | <b>kana</b> | 12 |
| 456 040-411 | 40 mm | 51 mm          | 16 mm     | <b>kana</b> | 12 |
| 456 050-411 | 50 mm | 51 mm          | 17 mm     | <b>kana</b> | 12 |
| 456 060-411 | 60 mm | 57 mm          | 18 mm     | <b>kana</b> | 12 |
| 456 080-411 | 80 mm | 63 mm          | 19 mm     | <b>kana</b> | 12 |



### FLAT BRUSH

- Thickness: 9<sup>th</sup> grade
- Ferrule material: tin plated steel
- Handle material: black plastic

| Art. No. | Width  | Bristle-Length | Thickness | Label       | PU |
|----------|--------|----------------|-----------|-------------|----|
| 235 010  | 30 mm  | 38 mm          | 15 mm     | <b>kana</b> | 6  |
| 235 015  | 40 mm  | 44 mm          | 16 mm     | <b>kana</b> | 6  |
| 235 020  | 50 mm  | 51 mm          | 17 mm     | <b>kana</b> | 6  |
| 235 025  | 60 mm  | 57 mm          | 18 mm     | <b>kana</b> | 6  |
| 235 030  | 70 mm  | 64 mm          | 19 mm     | <b>kana</b> | 6  |
| 235 040  | 100 mm | 70 mm          | 19 mm     | <b>kana</b> | 6  |



### BLOCK BRUSH

- Ferrule material: stainless steel
- Handle material: hardwood

| Art. No.    | Width  | Bristle-Length | Thickness | Label       | PU |
|-------------|--------|----------------|-----------|-------------|----|
| 535 310-411 | 100 mm | 61 mm          | 30 mm     | <b>kana</b> | 6  |



CORNER  
BRUSH

- Thickness: 1<sup>st</sup> grade
- Ferrule material: stainless steel
- Handle material: hardwood



| Art. No.    | Width | Bristle-Length | Thickness | Label       | PU |
|-------------|-------|----------------|-----------|-------------|----|
| 358 050-411 | 50 mm | 51 mm          | 9 mm      | <b>kana</b> | 12 |
| 358 060-411 | 60 mm | 57 mm          | 9 mm      | <b>kana</b> | 12 |
| 358 075-411 | 75 mm | 57 mm          | 9 mm      | <b>kana</b> | 12 |

SPECIAL  
PAINTBRUSH

- Ferrule material: stainless steel
- Handle material: hardwood



| Art. No.    | Width | Bristle-Length | Label       | PU |
|-------------|-------|----------------|-------------|----|
| 268 020-411 | 20 mm | 37 mm          | <b>kana</b> | 12 |
| 268 025-411 | 25 mm | 40 mm          | <b>kana</b> | 12 |

SPECIAL  
PAINTBRUSH

- Ferrule material: stainless steel
- Handle material: hardwood



| Art. No.    | Width | Bristle-Length | Label       | PU |
|-------------|-------|----------------|-------------|----|
| 268 225-411 | 25 mm | 25 mm          | <b>kana</b> | 12 |

SPECIAL  
PAINTBRUSH

- Ferrule material: aluminium
- Handle material: wood



| Art. No.    | Width | Bristle-Length | Label | PU |
|-------------|-------|----------------|-------|----|
| 82 75 08 10 | 8 mm  | 20 mm          |       | 12 |
| 82 75 12 10 | 12 mm | 24 mm          |       | 12 |

SPECIAL  
PAINTBRUSH

- Ferrule material: aluminium
- Handle material: wood



| Art. No. | Size | Bristle-Length | Label       | PU |
|----------|------|----------------|-------------|----|
| 229 100  | #10  | 28 mm          | <b>kana</b> | 12 |
| 229 102  | #12  | 29 mm          | <b>kana</b> | 12 |
| 229 104  | #14  | 30 mm          | <b>kana</b> | 12 |

SPECIAL  
PAINTBRUSH

- Bristle material: natural bristle-mix
- Ferrule material: aluminium
- Handle material: wood

| Art. No. | Size | Bristle-Length | Label       | PU |
|----------|------|----------------|-------------|----|
| 463 708  | #8   | 22 mm          | <b>kana</b> | 12 |
| 463 712  | #12  | 26 mm          | <b>kana</b> | 12 |



- ☒ Wall Paints
 ☒ Water Based Lacquers
 ☐ Solvent Based Lacquers
 ☐ Wood Stains

## KanaAqua

Premium synthetic bristle-mix

- Synthetic-bristle cover with conical tapered fine tops
- ▶ For homogenous paint transfer and a very fine finish
- Full synthetic bristles
- ▶ No swelling of bristles at use with water-based paints and lacquers

ROUND  
BRUSH

- Handle material: stainless steel
- Ferrule material: hardwood
- Specialty: double thread binding

| Art. No.    | Size | Bristle-Length | Thickness | Label       | PU |
|-------------|------|----------------|-----------|-------------|----|
| 453 504-411 | #4   | 70 mm          | 25 mm     | <b>kana</b> | 12 |
| 453 506-411 | #6   | 70 mm          | 30 mm     | <b>kana</b> | 12 |
| 453 508-411 | #8   | 76 mm          | 35 mm     | <b>kana</b> | 12 |

FLAT  
BRUSH

- Thickness: 12<sup>th</sup> grade
- Ferrule material: stainless steel
- Handle material: hardwood

| Art. No.    | Width | Bristle-Length | Thickness | Label       | PU |
|-------------|-------|----------------|-----------|-------------|----|
| 463 530-411 | 30 mm | 51 mm          | 17 mm     | <b>kana</b> | 12 |
| 463 540-411 | 40 mm | 57 mm          | 18 mm     | <b>kana</b> | 12 |
| 463 550-411 | 50 mm | 63 mm          | 19 mm     | <b>kana</b> | 12 |
| 463 560-411 | 60 mm | 63 mm          | 20 mm     | <b>kana</b> | 12 |
| 463 580-411 | 80 mm | 69 mm          | 21 mm     | <b>kana</b> | 12 |

CORNER  
BRUSH

- Thickness: 1<sup>st</sup> grade
- Ferrule material: stainless steel
- Handle material: hardwood

| Art. No.    | Width | Bristle-Length | Thickness | Label       | PU |
|-------------|-------|----------------|-----------|-------------|----|
| 263 535-411 | 35 mm | 51 mm          | 8 mm      | <b>kana</b> | 12 |
| 263 550-411 | 50 mm | 57 mm          | 8 mm      | <b>kana</b> | 12 |
| 263 560-411 | 60 mm | 63 mm          | 8 mm      | <b>kana</b> | 12 |
| 263 575-411 | 75 mm | 63 mm          | 8 mm      | <b>kana</b> | 12 |



## FACADE BRUSH

- Thickness: 6<sup>th</sup> grade
- Ferrule material: stainless steel
- Handle material: hardwood



| Art. No.    | Width | Bristle-Length | Thickness | Label       | PU |
|-------------|-------|----------------|-----------|-------------|----|
| 423 550-411 | 50 mm | 57 mm          | 13 mm     | <b>kana</b> | 6  |
| 423 575-411 | 80 mm | 69 mm          | 17 mm     | <b>kana</b> | 6  |

## SPECIAL PAINTBRUSH

- Ferrule material: stainless steel
- Handle material: hardwood



| Art. No.    | Width | Bristle-Length | Thickness | Label       | PU |
|-------------|-------|----------------|-----------|-------------|----|
| 253 520-411 | 20 mm | 43 mm          | 8 mm      | <b>kana</b> | 6  |
| 253 525-411 | 25 mm | 48 mm          | 8 mm      | <b>kana</b> | 6  |

## BLOCK BRUSH

- Ferrule material: stainless steel
- Handle material: hardwood



| Art. No.    | Width  | Bristle-Length | Thickness | Label       | PU |
|-------------|--------|----------------|-----------|-------------|----|
| 533 510-411 | 100 mm | 72 mm          | 30 mm     | <b>kana</b> | 6  |

## WINDOW BRUSH

- Thickness: 6<sup>th</sup> grade
- Ferrule material: stainless steel
- Handle material: hardwood



| Art. No.    | Width | Bristle-Length | Thickness | Label       | PU |
|-------------|-------|----------------|-----------|-------------|----|
| 293 540-411 | 40 mm | 41 - 51 mm     | 12 mm     | <b>kana</b> | 12 |

# Flat brushes

Ideal for coating of medium surfaces like  
door & window frames, fences

## FLAT BRUSH

- Thickness: 9<sup>th</sup> grade
- Bristle material: stabilized natural bristle-mix
- Ferrule material: tin plated steel
- Handle material: red plastic

| Art. No. | Width  | Bristle-Length | Thickness | Label       | PU |
|----------|--------|----------------|-----------|-------------|----|
| 234 010  | 30 mm  | 44 mm          | 14 mm     | <b>kana</b> | 12 |
| 234 015  | 40 mm  | 44 mm          | 15 mm     | <b>kana</b> | 12 |
| 234 020  | 50 mm  | 44 mm          | 16 mm     | <b>kana</b> | 6  |
| 234 025  | 60 mm  | 51 mm          | 17 mm     | <b>kana</b> | 6  |
| 234 030  | 70 mm  | 57 mm          | 18 mm     | <b>kana</b> | 6  |
| 234 040  | 100 mm | 64 mm          | 19 mm     | <b>kana</b> | 6  |



- ☒ Wall Paints
 ☐ Water Based Lacquers
 ☒ Solvent Based Lacquers
 ☒ Wood Stains

## FLAT BRUSH

- Thickness: 9<sup>th</sup> grade
- Bristle material: stabilized natural bristle-mix
- Ferrule material: tin plated steel
- Handle material: black plastic

|         |        |       |       |             |    |
|---------|--------|-------|-------|-------------|----|
| 236 075 | 20 mm  | 44 mm | 13 mm | <b>kana</b> | 12 |
| 236 010 | 30 mm  | 44 mm | 14 mm | <b>kana</b> | 6  |
| 236 015 | 40 mm  | 44 mm | 15 mm | <b>kana</b> | 6  |
| 236 020 | 50 mm  | 47 mm | 16 mm | <b>kana</b> | 6  |
| 236 025 | 60 mm  | 55 mm | 17 mm | <b>kana</b> | 6  |
| 236 030 | 70 mm  | 60 mm | 17 mm | <b>kana</b> | 6  |
| 236 035 | 80 mm  | 62 mm | 18 mm | <b>kana</b> | 6  |
| 236 040 | 100 mm | 68 mm | 19 mm | <b>kana</b> | 6  |



- ☒ Wall Paints
 ☐ Water Based Lacquers
 ☒ Solvent Based Lacquers
 ☒ Wood Stains

## FLAT BRUSH

- Thickness: 9<sup>th</sup> grade
- Bristle material: natural & brown synthetic bristle-mix
- Ferrule material: brass plated steel
- Handle material: blue plastic

|         |        |       |       |             |    |
|---------|--------|-------|-------|-------------|----|
| 384 010 | 30 mm  | 44 mm | 14 mm | <b>kana</b> | 12 |
| 384 015 | 40 mm  | 51 mm | 15 mm | <b>kana</b> | 6  |
| 384 020 | 50 mm  | 51 mm | 16 mm | <b>kana</b> | 6  |
| 384 025 | 60 mm  | 51 mm | 17 mm | <b>kana</b> | 6  |
| 384 030 | 70 mm  | 57 mm | 18 mm | <b>kana</b> | 6  |
| 384 035 | 80 mm  | 57 mm | 18 mm | <b>kana</b> | 6  |
| 384 040 | 100 mm | 64 mm | 19 mm | <b>kana</b> | 6  |



- ☐ Wall Paints
 ☐ Water Based Lacquers
 ☐ Solvent Based Lacquers
 ☒ Wood Stains

## FLAT BRUSH

- Thickness: 9<sup>th</sup> grade
- Bristle material: natural & synthetic bristle-mix
- Ferrule material: tin plated steel
- Handle material: lacquered wood

| Art. No.    | Width  | Bristle-Length | Thickness | Label | PU |
|-------------|--------|----------------|-----------|-------|----|
| 81 12 30 10 | 30 mm  | 42 mm          | 14 mm     |       | 12 |
| 81 12 40 10 | 40 mm  | 43 mm          | 15 mm     |       | 12 |
| 81 12 50 10 | 50 mm  | 44 mm          | 16 mm     |       | 12 |
| 81 12 60 10 | 60 mm  | 51 mm          | 17 mm     |       | 12 |
| 81 12 80 10 | 80 mm  | 51 mm          | 18 mm     |       | 12 |
| 81 12 99 10 | 100 mm | 57 mm          | 19 mm     |       | 6  |



- ☒ Wall Paints
 ☐ Water Based Lacquers
 ☐ Solvent Based Lacquers
 ☐ Wood Stains



## FLAT BRUSH

- Thickness: 6<sup>th</sup> grade
- Bristle material: high quality natural & synthetic bristle-mix
- Ferrule material: stainless steel
- Handle material: black plastic

| Art. No.    | Width  | Bristle-Length | Thickness | Label | PU |
|-------------|--------|----------------|-----------|-------|----|
| 81 31 30 19 | 30 mm  | 38 mm          | 11 mm     |       | 12 |
| 81 31 40 19 | 40 mm  | 44 mm          | 12 mm     |       | 12 |
| 81 31 50 19 | 50 mm  | 51 mm          | 13 mm     |       | 12 |
| 81 31 70 19 | 70 mm  | 57 mm          | 15 mm     |       | 12 |
| 81 31 99 19 | 100 mm | 63 mm          | 17 mm     |       | 12 |



- ☒ Wall Paints
 ☐ Water Based Lacquers
 ☒ Solvent Based Lacquers
 ☐ Wood Stains

## FLAT BRUSH

- Thickness: 6<sup>th</sup> grade
- Bristle material: natural & brown synthetic bristle-mix
- Ferrule material: stainless steel
- Handle material: blue plastic

| Art. No. | Width | Bristle-Length | Thickness | Label | PU |
|----------|-------|----------------|-----------|-------|----|
| 204 010  | 30 mm | 38 mm          | 11 mm     |       | 12 |
| 204 015  | 40 mm | 50 mm          | 12 mm     |       | 12 |
| 204 020  | 50 mm | 50 mm          | 13 mm     |       | 12 |
| 204 025  | 60 mm | 57 mm          | 15 mm     |       | 12 |
| 204 030  | 70 mm | 57 mm          | 15 mm     |       | 12 |



- ☐ Wall Paints
 ☐ Water Based Lacquers
 ☐ Solvent Based Lacquers
 ☒ Wood Stains

## FLAT BRUSH

- Thickness: 6<sup>th</sup> grade
- Bristle material: natural & synthetic bristle-mix
- Ferrule material: tin plated steel
- Handle material: red plastic

| Art. No.    | Width  | Bristle-Length | Thickness | Label | PU |
|-------------|--------|----------------|-----------|-------|----|
| 462 820-411 | 20 mm  | 38 mm          | 10 mm     |       | 12 |
| 462 830-411 | 30 mm  | 44 mm          | 12 mm     |       | 12 |
| 462 840-411 | 40 mm  | 44 mm          | 12 mm     |       | 12 |
| 462 850-411 | 50 mm  | 48 mm          | 14 mm     |       | 12 |
| 462 860-411 | 60 mm  | 48 mm          | 15 mm     |       | 12 |
| 462 870-411 | 70 mm  | 51 mm          | 16 mm     |       | 12 |
| 462 880-411 | 80 mm  | 54 mm          | 16 mm     |       | 12 |
| 462 899-411 | 100 mm | 57 mm          | 17 mm     |       | 12 |



- ☒ Wall Paints
 ☒ Water Based Lacquers
 ☒ Solvent Based Lacquers
 ☐ Wood Stains

## FLAT BRUSH

- Thickness: 4<sup>th</sup> grade
- Bristle material: stabilized bristle-mix
- Ferrule material: tin plated steel
- Handle material: red plastic

| Art. No.    | Width | Bristle-Length | Thickness | Label | PU |
|-------------|-------|----------------|-----------|-------|----|
| 81 20 25 10 | 25 mm | 8 mm           | 38 mm     |       | 24 |
| 81 20 35 10 | 35 mm | 8 mm           | 38 mm     |       | 24 |
| 81 20 50 10 | 50 mm | 9 mm           | 38 mm     |       | 24 |
| 81 20 60 10 | 60 mm | 9 mm           | 44 mm     |       | 24 |
| 81 20 75 10 | 75 mm | 10 mm          | 44 mm     |       | 24 |
| 81 20 99 10 | 98 mm | 10 mm          | 44 mm     |       | 24 |



- ☒ Wall Paints
 ☐ Water Based Lacquers
 ☒ Solvent Based Lacquers
 ☒ Wood Stains

## Corner brushes

Ideal for coating of corners, edges and hard to reach hidden surfaces

### CORNER BRUSH

- Thickness: 1<sup>st</sup> grade
- Bristle material: stabilized bristle mix
- Ferrule material: tin plated steel
- Handle material: red plastic

| Art. No.    | Width | Bristle-Length | Thickness | Label                                                                             | PU |
|-------------|-------|----------------|-----------|-----------------------------------------------------------------------------------|----|
| 81 62 30 10 | 30 mm | 51 mm          | 12 mm     |  | 12 |
| 81 62 40 10 | 40 mm | 51 mm          | 12 mm     |  | 12 |
| 81 62 50 10 | 50 mm | 51 mm          | 12 mm     |  | 12 |
| 81 62 60 10 | 60 mm | 57 mm          | 12 mm     |  | 12 |
| 81 62 70 10 | 70 mm | 57 mm          | 12 mm     |  | 6  |



- ☒ Wall Paints
 ☐ Water Based Lacquers
 ☒ Solvent Based Lacquers
 ☒ Wood Stains

### CORNER BRUSH

- Thickness: 1<sup>st</sup> grade
- Bristle material: stabilized bristle mix
- Ferrule material: plastic
- Handle material: black plastic
- Specialty: metal free brush, short-circuit proof

| Art. No.    | Width | Bristle-Length | Thickness | Label                                                                               | PU |
|-------------|-------|----------------|-----------|-------------------------------------------------------------------------------------|----|
| 81 68 50 10 | 50 mm | 44 mm          | 10 mm     |  | 12 |



- ☒ Wall Paints
 ☐ Water Based Lacquers
 ☒ Solvent Based Lacquers
 ☒ Wood Stains

### CORNER BRUSH

- Thickness: 1<sup>st</sup> grade
- Bristle material: stabilized bristle mix
- Ferrule material: tin plated steel
- Handle material: black plastic

| Art. No.    | Width | Bristle-Length | Thickness | Label                                                                               | PU |
|-------------|-------|----------------|-----------|-------------------------------------------------------------------------------------|----|
| 81 80 25 10 | 25 mm | 41 mm          | 11 mm     |  | 12 |
| 81 80 40 10 | 40 mm | 41 mm          | 11 mm     |  | 12 |
| 81 80 50 10 | 50 mm | 41 mm          | 12 mm     |  | 12 |
| 81 80 65 10 | 65 mm | 48 mm          | 13 mm     |  | 12 |
| 81 80 76 10 | 75 mm | 48 mm          | 13 mm     |  | 6  |



- ☒ Wall Paints
 ☐ Water Based Lacquers
 ☒ Solvent Based Lacquers
 ☒ Wood Stains

### CORNER BRUSH

- Thickness: 1<sup>st</sup> grade
- Bristle material: synthetic bristles
- Ferrule material: tin plated steel
- Handle material: softwood

| Art. No.    | Width | Bristle-Length | Thickness | Label                                                                               | PU |
|-------------|-------|----------------|-----------|-------------------------------------------------------------------------------------|----|
| 81 66 35 10 | 35 mm | 38 mm          | 9 mm      |  | 12 |
| 81 66 50 10 | 50 mm | 45 mm          | 9 mm      |  | 12 |
| 81 66 60 10 | 60 mm | 45 mm          | 9 mm      |  | 12 |
| 81 66 75 10 | 75 mm | 51 mm          | 9 mm      |  | 12 |



- ☒ Wall Paints
 ☐ Water Based Lacquers
 ☐ Solvent Based Lacquers
 ☐ Wood Stains

# Block brushes

Ideal for coating of big surfaces like walls

## BLOCK BRUSH

- Bristle material: natural & brown synthetic bristle-mix
- Ferrule material: stainless steel
- Handle material: Hardwood



- ☐ Wall Paints
 ☐ Water Based Lacquers
 ☐ Solvent Based Lacquers
 ☒ Wood Stains

## BLOCK BRUSH

- Bristle material: natural & synthetic bristle-mix
- Ferrule material: tin plated steel
- Handle material: plastic



- ☒ Wall Paints
 ☐ Water Based Lacquers
 ☐ Solvent Based Lacquers
 ☐ Wood Stains

| Art. No.    | Dimension   | Bristle-Length | Label       | PU |
|-------------|-------------|----------------|-------------|----|
| 532 510-411 | 30 × 100 mm | 57 mm          | <b>kana</b> | 6  |

| Art. No.    | Dimension   | Bristle-Length | Label | PU |
|-------------|-------------|----------------|-------|----|
| 83 68 07 10 | 30 × 70 mm  | 44 mm          |       | 12 |
| 83 68 10 10 | 30 × 100 mm | 44 mm          |       | 12 |
| 83 68 12 10 | 30 × 120 mm | 44 mm          |       | 12 |
| 83 68 14 10 | 40 × 140 mm | 50 mm          |       | 6  |
| 83 68 15 10 | 50 × 150 mm | 50 mm          |       | 6  |

# Ceiling brushes

Ideal for coating of big surfaces like walls, ceilings

## CEILING BRUSH

- Bristle material: high quality natural & synthetic bristle-mix
- Body material: plastic
- Handle material: hardwood

| Art. No.    | Dimension   | Bristle-Length | Label       | PU |
|-------------|-------------|----------------|-------------|----|
| 525 320-411 | 80 × 180 mm | 95 mm          | <b>kana</b> | 2  |


☒ Wall Paints

☐ Primer

☐ Limewash

☐ Glue

## ROUND CEILING BRUSH

- Bristle material: high quality natural & synthetic bristle-mix
- Body material: plastic
- Handle material: hardwood

| Art. No.    | Diameter | Bristle-Length | Label | PU |
|-------------|----------|----------------|-------|----|
| 83 85 08 10 | 120 mm   | 97 mm          |       | 2  |
| 83 85 10 10 | 130 mm   | 100 mm         |       | 2  |
| 83 85 12 10 | 130 mm   | 120 mm         |       | 2  |
| 83 85 14 10 | 135 mm   | 122 mm         |       | 1  |


☒ Wall Paints

☐ Primer

☐ Limewash

☐ Glue

## CEILING BRUSH

- Bristle material: high quality natural & synthetic bristle-mix
- Body material: plastic
- Handle material: hardwood

| Art. No. | Dimension   | Bristle-Length | Label       | PU |
|----------|-------------|----------------|-------------|----|
| 218 515  | 50 × 150 mm | 80 mm          | <b>kana</b> | 2  |
| 218 166  | 65 × 160 mm | 85 mm          | <b>kana</b> | 2  |
| 218 177  | 70 × 170 mm | 90 mm          | <b>kana</b> | 2  |
| 218 189  | 80 × 180 mm | 97 mm          | <b>kana</b> | 2  |


☒ Wall Paints

☐ Primer

☐ Limewash

☐ Glue

## CEILING BRUSH FIBRE

- Bristle material: high quality synthetic bristle-mix
- Body material: hardwood
- Handle material: plastic
- Specialty: acid- and solvent resistant

| Art. No.    | Dimension   | Bristle-Length | Label | PU |
|-------------|-------------|----------------|-------|----|
| 83 87 70 19 | 70 × 170 mm | 70 mm          |       | 6  |


☐ Wall Paints

☒ Primer

☐ Limewash

☐ Glue

## CEILING BRUSH SILVERPREN

- Bristle material: high quality synthetic bristle-mix Silverpren
- Body material: plastic
- Handle material: plastic
- Specialty: especially for primers, solvent and base resistant

| Art. No.    | Dimension   | Bristle-Length | Label                                                                             | PU |
|-------------|-------------|----------------|-----------------------------------------------------------------------------------|----|
| 83 86 75 19 | 75 × 175 mm | 75 mm          |  | 6  |


☐ Wall Paints

☒ Primer

☐ Limewash

☐ Glue

## CEILING BRUSH

- Bristle material: synthetic bristle-mix
- Body material: hardwood
- Handle material: plastic

| Art. No.    | Dimension   | Label                                                                             | PU |
|-------------|-------------|-----------------------------------------------------------------------------------|----|
| 83 80 07 10 | 70 × 170 mm |  | 6  |


☐ Wall Paints

☒ Primer

☒ Limewash

☒ Glue

## CEILING BRUSH

- Bristle material: synthetic bristle-mix
- Body material: plastic
- Handle material: plastic

| Art. No.    | Dimension   | Bristle-Length | Label                                                                               | PU |
|-------------|-------------|----------------|-------------------------------------------------------------------------------------|----|
| 83 82 76 10 | 75 × 170 mm | 70 mm          |  | 5  |


☐ Wall Paints

☒ Primer

☒ Limewash

☒ Glue

## CEILING BRUSH

- Bristle material: synthetic bristle-mix
- Body material: plastic
- Handle material: plastic

| Art. No.    | Diameter | Bristle-Length | Label                                                                               | PU |
|-------------|----------|----------------|-------------------------------------------------------------------------------------|----|
| 83 85 40 10 | 108 mm   | 68 mm          |  | 6  |


☐ Wall Paints

☒ Primer

☐ Limewash

☐ Glue







## Masking tapes & CoverMasq

### Index

|                                        |    |
|----------------------------------------|----|
| Which masking tape for which situation | 51 |
| CoverMasq Gold                         | 52 |
| CoverMasq Classic                      | 52 |
| CoverMasq Paper                        | 53 |
| CoverMasq LightBlue                    | 53 |
| MasqPainter Red                        | 54 |
| MasqPainter Violet                     | 54 |
| MasqPainter Gold                       | 55 |
| Painter's tape Yellow                  | 55 |
| Painter's tape Blue                    | 56 |
| MasqPainter Classic                    | 56 |
| MasqPainter Standard                   | 57 |
| Painter's tape Beige                   | 57 |
| MasqBricklayer Yellow                  | 58 |
| MasqBricklayer LightBlue               | 58 |
| Bricklayer's tape Orange               | 59 |
| MasqPlasterer Grooved                  | 59 |
| MasqPlasterer Smooth                   | 60 |
| Window protection film Blue            | 61 |
| Window protection film Transparent     | 61 |





# masq®

| Page | Series  | Description                 | UV-stability | Suitability |   | Material    |          |             |          | Surface |   |   |
|------|---------|-----------------------------|--------------|-------------|---|-------------|----------|-------------|----------|---------|---|---|
|      |         |                             |              |             |   | Wall Paints | Lacquers | Wood Stains | Plasters |         |   |   |
| 52   | 9678..  | CoverMasq Gold              | 30 days      | ✓           | ✓ | ★           | ★        | ★           |          | ✓       |   |   |
| 52   | 968...  | CoverMasq Classic           | 7 days       | ✓           |   | ★           | ★        |             |          | ✓       | ✓ |   |
| 53   | 9669..  | CoverMasq Paper             | 7 days       | ✓           |   | ★           | ★        |             |          | ✓       | ✓ |   |
| 53   | 9674..  | CoverMasq LightBlue         | 21 days      | ✓           | ✓ | ★           |          |             | ★        |         | ✓ |   |
| 54   | 9607..  | MasqPainter Red             | 120 days     | ✓           | ✓ | ★           | ★        | ★           |          | ✓       |   |   |
| 54   | 9609..  | MasqPainter Violette        | 90 days      | ✓           | ✓ | ★           | ★        | ★           |          | ✓       |   |   |
| 55   | 9605..  | MasqPainter Gold            | 60 days      | ✓           | ✓ | ★           | ★        | ★           |          | ✓       |   |   |
| 55   | 97054.. | Malířská páska Žlutá        | 7 days       | ✓           | ✓ | ★           | ★        | ★           |          | ✓       |   |   |
| 56   | 9604..  | Malířská páska Modrá        | 14 days      | ✓           | ✓ | ★           | ★        | ★           |          | ✓       |   |   |
| 56   | 9602..  | MasqPainter Classic         | 7 days       | ✓           |   | ★           | ★        |             |          | ✓       | ✓ |   |
| 57   | 9600..  | MasqPainter Standard        | 7 days       | ✓           |   | ★           | ★        |             |          | ✓       | ✓ |   |
| 57   | 9600..  | Malířská páska Bežová       | 12 hours     | ✓           |   | ★           | ★        |             |          | ✓       |   |   |
| 58   | 9618..  | MasqBricklayer Yellow       | 14 days      | ✓           | ✓ | ★           |          |             | ★        | ✓       | ✓ | ✓ |
| 58   | 9622..  | MasqBricklayer LightBlue    | 21 days      | ✓           | ✓ | ★           |          |             | ★        | ✓       | ✓ | ✓ |
| 59   | 9626..  | Stavební páska Oranžová     | 3 days       | ✓           | ✓ | ★           |          |             | ★        |         |   | ✓ |
| 59   | 9610..  | MasqPlasterer Grooved       | 14 days      | ✓           | ✓ |             |          |             | ★        | ✓       | ✓ |   |
| 59   | 9614..  | MasqPlasterer Grooved       | 14 days      | ✓           | ✓ |             |          |             | ★        | ✓       | ✓ |   |
| 60   | 9611..  | MasqPlasterer Smooth        | 14 days      | ✓           | ✓ |             |          |             | ★        | ✓       | ✓ |   |
| 60   | 9613..  | MasqPlasterer Smooth        | 14 days      | ✓           | ✓ |             |          |             | ★        | ✓       | ✓ |   |
| 61   | 9697..  | Window protection film Blue | 30 days      | ✓           | ✓ |             |          |             |          | ✓       |   |   |
| 61   | 9698..  | Window protection f. Transp | 30 days      | ✓           | ✓ |             |          |             |          | ✓       |   |   |

★ best suitable

## Recommendations for use



Testing of tape on each surface is recommended to avoid any unwanted effects!

Acceptability of tape on surface is always requested! Surfaces on which tape is applied should be clean, dry and free of grease, oil, moisture, dirt and other contaminants.

Tape should be removed after painting always before paint dries.

Max. usability time can be decreased by weather conditions!

## CoverMasq Gold

With extra thin layer special paper tape for especially thin paint borders

- Tape material: extra thin layer special paper tape
- Cover material: electrostatic loaded HDPE foil
- Adhesive: acrylic
- Adhesive power: medium

☒ Wall Paints ☒ Lacquers/Varnishes ☒ Wood Stains ☐ Plasters



- Remove within: max. 30 days
- UV resistance: up to 30 days
- Heat resistance: 60 °C (max. 60min.)

| Art. No.    | Width  | Length | Core  | Label | PU |
|-------------|--------|--------|-------|-------|----|
| 96 78 50 76 | 55 cm  | 25 m   | 10 cm | masq  | 5  |
| 96 78 60 76 | 140 cm | 25 m   | 20 cm | masq  | 5  |
| 96 78 70 76 | 210 cm | 20 m   | 20 cm | masq  | 4  |
| 96 78 80 76 | 270 cm | 16 m   | 20 cm | masq  | 3  |



## CoverMasq Classic

With high quality tape for standard indoor works

- Tape material: thick layer flat crepe tape
- Cover material: HDPE foil
- Adhesive: natural rubber
- Adhesive power: high

☒ Wall Paints ☒ Lacquers/Varnishes ☐ Wood Stains ☐ Plasters



- Remove within: max. 7 days
- Heat resistance: 60 °C (max. 60min.)

| Art. No.    | Width  | Length | Core  | Label | PU |
|-------------|--------|--------|-------|-------|----|
| 96 80 56 76 | 55 cm  | 33 m   | 10 cm | masq  | 5  |
| 96 81 10 76 | 110 cm | 33 m   | 20 cm | masq  | 5  |
| 96 81 40 76 | 140 cm | 33 m   | 20 cm | masq  | 5  |
| 96 82 10 76 | 210 cm | 20 m   | 20 cm | masq  | 4  |
| 96 82 70 76 | 270 cm | 16 m   | 20 cm | masq  | 3  |



## CoverMasq Paper

With high quality paper tape for indoor works on small surfaces

- Tape material: thick layer flat crepe tape
- Cover material: special recycling paper
- Adhesive: natural rubber
- Adhesive power: medium

☒ Wall Paints ☒ Lacquers/Varnishes ☐ Wood Stains ☐ Plasters



- Remove within: max. 7 days
- Heat resistance: 60 °C (max. 60min.)

| Art. No.    | Width | Length | Core  | Label | PU |
|-------------|-------|--------|-------|-------|----|
| 96 69 10 10 | 10 cm | 20 m   | 6 cm  |       | 5  |
| 96 69 18 10 | 18 cm | 20 m   | 10 cm |       | 6  |
| 96 69 30 10 | 30 cm | 20 m   | 16 cm |       | 6  |




## CoverMasq LightBlue

With extra thick layer UV resistant cloth tape for use on rough surfaces

- Tape material: extra strong cloth tape
- Cover material: HDPE foil
- Adhesive: natural rubber

☒ Wall Paints ☐ Lacquers/Varnishes ☐ Wood Stains ☒ Plasters



- Remove within: max. 21 days
- UV resistance: up to 21 days
- Heat resistance: 60 °C (max. 60min.)

| Art. No.    | Width  | Length | Core  | Label | PU |
|-------------|--------|--------|-------|-------|----|
| 96 74 55 76 | 55 cm  | 14 m   | 10 cm | masq  | 5  |
| 96 74 11 76 | 110 cm | 14m    | 20 cm | masq  | 5  |
| 96 74 14 76 | 140 cm | 14 m   | 20 cm | masq  | 5  |
| 96 74 18 76 | 180 cm | 14 m   | 20 cm | masq  | 5  |
| 96 74 21 76 | 210 cm | 14 m   | 20 cm | masq  | 5  |
| 96 74 24 76 | 240 cm | 14 m   | 20 cm | masq  | 5  |
| 96 74 27 76 | 270 cm | 14 m   | 20 cm | masq  | 3  |



## MasqPainter Red

Extra thin layer, UV resistant and flexible paper tape for very thin paint borders

- Tape material: extra thin layer special paper
- Adhesive: acrylic
- Adhesive power: medium

☒ Wall Paints ☒ Lacquers/Varnishes ☒ Wood Stains ☐ Plasters



- Remove within: max. 120 days
- UV resistance: up to 120 days
- Heat resistance: 60 °C (max. 60min.)

| Art. No.    | Width | Length | Label | PU |
|-------------|-------|--------|-------|----|
| 96 07 25 76 | 25 mm | 50 m   | masq  | 10 |
| 96 07 30 76 | 30 mm | 50 m   | masq  | 8  |
| 96 07 38 76 | 38 mm | 50 m   | masq  | 6  |
| 96 07 50 76 | 50 mm | 50 m   | masq  | 5  |




## MasqPainter Violet

Extra thin layer UV resistant paper tape for very thin paint borders, to use on sensitive surfaces

- Tape material: extra thin layer special paper
- Adhesive: acrylic, especially for sensitive surfaces
- Adhesive power: low

☒ Wall Paints ☒ Lacquers/Varnishes ☒ Wood Stains ☐ Plasters



- Remove within: max. 90 days
- UV resistance: up to 90 days
- Heat resistance: 60 °C (max. 60min.)

| Art. No.    | Width | Length | Label | PU |
|-------------|-------|--------|-------|----|
| 96 09 25 76 | 25 mm | 50 m   | masq  | 10 |



## MasqPainter Gold

Extra thin layer, UV resistant paper tape  
for very thin paint borders

- Tape material: extra thin layer special paper
- Adhesive: acrylic
- Adhesive power: medium

☒ Wall Paints ☒ Lacquers/Varnishes ☒ Wood Stains ☐ Plasters



- Remove within: max. 60 days
- UV resistance: up to 60 days
- Heat resistance: 80 °C (max. 60min.)

| Art. No.    | Width | Length | Label | PU |
|-------------|-------|--------|-------|----|
| 96 05 25 76 | 25 mm | 50 m   | masq  | 10 |
| 96 05 30 76 | 30 mm | 50 m   | masq  | 8  |
| 96 05 38 76 | 38 mm | 50 m   | masq  | 6  |
| 96 05 50 76 | 50 mm | 50 m   | masq  | 5  |




## Painter's tape Yellow

Thin layer, UV resistant paper tape  
for very thin paint borders

- Tape material: extra thin layer special paper
- Adhesive: acrylic
- Adhesive power: medium

☒ Wall Paints ☒ Lacquers/Varnishes ☒ Wood Stains ☐ Plasters



- Remove within: max. 14 days
- UV resistance: up to 7 days
- Heat resistance: 110 °C (max. 60min.)

| Art. No.    | Width | Length | Label | PU |
|-------------|-------|--------|-------|----|
| 97 05 41 19 | 24 mm | 40 m   |       | 9  |
| 97 05 42 19 | 29 mm | 40 m   |       | 9  |
| 97 05 43 19 | 36 mm | 40 m   |       | 6  |
| 97 05 45 19 | 48 mm | 40 m   |       | 6  |





## Painter's tape Blue

Thick layer UV resistant tape for universal use

- Tape material: thick layer flat crepe paper
- Adhesive: acrylic
- Adhesive power: medium

☒ Wall Paints ☒ Lacquers/Varnishes ☒ Wood Stains ☐ Plasters



- UV resistance: up to 14 days
- Heat resistance: 70 °C (max. 60min.)

| Art. No.    | Width | Length | Label | PU |
|-------------|-------|--------|-------|----|
| 96 04 91 19 | 25 mm | 50 m   |       | 9  |
| 96 04 93 19 | 38 mm | 50 m   |       | 6  |
| 96 04 94 19 | 50 mm | 50 m   |       | 5  |



## MasqPainter Classic

Thick layer tape for use on indoor surfaces over more days

- Tape material: thick layer flat crepe paper
- Adhesive: natural rubber adhesive
- Adhesive power: high

☒ Wall Paints ☒ Lacquers/Varnishes ☐ Wood Stains ☐ Plasters



- Remove within: max. 7 days
- Heat resistance: 85 °C (max. 60min.)

| Art. No.    | Width | Length | Label | PU |
|-------------|-------|--------|-------|----|
| 96 02 20 76 | 19 mm | 50 m   | masq  | 12 |
| 96 02 26 76 | 25 mm | 50 m   | masq  | 9  |
| 96 02 31 76 | 30 mm | 50 m   | masq  | 8  |
| 96 02 39 76 | 38 mm | 50 m   | masq  | 6  |
| 96 02 51 76 | 50 mm | 50 m   | masq  | 6  |




# MasqPainter Standard

Medium thick layer tape for standard indoor works over more days

- Tape material: medium thick layer flat crepe paper
- Adhesive: natural rubber adhesive
- Adhesive power: medium

☒ Wall Paints ☒ Lacquers/Varnishes ☐ Wood Stains ☐ Plasters



- Remove within: max. 7 days
- Heat resistance: 60 °C (max. 60min.)



| Art. No.    | Width | Length | Label | PU |
|-------------|-------|--------|-------|----|
| 96 00 19 76 | 19 mm | 50 m   | masq  | 48 |
| 96 00 25 76 | 25 mm | 50 m   | masq  | 36 |
| 96 00 30 76 | 30 mm | 50 m   | masq  | 32 |
| 96 00 38 76 | 38 mm | 50 m   | masq  | 24 |
| 96 00 50 76 | 50 mm | 50 m   | masq  | 24 |

# Painter's tape Beige

Thin layer tape for simple indoor works

- Tape material: thin layer flat crepe paper
- Adhesive: hot melt adhesive
- Adhesive power: medium

☒ Wall Paints ☒ Lacquers/Varnishes ☐ Wood Stains ☐ Plasters



- Remove within: max. 12 hours
- Heat resistance: 40 °C (max. 60min.)



| Art. No.    | Width | Length | Label | PU |
|-------------|-------|--------|-------|----|
| 96 00 01 10 | 18 mm | 25 m   |       | 12 |
| 96 00 02 10 | 24 mm | 25 m   |       | 9  |
| 96 00 03 10 | 29 mm | 25 m   |       | 8  |
| 96 00 04 10 | 36 mm | 25 m   |       | 6  |
| 96 00 05 10 | 48 mm | 25 m   |       | 6  |



- Remove within: max. 12 hours
- Heat resistance: 40 °C (max. 60min.)



| Art. No.    | Width | Length | Label | PU |
|-------------|-------|--------|-------|----|
| 96 00 41 10 | 18 mm | 40 m   |       | 48 |
| 96 00 42 10 | 24 mm | 40 m   |       | 36 |
| 96 00 43 10 | 29 mm | 40 m   |       | 32 |
| 96 00 44 10 | 36 mm | 40 m   |       | 24 |
| 96 00 45 10 | 48 mm | 40 m   |       | 24 |

## MasqBricklayer Yellow

Extra robust thick layer tape for use on rough surfaces, even at works with high pressure water cleaners or sandblasting

- Tape material: thick layer cloth tape with PE top layer
- Adhesive: natural rubber
- Adhesive power: extra high

☒ Wall Paints ☐ Lacquers/Varnishes ☐ Wood Stains ☒ Plasters



- Remove within: max. 14 days
- UV resistance: 14 days
- Heat resistance: 45 °C (max. 60min.)

| Art. No.    | Width | Length | Label | PU |
|-------------|-------|--------|-------|----|
| 96 18 44 76 | 44 mm | 50 m   | masq  | 4  |



## MasqBricklayer LightBlue

Thick layer tape for use on rough surfaces, especially at outdoor works

- Tape material: thick layer cloth tape with PE top layer
- Adhesive: natural rubber
- Adhesive power: high

☒ Wall Paints ☐ Lacquers/Varnishes ☐ Wood Stains ☒ Plasters



- Remove within: max. 21 days
- UV resistance: 21 days
- Heat resistance: 45 °C (max. 60min.)

| Art. No.    | Width | Length | Label | PU |
|-------------|-------|--------|-------|----|
| 96 22 38 76 | 38 mm | 25 m   | masq  | 8  |
| 96 22 50 76 | 50 mm | 25 m   | masq  | 8  |



## Bricklayer's tape Orange

Medium thick layer tape for use at basic works on rough surfaces

- Tape material: medium thick layer PE tape reinforced with cloth mesh
- Adhesive: hot melt
- Adhesive power: high

☒ Wall Paints ☐ Lacquers/Varnishes ☐ Wood Stains ☒ Plasters



- Remove within: max. 3 days
- Heat resistance: 45 °C (max.30min.)

| Art. No.    | Width | Length | Label | PU |
|-------------|-------|--------|-------|----|
| 96 26 49 19 | 50 mm | 25 m   |       | 6  |
| 96 26 50 19 | 50 mm | 50 m   |       | 4  |




## MasqPlasterer Grooved

Medium thick grooved PVC tape for plastering works on smooth or light structured surfaces

- Tape material: medium thick layer PVC tape
- Adhesive: natural rubber
- Adhesive power: medium

☐ Wall Paints ☐ Lacquers/Varnishes ☐ Wood Stains ☒ Plasters



- Remove within: max. 14 days
- UV resistance: 14 days
- Heat resistance: 60 °C (max. 60min.)
- Grooved for easy and precise tear off
- Not to use on PVC surfaces!

| Art. No.    | Width | Length | Label | PU |
|-------------|-------|--------|-------|----|
| 96 10 38 76 | 38 mm | 33 m   | masq  | 12 |
| 96 10 50 76 | 50 mm | 33 m   | masq  | 9  |



- Remove within: max. 14 days
- UV resistance: 14 days
- Heat resistance: 60 °C (max. 60min.)
- Grooved for easy and precise tear off
- Not to use on PVC surfaces!

| Art. No.    | Width | Length | Availability | Label | PU |
|-------------|-------|--------|--------------|-------|----|
| 96 14 50 76 | 50 mm | 33 m   | on demand    | masq  | 36 |



# MasqPlasterer Smooth

Medium thick smooth & flexible PVC tape for plastering works on smooth or light structured surfaces

- Tape material: medium thick layer PVC tape
- Adhesive: natural rubber
- Adhesive power: medium

☐ Wall Paints   ☐ Lacquers/Varnishes   ☐ Wood Stains   ☒ Plasters



- Remove within: max. 14 days
- UV resistance: 14 days
- Heat resistance: 60 °C (max. 60min.)
- Not to use on PVC surfaces!

| Art. No.    | Width | Length | Label | PU |
|-------------|-------|--------|-------|----|
| 96 11 30 76 | 30mm  | 33m    | masq  | 6  |
| 96 11 50 76 | 50 mm | 33 m   | masq  | 6  |



- Remove within: max. 14 days
- UV resistance: 14 days
- Heat resistance: 60 °C (max. 60min.)
- Not to use on PVC surfaces!

| Art. No.    | Width | Length | Availability | Label | PU |
|-------------|-------|--------|--------------|-------|----|
| 96 13 50 76 | 50 mm | 33 m   | on demand    | masq  | 36 |



## Window protection film Blue

Self adhesive blue color cover foil for quick masking of glass surfaces and with UV resistance

- Material: low density polyethylene (LDPE)
- Adhesive: acrylic
- Adhesive power: low



- UV resistance: 30 days
- Remove within: max. 30 days
- Heat resistance: 45 °C


| Art. No.    | Width  | Length | Availability | Label | PU |
|-------------|--------|--------|--------------|-------|----|
| 96 97 25 10 | 25 cm  | 100 m  |              |       | 4  |
| 96 97 50 10 | 50 cm  | 100 m  |              |       | 2  |
| 96 97 99 10 | 100 cm | 100 m  | on demand    |       | 4  |



## Window protection film Transparent

Self adhesive cover foil for quick masking of glass surfaces and with UV resistance

- Material: low density polyethylene (LDPE)
- Adhesive: acrylic
- Adhesive power: low



- Remove within: max. 30 days
- UV resistance: 30 days
- Heat resistance: 45 °C

| Art. No.    | Width  | Length | Availability | Label | PU |
|-------------|--------|--------|--------------|-------|----|
| 96 98 50 10 | 50 cm  | 100 m  | on demand    |       | 2  |
| 96 98 99 10 | 100 cm | 100 m  | on demand    |       | 4  |











## Covering materials, Painting tool and Accessories

### Index

|                                     |    |
|-------------------------------------|----|
| Covering foil sheets, -rolls        | 65 |
| Floor covering materials            | 66 |
| Sanders                             | 67 |
| Sanding material                    | 69 |
| Wire brushes & paint scrapers       | 71 |
| Putty knives                        | 73 |
| Filling knives                      | 74 |
| Wall- & facade spatulas             | 75 |
| Smoothing trowels                   | 76 |
| Plasterer's trowels                 | 77 |
| Caulking guns                       | 81 |
| Dry construction & insulation tools | 82 |
| Plaster bowls & mortar buckets      | 84 |
| Wallpapering tools                  | 85 |
| Snap-off knives                     | 87 |
| Snap-off blades                     | 88 |
| Paint- and mortar mixers            | 89 |
| Non-painter tapes & covers          | 90 |
| Other tools                         | 92 |
| Personal safety equipment           | 94 |



## Covering foil sheets, -rolls

### COVERING FOIL

- LDPE with re-granulate
- translucent
- folded / rolled

| Art. No.    | Width      | Thickness | Packed  | Label                                                                             | PU |
|-------------|------------|-----------|---------|-----------------------------------------------------------------------------------|----|
| 96 92 12 10 | 4 × 12,5 m | ~0,050 mm | folded  |  | 5  |
| 96 91 90 10 | 2 × 50 m   | ~0,050 mm | on roll |  | 1  |
| 96 92 20 10 | 4 × 5 m    | ~0,040 mm | folded  |  | 10 |
| 96 94 50 10 | 4 × 5 m    | ~0,030 mm | folded  |  | 10 |
| 96 94 60 10 | 4 × 12,5 m | ~0,030 mm | folded  |  | 10 |
| 96 89 03 10 | 4 × 5 m    | ~0,025 mm | folded  |  | 10 |
| 96 94 18 10 | 4 × 5 m    | ~0,018 mm | folded  |  | 30 |



### COVERING FOIL

- LDPE with re-granulate
- dark/black color
- folded / rolled

| Art. No.    | Width    | Thickness | Packed  | Label                                                                               | PU |
|-------------|----------|-----------|---------|-------------------------------------------------------------------------------------|----|
| 96 91 92 10 | 2 × 50 m | ~0,080 mm | on roll |  | 1  |
| 96 92 75 10 | 4 × 5 m  | ~0,075 mm | folded  |  | 10 |
| 96 96 35 10 | 4 × 5 m  | ~0,035 mm | folded  |  | 10 |



### COVERING FOIL

- HDPE
- transparent
- folded / rolled

| Art. No.    | Width      | Thickness  | Packed  | Label                                                                               | PU |
|-------------|------------|------------|---------|-------------------------------------------------------------------------------------|----|
| 96 91 00 10 | 2 × 50 m   | ~0,010 mm  | on roll |  | 10 |
| 96 94 05 10 | 4 × 5 m    | ~0,010 mm  | folded  |  | 20 |
| 96 94 12 10 | 4 × 12,5 m | ~0,010 mm  | folded  |  | 10 |
| 96 90 21 10 | 4 × 5 m    | ~0,007 mm  | folded  |  | 20 |
| 96 90 70 10 | 2 × 50 m   | ~0,0045 mm | on roll |  | 10 |
| 96 90 50 10 | 4 × 12,5 m | ~0,0045 mm | folded  |  | 10 |
| 96 90 16 10 | 4 × 4 m    | ~0,0045 mm | folded  |  | 40 |



### STRETCH FOIL ROLL

- virgin, not pre-stretched
- transparent / black color
- on hard paper core

| Art. No.    | Width       | Thickness | Colour  | Label                                                                               | PU |
|-------------|-------------|-----------|---------|-------------------------------------------------------------------------------------|----|
| 96 96 97 10 | 0,1 × 150 m | ~0,017 mm | transp. |  | 12 |
| 96 96 98 10 | 0,5 × 190 m | ~0,017 mm | transp. |  | 6  |
| 96 96 95 10 | 0,5 × 190 m | ~0,017 mm | black   |  | 6  |



## Floor covering materials

### STAPLE FIBER FELT

- special finished, extra fluid absorbent felt mixture
- extra heavy duty & extra strong
- slip resistant waterproof back
- multipurpose use

| Art. No.    | Width    | Thickness            | Packed | Label | PU |
|-------------|----------|----------------------|--------|-------|----|
| 94 26 24 70 | 1 × 25 m | 180 g/m <sup>2</sup> | roll   | prep  | 1  |
| 94 26 49 70 | 1 × 50 m | 180 g/m <sup>2</sup> | roll   | prep  | 1  |



### COVERING FLEECE

- fleece surface
- slip resistant waterproof back
- multipurpose use

| Art. No.    | Width    | Thickness            | Packed | Label | PU |
|-------------|----------|----------------------|--------|-------|----|
| 94 26 10 17 | 1 × 10 m | 220 g/m <sup>2</sup> | roll   |       | 12 |
| 94 26 20 17 | 1 × 20 m | 220 g/m <sup>2</sup> | roll   |       | 6  |
| 94 26 03 19 | 1 × 3 m  | 180 g/m <sup>2</sup> | folded |       | 5  |



### COVERING PAPER

- strong brown paper
- for covering of big surfaces

| Art. No.    | Width    | Thickness           | Packed | Label | PU |
|-------------|----------|---------------------|--------|-------|----|
| 96 99 99 19 | 1 × 50 m | 90 g/m <sup>2</sup> | roll   |       | 3  |



### CORRUGATED PAPER

- for simple covering of big surfaces

| Art. No.    | Width       | Packed | Label | PU |
|-------------|-------------|--------|-------|----|
| 96 99 15 19 | 1,05 × 10 m | roll   |       | 3  |
| 96 99 25 19 | 1,05 × 20 m | roll   |       | 3  |



## Sanders

### HAND SANDER

- stabile plastic body
- with ergo knob for easy working with less effort
- plastic clip

| Art. No.    | Dimension    | Label | PU |
|-------------|--------------|-------|----|
| 93 38 04 71 | 105 × 212 mm | prep  | 5  |



### HAND SANDER

- plastic body
- metal clip

| Art. No.    | Dimension    | Label                                                                               | PU |
|-------------|--------------|-------------------------------------------------------------------------------------|----|
| 93 31 02 10 | 165 × 85 mm  |  | 5  |
| 93 31 00 10 | 212 × 105 mm |  | 5  |



### HAND SANDER

- plastic body
- with U shaped float handle
- metal clip

| Art. No.    | Dimension    | Label                                                                               | PU |
|-------------|--------------|-------------------------------------------------------------------------------------|----|
| 93 33 01 10 | 225 × 100 mm |  | 5  |



### HAND SANDER

- stabile plastic body
- with U shaped float handle
- metal clip


| Art. No.    | Dimension   | Label                                                                               | PU |
|-------------|-------------|-------------------------------------------------------------------------------------|----|
| 93 33 00 10 | 228 × 82 mm |  | 3  |



## SANDER FOR TELESCOPIC POLE

- plastic body
- with special handle part for work with telescopic poles
- metal clip

| Art. No.    | Dimension   | Label                                                                             | PU |
|-------------|-------------|-----------------------------------------------------------------------------------|----|
| 93 34 02 10 | 228 × 82 mm |  | 1  |



## new hand sander SoftGrip

For optimal sanding

| Dimension    | Art.No.     |
|--------------|-------------|
| 105 × 212 mm | 93 38 04 71 |



## Sanding material

### SANDING CLOTH SHEET

- alu-oxide grain
- waterproof
- heavy duty, universal use

| Art. No.    | Width        | Grit | Label | PU |
|-------------|--------------|------|-------|----|
| 93 19 04 10 | 230 × 280 mm | P40  |       | 50 |
| 93 19 06 10 | 230 × 280 mm | P60  |       | 50 |
| 93 19 08 10 | 230 × 280 mm | P80  |       | 50 |
| 93 19 10 10 | 230 × 280 mm | P100 |       | 50 |
| 93 19 12 10 | 230 × 280 mm | P120 |       | 50 |
| 93 19 18 10 | 230 × 280 mm | P180 |       | 50 |
| 93 19 24 10 | 230 × 280 mm | P240 |       | 50 |
| 93 19 40 10 | 230 × 280 mm | P400 |       | 50 |



### SANDING PAPER SHEET

- alu-oxide grain, open coated
- flexible paper
- especially for water based lacquers, wood and finish plasters

| Art. No.    | Width         | Grit | Label | PU |
|-------------|---------------|------|-------|----|
| 93 14 40 10 | 230mm × 280mm | P40  |       | 50 |
| 93 14 60 10 | 230mm × 280mm | P60  |       | 50 |
| 93 14 80 10 | 230mm × 280mm | P80  |       | 50 |
| 93 14 12 10 | 230mm × 280mm | P120 |       | 50 |
| 93 14 18 10 | 230mm × 280mm | P180 |       | 50 |
| 93 14 24 10 | 230mm × 280mm | P240 |       | 50 |





SANDING  
SPONGE

- alu-oxide grain
- medium hard foam body

| Art. No.      | Width            | Grit | Label | PU |
|---------------|------------------|------|-------|----|
| * 93 30 51 10 | 100 × 70 × 25 mm | P40  |       | 5  |
| 93 30 53 10   | 100 × 70 × 25 mm | P60  |       | 5  |
| * 93 30 57 10 | 100 × 70 × 25 mm | P80  |       | 5  |
| 93 30 54 10   | 100 × 70 × 25 mm | P100 |       | 5  |
| * 93 30 58 10 | 100 × 70 × 25 mm | P120 |       | 5  |
| * 93 30 59 10 | 100 × 70 × 25 mm | P150 |       | 5  |
| 93 30 55 10   | 100 × 70 × 25 mm | P220 |       | 5  |

SANDING  
SPONGE  
CONTOURED

- alu-oxide grain
- soft foam body

| Art. No.      | Width            | Grit | Label | PU |
|---------------|------------------|------|-------|----|
| * 93 30 73 10 | 100 × 68 × 26 mm | P80  |       | 5  |
| * 93 30 75 10 | 100 × 68 × 26 mm | P120 |       | 5  |
| * 93 30 77 10 | 100 × 68 × 26 mm | P180 |       | 5  |

\*available from October 2020

SANDING  
PAD

- alu-oxide grain
- soft foam body

| Art. No.    | Width             | Grit | Label | PU |
|-------------|-------------------|------|-------|----|
| 93 30 63 10 | 125 × 100 × 13 mm | P60  |       | 5  |
| 93 30 64 10 | 125 × 100 × 13 mm | P100 |       | 5  |
| 93 30 65 10 | 125 × 100 × 13 mm | P220 |       | 5  |

SANDING  
MESH

- silicium carbide grain
- glass fibre mesh
- especially good for gypsum plasters

| Art. No.    | Width       | Grit | Label | PU |
|-------------|-------------|------|-------|----|
| 93 13 08 10 | 93 × 280 mm | P80  |       | 10 |
| 93 13 10 10 | 93 × 280 mm | P100 |       | 10 |
| 93 13 12 10 | 93 × 280 mm | P120 |       | 10 |
| 93 13 18 10 | 93 × 280 mm | P180 |       | 10 |

SANDING  
MESH

- silicium carbide grain
- glass fibre mesh
- especially good for gypsum plasters

| Art. No.    | Width        | Grit | Label | PU |
|-------------|--------------|------|-------|----|
| 93 15 08 10 | 115 × 280 mm | P80  |       | 10 |
| 93 15 10 10 | 115 × 280 mm | P100 |       | 10 |
| 93 15 12 10 | 115 × 280 mm | P120 |       | 10 |
| 93 15 15 10 | 115 × 280 mm | P150 |       | 10 |
| 93 15 18 10 | 115 × 280 mm | P180 |       | 10 |
| 93 15 22 10 | 115 × 280 mm | P220 |       | 10 |



## Wire brushes & paint scrapers

### WIRE BRUSH

- 5-rows steel wire
- bended hardwood handle

| Art. No.    | Rows   | Label                                                                             | PU |
|-------------|--------|-----------------------------------------------------------------------------------|----|
| 93 43 05 10 | 5 rows |  | 10 |



### WIRE BRUSH

- 6-rows steel wire
- wooden handle

| Art. No.    | Rows   | Label                                                                               | PU |
|-------------|--------|-------------------------------------------------------------------------------------|----|
| 93 40 06 10 | 6 rows |  | 12 |



### WIRE BRUSH

- 4-rows steel wire
- plastic handle

| Art. No.    | Rows   | Label                                                                               | PU |
|-------------|--------|-------------------------------------------------------------------------------------|----|
| 93 42 04 10 | 4 rows |  | 12 |



### MULTIPURPOSE WIRE BRUSH

- brass plated steel wire
- plastic handle

| Art. No.    | Rows | Label                                                                               | PU |
|-------------|------|-------------------------------------------------------------------------------------|----|
| 93 41 00 10 | -    |  | 10 |



## MULTIPURPOSE SPATULA

- chisel ground stainless stiff blade
- for roller cleaning, wall cleaning, rust removing, nail removing, paint can opening etc.
- ergonomic 2 compound plastic handle
- through tang



| Art. No.    | Width | Label                                                                             | PU |
|-------------|-------|-----------------------------------------------------------------------------------|----|
| 91 54 60 10 | 60 mm |  | 6  |

## PAINT SCRAPER

- black steel blade
- plastic handle



| Art. No.    | Width  | Label                                                                             | PU |
|-------------|--------|-----------------------------------------------------------------------------------|----|
| 93 80 50 10 | 100 mm |  | 10 |

## PAINT- & RUST SCRAPER

- chisel ground stiff blade
- through tang



| Art. No.    | Width | Label                                                                               | PU |
|-------------|-------|-------------------------------------------------------------------------------------|----|
| 93 44 05 10 | 50 mm |  | 12 |

## Putty knives

### PUTTY KNIFE

- semi flexible
- forged steel blade
- double riveted hardwood handle

| Art. No.    | Width  | Label | PU |
|-------------|--------|-------|----|
| 91 10 04 71 | 40 mm  | prep  | 10 |
| 91 10 06 71 | 60 mm  | prep  | 10 |
| 91 10 08 71 | 80 mm  | prep  | 10 |
| 91 10 10 71 | 100 mm | prep  | 10 |
| 91 10 12 71 | 120 mm | prep  | 10 |



### DRYWALL SPATULA

- semi flexible
- stainless steel blade
- with PZ2 bitergonomic 2 compound plastic handle

| Art. No.    | Width  | Label                                                                               | PU |
|-------------|--------|-------------------------------------------------------------------------------------|----|
| 91 54 15 10 | 150 mm |  | 6  |



### PUTTY KNIFE

- semi flexible
- rolled stainless steel blade
- ergonomic 2 compound plastic handle

| Art. No.    | Width  | Label                                                                               | PU |
|-------------|--------|-------------------------------------------------------------------------------------|----|
| 91 71 20 10 | 20 mm  |  | 12 |
| 91 71 40 10 | 40 mm  |  | 12 |
| 91 71 60 10 | 60 mm  |  | 12 |
| 91 71 80 10 | 80 mm  |  | 12 |
| 91 71 99 10 | 100 mm |  | 12 |
| 91 71 12 10 | 120 mm |  | 12 |
| 91 71 15 10 | 150 mm |  | 12 |



### PUTTY KNIFE

- semi flexible steel blade
- FSC® certified natural wooden handle

| Art. No.    | Width  | Label                                                                               | PU |
|-------------|--------|-------------------------------------------------------------------------------------|----|
| 91 17 02 10 | 25 mm  |  | 12 |
| 91 17 04 10 | 40 mm  |  | 12 |
| 91 17 06 10 | 60 mm  |  | 12 |
| 91 17 08 10 | 80 mm  |  | 12 |
| 91 17 10 10 | 100 mm |  | 12 |



## Filling knives

### FILLING KNIFE SET

- 4pcs set
- plastic

| Art. No.    | Width            | Label | PU |
|-------------|------------------|-------|----|
| 91 00 01 71 | 40/80/100/120 mm | prep  | 10 |




### FILLING KNIFE SET

| Art. No.    | Width            | Label | PU |
|-------------|------------------|-------|----|
| 91 00 04 71 | 40/80/100/120 mm | prep  | 10 |



### FILLING SPATULA

| Art. No.    | Width  | Label                                                                               | PU |
|-------------|--------|-------------------------------------------------------------------------------------|----|
| 91 02 16 10 | 160 mm |  | 5  |
| 91 02 20 10 | 200 mm |  | 5  |



## Wall- & facade spatulas

### Plaster rollers

#### ALUSTAR FACADE SPATULA

- stainless steel blade
- ergonomic & light weight aluminium body+ handle


| Art. No.    | Width  | Label                                                                             | PU |
|-------------|--------|-----------------------------------------------------------------------------------|----|
| 91 48 60 19 | 600 mm |  | 1  |



#### FACADE SPATULA

- stainless steel blade with rounded edges
- aluminum profile backing
- ergonomic 3 compound plastic handle

| Art. No.    | Width  | Label                                                                               | PU |
|-------------|--------|-------------------------------------------------------------------------------------|----|
| 91 34 25 10 | 250 mm |  | 5  |
| 91 34 40 10 | 400 mm |  | 5  |
| 91 34 60 10 | 600 mm |  | 5  |



#### FACADE SPATULA

- stainless steel blade
- plastic handle

| Art. No.    | Width  | Label                                                                               | PU |
|-------------|--------|-------------------------------------------------------------------------------------|----|
| 91 33 15 10 | 150 mm |  | 10 |
| 91 33 25 10 | 250 mm |  | 10 |
| 91 33 35 10 | 350 mm |  | 5  |
| 91 33 45 10 | 450 mm |  | 5  |
| 91 33 60 10 | 600 mm |  | 5  |



#### PLASTER ROLLER

- roller cover is made of strong and durable nylon material with a fiber height of 17 mm
- suitable for quick and uniform application of finishing plasters on any type of substrate

| Art. No.    | Width | Label                                                                               | PU |
|-------------|-------|-------------------------------------------------------------------------------------|----|
| 84 20 18 10 | 18 cm |  | 5  |
| 84 20 25 10 | 25 cm |  | 5  |



## Smoothing trowels

### SMOOTHING TROWEL

- stainless steel blade
- aluminium alloy support
- ergonomic 2 compound plastic handle

| Art. No.    | Dimension    | Thickness | Label                                                                             | PU |
|-------------|--------------|-----------|-----------------------------------------------------------------------------------|----|
| 92 12 10 10 | 280 × 130 mm | 0,7 mm    |  | 5  |



### SMOOTHING TROWEL

- stainless steel blade
- aluminium alloy support
- wooden handle

| Art. No.    | Dimension    | Thickness | Label                                                                               | PU |
|-------------|--------------|-----------|-------------------------------------------------------------------------------------|----|
| 92 14 09 10 | 270 × 130 mm | 0,7 mm    |  | 5  |



### SMOOTHING TROWEL

- stainless steel blade
- plastic support & handle

| Art. No.    | Dimension    | Thickness | Label                                                                               | PU |
|-------------|--------------|-----------|-------------------------------------------------------------------------------------|----|
| 92 13 05 10 | 270 × 130 mm | 0,7 mm    |  | 4  |



### SMOOTHING TROWEL

- ABS plastic blade
- plastic support & handle

| Art. No.    | Dimension    | Thickness | Label                                                                               | PU |
|-------------|--------------|-----------|-------------------------------------------------------------------------------------|----|
| 92 11 01 10 | 280 × 140 mm | 2,0 mm    |  | 10 |
| 92 11 00 10 | 280 × 140 mm | 3,0 mm    |  | 5  |





## VENETIAN SMOOTHING TROWEL

- stainless steel blade
- aluminium alloy support
- wooden handle

| Art. No.    | Dimension      | Thickness | Label                                                                             | PU |
|-------------|----------------|-----------|-----------------------------------------------------------------------------------|----|
| 92 14 00 10 | 200 × 90/80 mm | 0,7 mm    |  | 5  |



## SWISS SMOOTHING TROWEL

- stainless steel blade
- 7 point fixed
- wooden handle

| Art. No.    | Dimension    | Thickness | Label                                                                             | PU |
|-------------|--------------|-----------|-----------------------------------------------------------------------------------|----|
| 92 15 02 10 | 480 × 130 mm | 0,7 mm    |  | 5  |



## Plasterer's trowels

### PLASTERER'S SPATULA

- stainless steel blade
- ergonomic 2 compound plastic handle

| Art. No.    | Width  | Thickness | Label                                                                               | PU |
|-------------|--------|-----------|-------------------------------------------------------------------------------------|----|
| 92 17 21 10 | 80 mm  | 0,7 mm    |  | 5  |
| 92 17 22 10 | 100 mm | 0,7 mm    |  | 5  |



### PLASTERER'S SPATULA

- stainless steel blade
- wooden handle

| Art. No.    | Width  | Thickness | Label                                                                               | PU |
|-------------|--------|-----------|-------------------------------------------------------------------------------------|----|
| 92 17 06 10 | 60 mm  | 0,7 mm    |  | 10 |
| 92 17 08 10 | 80 mm  | 0,7 mm    |  | 10 |
| 92 17 10 10 | 100 mm | 0,7 mm    |  | 10 |



PLASTERER'S  
TROWEL

- stainless steel blade
- ergonomic 2 compound plastic handle

| Art. No.    | Length | Thickness | Label                                                                             | PU |
|-------------|--------|-----------|-----------------------------------------------------------------------------------|----|
| 92 16 66 10 | 160 mm | 1,0 mm    |  | 5  |

PLASTERER'S  
TROWEL

- stainless steel blade
- wooden handle

| Art. No.      | Length | Thickness | Label                                                                             | PU |
|---------------|--------|-----------|-----------------------------------------------------------------------------------|----|
| * 92 16 24 10 | 140 mm | 1,0 mm    |  | 10 |
| 92 16 26 10   | 160 mm | 1,0 mm    |  | 10 |
| 92 16 28 10   | 180 mm | 1,0 mm    |  | 10 |

\* available from October 2020

PLASTERER'S  
TROWEL

- steel blade
- wooden handle

| Art. No.    | Length | Thickness | Label                                                                               | PU |
|-------------|--------|-----------|-------------------------------------------------------------------------------------|----|
| 92 16 03 10 | 180 mm | 1,0 mm    |  | 12 |

PLASTERER'S  
TROWEL

- stainless steel blade
- wooden handle

| Art. No.    | Length | Thickness | Label                                                                               | PU |
|-------------|--------|-----------|-------------------------------------------------------------------------------------|----|
| 92 18 19 10 | 140 mm | 0,7 mm    |  | 10 |


CORNER  
TROWEL

- stainless steel blade
- wooden handle

| Art. No.       | Dimension       | Thickness | Label                                                                               | PU |
|----------------|-----------------|-----------|-------------------------------------------------------------------------------------|----|
| * 92 18 00 10  | 80 × 60 × 60 mm | 0,7 mm    |  | 10 |
| ** 92 18 09 10 | 80 × 60 × 60 mm | 0,7 mm    |  | 10 |

\* INSIDE CORENER

\*\* OUTSIDE CORNER



# PLASTIC FLOAT

- polyurethane material
- for plastering works

| Art. No.    | Dimension    | Label                                                                             | PU |
|-------------|--------------|-----------------------------------------------------------------------------------|----|
| 92 40 26 10 | 260 × 140 mm |  | 5  |
| 92 40 32 10 | 320 × 180 mm |  | 5  |
| 92 40 36 10 | 420 × 220 mm |  | 5  |



# PLASTIC FLOAT

- plastic float and handle
- for plastering works

| Art. No.    | Dimension    | Label                                                                             | PU |
|-------------|--------------|-----------------------------------------------------------------------------------|----|
| 92 39 40 10 | 400 × 180 mm |  | 5  |



# PLASTIC FLOAT

- plastic float with latex foam cover
- for wet plasters

| Art. No.    | Dimension    | Label                                                                               | PU |
|-------------|--------------|-------------------------------------------------------------------------------------|----|
| 92 22 10 10 | 250 × 130 mm |  | 5  |



# PLASTIC FLOAT

- plastic float with dense rubber cover
- for tile grouting works

| Art. No.    | Dimension    | Thickness | Label                                                                               | PU |
|-------------|--------------|-----------|-------------------------------------------------------------------------------------|----|
| 92 21 40 10 | 280 × 140 mm | 9 mm      |  | 5  |



# PLASTIC FLOAT

- plastic float with white felt cover
- for wet plasters

| Art. No.    | Dimension    | Thickness | Label                                                                               | PU |
|-------------|--------------|-----------|-------------------------------------------------------------------------------------|----|
| 92 31 30 10 | 280 × 140 mm | 10 mm     |  | 5  |



## PLASTIC FLOAT

- plastic float with rubber sponge cover
- for wet plasters

| Art. No.    | Dimension    | Thickness | Label                                                                             | PU |
|-------------|--------------|-----------|-----------------------------------------------------------------------------------|----|
| 92 41 30 10 | 280 × 140 mm | 9 mm      |  | 5  |
| 92 41 40 10 | 280 × 140 mm | 18 mm     |  | 5  |



## PLASTIC FLOAT

- plastic float with coarse sponge cover
- for rinsing of tiles after grouting

| Art. No.    | Dimension    | Thickness | Label                                                                             | PU |
|-------------|--------------|-----------|-----------------------------------------------------------------------------------|----|
| 92 44 00 10 | 280 × 140 mm | 30 mm     |  | 5  |



## PLASTIC FLOAT

- plastic float with fine hydro sponge cover
- for rinsing of tiles after grouting

| Art. No.    | Dimension    | Thickness | Label                                                                               | PU |
|-------------|--------------|-----------|-------------------------------------------------------------------------------------|----|
| 92 25 40 10 | 280 × 140 mm | 30 mm     |  | 5  |



## NOTCHED TROWEL

- stainless steel blade
- natural wooden handle
- thickness: 0,7 mm

| Art. No.      | Dimension    | Notch      | Label                                                                               | PU |
|---------------|--------------|------------|-------------------------------------------------------------------------------------|----|
| 94 07 66 10   | 280 × 130 mm | 6 × 6 mm   |  | 5  |
| 94 07 68 10   | 280 × 130 mm | 8 × 8 mm   |  | 5  |
| 94 07 70 10   | 280 × 130 mm | 10 × 10 mm |  | 5  |
| * 94 07 72 10 | 280 × 130 mm | 12 × 12 mm |  | 5  |

\*available from October 2020



## NOTCHED TROWEL

- stainless steel blade
- plastic handle
- thickness: 0,7 mm

| Art. No.    | Dimension    | Notch      | Label                                                                               | PU |
|-------------|--------------|------------|-------------------------------------------------------------------------------------|----|
| 94 06 04 10 | 270 × 130 mm | 4 × 4 mm   |  | 5  |
| 94 06 06 10 | 270 × 130 mm | 6 × 6 mm   |  | 5  |
| 94 06 08 10 | 270 × 130 mm | 8 × 8 mm   |  | 5  |
| 94 06 10 10 | 270 × 130 mm | 10 × 10 mm |  | 5  |



## Caulking guns

### CAULKING GUN

- dented rod
- lacquered steel
- for standard cartridges

| Art. No.    | Label                                                                             | PU |
|-------------|-----------------------------------------------------------------------------------|----|
| 94 10 20 10 |  | 12 |



### CAULKING GUN

- robust quality, durable design
- lacquered steel
- for standard cartridges

| Art. No.    | Label                                                                               | PU |
|-------------|-------------------------------------------------------------------------------------|----|
| 94 10 30 10 |  | 6  |



### CAULKING GUN

- professional gun, construction for overflow free use
- for standard cartridges
- professional gun, construction for overflow free use
- for standard cartridges

| Art. No.    | Label                                                                               | PU |
|-------------|-------------------------------------------------------------------------------------|----|
| 94 10 35 10 |  | 5  |



### CAULKING GUN

- specially with long arm for easy use
- lacquered metal body
- for standard cartridges

| Art. No.    | Label                                                                               | PU |
|-------------|-------------------------------------------------------------------------------------|----|
| 94 10 42 10 |  | 3  |



CAULKING  
GUN

- detachable aluminium body
- for cartridges and bags

| Art. No.    | Volume | Label                                                                             | PU |
|-------------|--------|-----------------------------------------------------------------------------------|----|
| 94 10 63 10 | 600 ml |  | 1  |
| 94 10 60 10 | 320 ml |  | 1  |

PU FOAM  
GUN

- for PU foam cartridges

| Art. No.    | Label                                                                             | PU |
|-------------|-----------------------------------------------------------------------------------|----|
| 94 10 90 10 |  | 2  |



## Dry construction & insulation tools

STYROFOAM AND  
DRYWALL PLANE

- lacquered metal body

| Art. No.    | Dimension   | Label                                                                               | PU |
|-------------|-------------|-------------------------------------------------------------------------------------|----|
| 92 61 00 10 | 250 × 40 mm |  | 2  |

STYROFOAM  
HAND SANDER

- with P16 sanding sheet
- HDF body
- plastic handle

| Art. No.    | Dimension    | Label                                                                               | PU |
|-------------|--------------|-------------------------------------------------------------------------------------|----|
| 93 38 35 10 | 350 × 200 mm |  | 2  |



## STYROFOAM HAND SANDER

- metal rasp sanding surface
- plastic body and handle

| Art. No.    | Dimension    | Label                                                                             | PU |
|-------------|--------------|-----------------------------------------------------------------------------------|----|
| 93 35 72 10 | 270 × 130 mm |  | 5  |
| 93 35 40 10 | 400 × 180 mm |  | 1  |



## DRYWALL HANDSAW

- extra strong, hardened steel blade
- sharpened denting

| Art. No.    | Length | Label                                                                             | PU |
|-------------|--------|-----------------------------------------------------------------------------------|----|
| 92 62 15 10 | 150 mm |  | 3  |



## PLASTER & CELLULAR CONCRETE GRATER

- especially for YTONG wall surfaces

| Art. No.    | Dimension   | Label                                                                               | PU |
|-------------|-------------|-------------------------------------------------------------------------------------|----|
| 93 71 45 10 | 450 × 85 mm |  | 1  |



## FIBERGLASS- MESH TAPE

- self-adhesive tape
- with acrylic glue

| Art. No.    | Width | Length | Label                                                                               | PU |
|-------------|-------|--------|-------------------------------------------------------------------------------------|----|
| 96 31 20 10 | 48 mm | 20 m   |  | 6  |
| 96 31 50 10 | 48 mm | 90 m   |  | 6  |



## NON-WOVEN FIBERGLASS TAPE

- ideal for drywall constructions & wall-crack repairs

| Art. No.    | Width | Length | Label                                                                               | PU |
|-------------|-------|--------|-------------------------------------------------------------------------------------|----|
| 96 32 50 10 | 50 mm | 25 m   |  | 10 |





## Plaster bowls and mortar buckets

### PLASTER BOWL

- flexible plastic

| Art. No.    | Form       | Label                                                                             | PU |
|-------------|------------|-----------------------------------------------------------------------------------|----|
| 94 09 01 10 | high shape |  | 10 |
| 94 09 11 10 | flat shape |  | 10 |



### PLASTER POT

- steel body
- natural wooden handle

| Art. No.    | Diameter | Label                                                                               | PU |
|-------------|----------|-------------------------------------------------------------------------------------|----|
| 92 16 99 10 | 180 mm   |  | 5  |



### PLASTERER'S BUCKET

- plastic

| Art. No.    | Volume   | Label                                                                               | PU |
|-------------|----------|-------------------------------------------------------------------------------------|----|
| 84 82 99 10 | ~12 lit. |  | 10 |
| 84 81 20 10 | ~20 lit. |  | 5  |



### MORTAR BOX

- plastic

| Art. No.    | Volume   | Label                                                                               | PU |
|-------------|----------|-------------------------------------------------------------------------------------|----|
| 84 81 04 10 | ~45 lit. |  | 3  |
| 84 81 06 10 | ~60 lit. |  | 3  |
| 84 81 09 10 | ~90 lit. |  | 1  |



## Wallpapering tools

### WALLPAPER & FLOOR SCRAPER

| Art. No.    | Width  | Availability | Label | PU |
|-------------|--------|--------------|-------|----|
| 93 72 80 70 | 100 mm | on demand    | prep  | 10 |



### WALLPAPER PERFORATOR

- with hardened nails
- telescopic aluminium rod

| Art. No.    | Width  | Availability | Label                                                                               | PU |
|-------------|--------|--------------|-------------------------------------------------------------------------------------|----|
| 95 81 30 10 | 150 mm | on demand    |  | 3  |



### WALLPAPER SMOOTHER

- Stiff white plastic

| Art. No.    | Width  | Availability | Label                                                                               | PU |
|-------------|--------|--------------|-------------------------------------------------------------------------------------|----|
| 95 88 50 10 | 280 mm | on demand    |  | 10 |



### WALLPAPER SMOOTHER

- flexible colored plastic

| Art. No.    | Width  | Availability | Label                                                                               | PU |
|-------------|--------|--------------|-------------------------------------------------------------------------------------|----|
| 95 88 00 10 | 280 mm | on demand    |  | 10 |



## PAPERHANGING BRUSH

- synthetic bristles
- natural wood body

| Art. No.    | Dimension   | Availability | Label                                                                             | PU |
|-------------|-------------|--------------|-----------------------------------------------------------------------------------|----|
| 95 89 00 10 | 300 × 25 mm | on demand    |  | 12 |



## SEAM ROLLER

- soft polyurethane foam
- plastic handle

| Art. No.    | Dimension | Availability | Label                                                                             | PU |
|-------------|-----------|--------------|-----------------------------------------------------------------------------------|----|
| 95 87 10 10 | 18 cm     | on demand    |  | 5  |
| 95 86 01 10 | 4 cm      | on demand    |  | 10 |



## SEAM ROLLER

- conical shaped
- hard plastic roller
- plastic handle

| Art. No.    | Dimension | Availability | Label                                                                               | PU |
|-------------|-----------|--------------|-------------------------------------------------------------------------------------|----|
| 95 86 00 10 | 3,5 cm    | on demand    |  | 5  |



## SCISSORS OPTIMA

- stainless steel blade
- ABS plastic handle
- for left- and right hander

| Art. No.    | Dimension | Availability | Label                                                                               | PU |
|-------------|-----------|--------------|-------------------------------------------------------------------------------------|----|
| 95 84 27 10 | 28 cm     | on demand    |  | 12 |



## Snap-off knives

### SNAP-OFF KNIFE

- plastic body
- ergonomic 2K soft grip
- with metal guide and fixing knob
- extra wide blade

| Art. No.    | Width | Label                                                                             | PU |
|-------------|-------|-----------------------------------------------------------------------------------|----|
| 95 64 00 10 | 25 mm |  | 6  |



### SNAP-OFF KNIFE

- aluminium body
- with metal guide
- automatic blade fixing device

| Art. No.    | Width | Label                                                                               | PU |
|-------------|-------|-------------------------------------------------------------------------------------|----|
| 95 65 20 10 | 18 mm |  | 24 |



### SNAP-OFF KNIFE

- plastic body
- ergonomic 2K soft grip
- with metal guide
- automatic blade fixing device

| Art. No.    | Width | Label | PU |
|-------------|-------|-------|----|
| 95 65 10 71 | 18 mm | prep  | 10 |



### SNAP-OFF KNIFE

- plastic body
- with metal guide
- manual blade fixing

| Art. No.    | Width | Label                                                                               | PU |
|-------------|-------|-------------------------------------------------------------------------------------|----|
| 95 69 00 10 | 18 mm |  | 24 |



SNAP-OFF  
KNIFE

- plastic body
- manual blade fixing



| Art. No.    | Width | Label                                                                             | PU |
|-------------|-------|-----------------------------------------------------------------------------------|----|
| 95 62 00 10 | 18 mm |  | 48 |

Snap-off  
bladesREPLACEMENT  
BLADES

- 10pcs in plastic box
- extra wide & strong



| Art. No.    | Width | Thickness | Label                                                                               | PU |
|-------------|-------|-----------|-------------------------------------------------------------------------------------|----|
| 95 67 80 10 | 25 mm | 0,70 mm   |  | 10 |

SPARE BLADES  
GOLDCUT

- 10pcs in plastic box
- with Titan-Nitrite layer for heavy duty works



| Art. No.    | Width | Thickness | Label | PU |
|-------------|-------|-----------|-------|----|
| 95 67 90 71 | 18 mm | 0,50 mm   | prep  | 10 |

REPLACEMENT  
BLADES

- 10pcs in plastic box



| Art. No.    | Width | Thickness | Label | PU |
|-------------|-------|-----------|-------|----|
| 95 67 01 71 | 18 mm | 0,40 mm   | prep  | 10 |

## Paint- and mortar mixers

### PAINT MIXER

- for paints & low viscosity glues
- lacquered steel

| Art. No.    | Dimension    | Loading | Label                                                                             | PU |
|-------------|--------------|---------|-----------------------------------------------------------------------------------|----|
| 94 30 10 17 | 60 × 400 mm  | 10 kg   |  | 6  |
| 94 30 15 17 | 80 × 400 mm  | 15 kg   |  | 3  |
| 94 30 20 17 | 100 × 530 mm | 20 kg   |  | 3  |



### PLASTER MIXER

- especially for gypsum plasters
- zinc plated steel

| Art. No.    | Dimension    | Loading | Label                                                                               | PU |
|-------------|--------------|---------|-------------------------------------------------------------------------------------|----|
| 94 38 15 17 | 100 × 520 mm | 15 kg   |  | 6  |



### PLASTER MIXER

- for paints, glues, mortars
- zinc plated steel

| Art. No.    | Dimension    | Loading | Label                                                                               | PU |
|-------------|--------------|---------|-------------------------------------------------------------------------------------|----|
| 94 37 15 17 | 80 × 400 mm  | 10 kg   |  | 6  |
| 94 37 20 17 | 100 × 480 mm | 20 kg   |  | 6  |



## Non-painter tapes & covers

### PACKING TAPE

- for simple fixing of boxes

| Art. No.    | Width | Length | Colour      | Label | PU |
|-------------|-------|--------|-------------|-------|----|
| 96 50 48 10 | 48 mm | 66 m   | brown       |       | 6  |
| 96 51 48 10 | 48 mm | 66 m   | transparent |       | 6  |



### DUCT TAPE

- extra strong textile reinforced plastic tape
- all-purpose tape to fix, bond, repair, mount and seal

| Art. No.    | Width | Length | Label       | PU |
|-------------|-------|--------|-------------|----|
| 96 19 50 76 | 48 mm | 50 m   | <b>masq</b> | 6  |



### DUCT TAPE

- textile reinforced plastic tape
- all-purpose tape to fix, bond, repair, mount and seal

| Art. No.    | Width | Length | Label | PU |
|-------------|-------|--------|-------|----|
| 96 21 48 10 | 48 mm | 10 m   |       | 12 |
| 96 21 50 19 | 48 mm | 50 m   |       | 4  |



### ALU COATED PP TAPE

- for drywall- and insulation works
- aluminium coated PP tape

| Art. No.    | Width | Length | Label | PU |
|-------------|-------|--------|-------|----|
| 96 48 50 19 | 50 mm | 50 m   |       | 12 |





## ALU TAPE

- aluminium tape, self adhesive
- for use at insulation works
- Art.No.: 96 44 25 19: flame and heat resistant, certified for DIN-4102-B1

| Art. No.    | Width | Length | Label | PU |
|-------------|-------|--------|-------|----|
| 96 46 50 19 | 50 mm | 50 m   |       | 4  |
| 96 44 25 19 | 50 mm | 50 m   |       | 4  |



## WARNING TAPE

- red/white striped
- plastic
- non adhesive

| Art. No.    | Width | Length | Label | PU |
|-------------|-------|--------|-------|----|
| 96 53 00 10 | 75 mm | 200 m  |       | 6  |



## BARRIER TAPE

- black/yellow striped
- plastic
- self-adhesive

| Art. No.    | Width | Length | Label | PU |
|-------------|-------|--------|-------|----|
| 96 54 33 10 | 60 mm | 33 m   |       | 5  |



## CARPET TAPE

- double sided strong adhesive on cloth- or foil-tape base
- synthetic resin glue
- for permanent installation of floor covers with reinforced backing

| Art. No.    | Width | Length | Base       | Label | PU |
|-------------|-------|--------|------------|-------|----|
| 96 41 50 10 | 50 mm | 25 m   | cloth-tape |       | 6  |
| 96 40 51 10 | 50 mm | 25 m   | foil-tape  |       | 6  |
| 96 40 50 10 | 50 mm | 10 m   | foil-tape  |       | 6  |
| 96 40 48 10 | 38 mm | 25 m   | foil-tape  |       | 6  |



## MOUNTING TAPE

- PE-foam tape with double sided strong acrylic adhesive
- suitable for permanent installation of flat objects

| Art. No.    | Width | Length | Label | PU |
|-------------|-------|--------|-------|----|
| 96 45 19 19 | 19 mm | 5 m    |       | 10 |



## Other tools

### TARPAULIN

- heavy duty PE, green
- with eyelets per each 1m
- real size is ~4% smaller than nominal size

| Art. No.    | Size     | Thickness/Weight    | Label | PU |
|-------------|----------|---------------------|-------|----|
| 96 93 02 10 | 2 × 3 m  | 75 g/m <sup>2</sup> |       | 10 |
| 96 93 03 10 | 3 × 4 m  | 75 g/m <sup>2</sup> |       | 5  |
| 96 93 04 10 | 4 × 6 m  | 75 g/m <sup>2</sup> |       | 1  |
| 96 93 07 10 | 5 × 12 m | 75 g/m <sup>2</sup> |       | 1  |



### PROTECTION DOOR LDPE

- with L shaped zip-door
- dustproof isolation of single rooms

| Art. No.    | Size         | Label | PU |
|-------------|--------------|-------|----|
| 96 96 22 17 | 220 × 120 cm |       | 5  |



### GARBAGE BAGS

- 25pcs/roll
- LDPE with re-granulate

| Art. No.    | Volume   | Thickness | Label | PU |
|-------------|----------|-----------|-------|----|
| 96 95 00 10 | 120 lit. | ~0,034 mm |       | 10 |
| 96 95 10 10 | 120 lit. | ~0,053 mm |       | 10 |
| 96 95 65 10 | 240 lit. | ~0,065 mm |       | 10 |
| 96 95 25 10 | 120 lit. | ~0,080 mm |       | 6  |



### GARBAGE BAGS

- 3pcs/pack, folded
- LDPE with re-granulate

| Art. No.    | Volume   | Thickness | Label | PU |
|-------------|----------|-----------|-------|----|
| 96 95 90 10 | 120 lit. | ~0,090 mm |       | 15 |



JOINTING  
TROWEL

- silicon cover, plastic body
- with angle shaped edges



| Art. No.    | Dimension    | Label                                                                             | PU |
|-------------|--------------|-----------------------------------------------------------------------------------|----|
| 92 19 25 10 | 100 × 250 mm |  | 1  |

TILE CLEANING  
SET

- incl. bottom grid and 2 cleaning rollers



| Art. No.    | Volume  | Label                                                                             | PU |
|-------------|---------|-----------------------------------------------------------------------------------|----|
| 90 29 01 10 | 20 lit. |  | 1  |

TAR-BITUMEN  
BRUSH

- natural fibre
- heat resistant
- with whole for handle/pole



| Art. No.    | Dimension   | Label                                                                               | PU |
|-------------|-------------|-------------------------------------------------------------------------------------|----|
| 88 02 20 10 | 200 × 67 mm |  | 10 |

PLASTIC SOLE  
PLATES W. NAILS

- with 11 hardened nails
- for easy and safe walking on wet floor coatings



| Art. No.    | Dimension    | Label                                                                               | PU |
|-------------|--------------|-------------------------------------------------------------------------------------|----|
| 92 65 00 10 | 135 × 310 mm |  | 1  |

## Personal safety equipment

### DUST MASK FFP2

- 2pcs/pack
- with exhalation valve for easy breathing
- CE: EN149:2001 + A1:2009

| Art. No.    | Label | PU |
|-------------|-------|----|
| 98 62 50 72 | prep  | 5  |



### DUST MASK FFP1

- 3pcs/pack
- CE: EN149:2001 + A1:2009

| Art. No.    | Label | PU |
|-------------|-------|----|
| 98 61 41 72 | prep  | 5  |



### PROTECTIVE GOGGLES

- with rubber strap
- with ventilation valve
- CE: EN166:2001

| Art. No.    | Label                                                                               | PU |
|-------------|-------------------------------------------------------------------------------------|----|
| 98 64 00 17 |  | 6  |



### PAINTER'S OVERALL

- non-woven PE material
- with protective hood
- with ankle-, arm-, and waist bands

| Art. No.    | Size             | Label                                                                               | PU |
|-------------|------------------|-------------------------------------------------------------------------------------|----|
| 98 68 01 17 | XL / size 56-58  |  | 10 |
| 98 68 02 17 | XXL / size 60-62 |  | 10 |



LATEX  
GLOVES

- lightly roughened
- CE cat.1/EN420

| Art. No.    | Size       | Label                                                                             | PU |
|-------------|------------|-----------------------------------------------------------------------------------|----|
| 98 52 02 10 | L / size 9 |  | 10 |

LATEX GLOVES  
SUPERGRIP

- secure grip
- roughened surface
- water repellent palm
- CE cat.2/EN388

| Art. No.    | Size         | Label                                                                             | PU |
|-------------|--------------|-----------------------------------------------------------------------------------|----|
| 98 52 40 10 | XL / size 10 |  | 12 |

LATEX GLOVES  
WINTERGRIP

- secure grip
- excellent cold protection (acrylic terrycloth)
- good tactile sensitivity
- CE cat.2./EN388

| Art. No.    | Size         | Label                                                                               | PU |
|-------------|--------------|-------------------------------------------------------------------------------------|----|
| 98 59 02 10 | L / size 9   |  | 12 |
| 98 59 03 10 | XL / size 10 |  | 12 |

COTTON  
GLOVES

- cotton gloves with latex dots for better grip
- CE cat.1/EN420

| Art. No.    | Size         | Label                                                                               | PU |
|-------------|--------------|-------------------------------------------------------------------------------------|----|
| 98 55 10 10 | XL / size 10 |  | 12 |

PAINTER'S GLOVES  
SENSOGRIP

- breathable polyester gloves with polyurethane covering
- CE cat.2/EN388

| Art. No.    | Size         | Colour | Label                                                                               | PU |
|-------------|--------------|--------|-------------------------------------------------------------------------------------|----|
| 98 54 01 10 | M / size 8   | white  |  | 12 |
| 98 54 02 10 | L / size 9   | white  |  | 12 |
| 98 54 03 10 | XL / size 10 | white  |  | 12 |



## NITRIL GLOVES AQUAGRIP

- secure grip at works with fluids
- moisture repellent
- CE cat.2/EN388

| Art. No.    | Size         | Label | PU |
|-------------|--------------|-------|----|
| 98 57 01 10 | M / size 8   |       | 12 |
| 98 57 02 10 | L / size 9   |       | 12 |
| 98 57 03 10 | XL / size 10 |       | 12 |



## NITRIL GLOVES PAINTGRIP

- for works with paints, varnishes etc.
- CE cat.2/EN388

| Art. No.    | Size         | Label | PU |
|-------------|--------------|-------|----|
| 98 51 22 10 | L / size 9   |       | 12 |
| 98 51 20 10 | XL / size 10 |       | 12 |



## NITRIL GLOVES GECKOGRIP

- secure grip due microfoam coating
- excellent sensitivity
- CE cat.2/EN388

| Art. No.    | Size         | Label | PU |
|-------------|--------------|-------|----|
| 98 56 01 10 | M / size 8   |       | 12 |
| 98 56 02 10 | L / size 9   |       | 12 |
| 98 56 03 10 | XL / size 10 |       | 12 |



## NITRIL GLOVES TOPGRIP

- secure grip
- moisture repellent
- CE cat.2/EN388

| Art. No.    | Size         | Label | PU |
|-------------|--------------|-------|----|
| 98 53 01 10 | M / size 8   |       | 12 |
| 98 53 02 10 | L / size 9   |       | 12 |
| 98 53 03 10 | XL / size 10 |       | 12 |



## COTTON GLOVES WORKGRIP

- for rough works
- cotton lining
- CE cat.2/EN388

| Art. No.    | Size         | Label | PU |
|-------------|--------------|-------|----|
| 98 58 10 10 | XL / size 10 |       | 12 |



# Index

| Art.No..... Page           | Art.No..... Page        | Art.No..... Page           | Art.No..... Page           | Art.No..... Page           | Art.No..... Page      |
|----------------------------|-------------------------|----------------------------|----------------------------|----------------------------|-----------------------|
| <b>15</b> .....            | 25 530 - 301. .... 22   | <b>40</b> .....            | 50 309 - 306 - 01. .... 26 | 77 590 - 301 - 55. .... 15 | 83 87 70 19. .... 47  |
| 15 901 - 301. .... 14      | 25 590 - 301. .... 15   | 40 060 - 306. .... 18      | 50 400 - 306 - 01. .... 23 | 77 695 - 301. .... 19      | <b>84</b> .....       |
| 15 963 - 301. .... 10      | 25 695 - 301. .... 19   | 40 233 - 306. .... 13      | 50 400 - 306 - 04. .... 23 | 77 900 - 301. .... 14      | 84 20 18 10. .... 75  |
| <b>17</b> .....            | 25 900 - 301. .... 14   | 40 695 - 306. .... 19      | 50 409 - 306 - 01. .... 23 | 77 963 - 301. .... 10      | 84 20 25 10. .... 75  |
| 17 253 - 301. .... 12      | 25 960 - 301. .... 11   | 40 750 - 301 - 55. .... 21 | 50 469 - 306 - 01. .... 23 | <b>81</b> .....            | 84 80 08 10. .... 32  |
| 17 860 - 301. .... 16      | <b>26</b> .....         | 40 750 - 306. .... 21      | 50 469 - 306 - 04. .... 23 | 81 12 30 10. .... 43       | 84 80 13 10. .... 32  |
| 17 860 - 301 - 55. .... 16 | 263 535 - 411. .... 41  | 40 895 - 301 - 55. .... 20 | 50 499 - 306 - 01. .... 22 | 81 12 40 10. .... 43       | 84 80 15 10. .... 31  |
| 17 901 - 301. .... 14      | 263 550 - 411. .... 41  | 40 895 - 306. .... 20      | 50 530 - 306 - 01. .... 22 | 81 12 50 10. .... 43       | 84 80 26 10. .... 31  |
| 17 963 - 301. .... 10      | 263 560 - 411. .... 41  | 40 900 - 306. .... 14      | 50 590 - 306 - 01. .... 15 | 81 12 60 10. .... 43       | 84 80 30 10. .... 31  |
| <b>20</b> .....            | 263 575 - 411. .... 41  | 40 960 - 306. .... 11      | 50 695 - 306 - 01. .... 19 | 81 12 80 10. .... 43       | 84 81 04 10. .... 84  |
| 204 010. .... 44           | 268 020 - 411. .... 40  | <b>42</b> .....            | 50 695 - 306 - 04. .... 19 | 81 12 99 10. .... 43       | 84 81 06 10. .... 84  |
| 204 015. .... 44           | 268 025 - 411. .... 40  | 423 550 - 411. .... 42     | 50 750 - 306 - 01. .... 21 | 81 20 25 10. .... 44       | 84 81 09 10. .... 84  |
| 204 020. .... 44           | 268 225 - 411. .... 40  | 423 575 - 411. .... 42     | 50 750 - 306 - 04. .... 21 | 81 20 35 10. .... 44       | 84 81 20 10. .... 84  |
| 204 025. .... 44           | <b>27</b> .....         | <b>45</b> .....            | 50 895 - 306 - 01. .... 20 | 81 20 50 10. .... 44       | 84 815 - 302. .... 31 |
| 204 030. .... 44           | 27 060 - 301. .... 18   | 45 233 - 301. .... 13      | 50 960 - 306 - 01. .... 11 | 81 20 60 10. .... 44       | 84 82 08 10. .... 32  |
| <b>21</b> .....            | 27 110 - 301. .... 17   | 453 504 - 411. .... 41     | 50 960 - 306 - 04. .... 11 | 81 20 75 10. .... 44       | 84 82 14 10. .... 32  |
| 218 166. .... 47           | 27 140 - 301. .... 17   | 453 506 - 411. .... 41     | <b>52</b> .....            | 81 20 99 10. .... 44       | 84 82 44 10. .... 32  |
| 218 177. .... 47           | 27 233 - 301. .... 13   | 453 508 - 411. .... 41     | 525 320 - 411. .... 47     | 81 31 30 19. .... 44       | 84 826 - 302. .... 31 |
| 218 189. .... 47           | 27 253 - 301. .... 12   | 456 030 - 411. .... 39     | <b>53</b> .....            | 81 31 40 19. .... 44       | 84 82 99 10. .... 84  |
| 218 515. .... 47           | 27 530 - 301. .... 22   | 456 040 - 411. .... 39     | 532 510 - 411. .... 46     | 81 31 50 19. .... 44       | 84 83 21 10. .... 30  |
| <b>22</b> .....            | 27 590 - 301. .... 15   | 456 050 - 411. .... 39     | 533 510 - 411. .... 42     | 81 31 70 19. .... 44       | 84 83 22 10. .... 30  |
| 229 100. .... 40           | 27 695 - 301. .... 19   | 456 060 - 411. .... 39     | 535 310 - 411. .... 39     | 81 31 99 19. .... 44       | 84 832 - 302. .... 31 |
| 229 102. .... 40           | 27 750 - 301. .... 21   | 456 080 - 411. .... 39     | 536 010 - 411. .... 38     | 81 62 30 10. .... 45       | 84 83 27 10. .... 30  |
| 229 104. .... 40           | 27 900 - 301. .... 14   | 45 900 - 301. .... 14      | <b>55</b> .....            | 81 62 40 10. .... 45       | 84 90 13 10. .... 33  |
| <b>23</b> .....            | 27 960 - 301. .... 11   | 45 960 - 301. .... 11      | 55 233 - 306 - 01. .... 13 | 81 62 50 10. .... 45       | 84 90 20 10. .... 33  |
| 234 010. .... 43           | <b>29</b> .....         | <b>46</b> .....            | 55 233 - 306 - 01. .... 13 | 81 62 60 10. .... 45       | 84 90 30 10. .... 33  |
| 234 015. .... 43           | 293 540 - 411. .... 42  | 462 820 - 411. .... 44     | 55 530 - 306 - 01. .... 22 | 81 62 70 10. .... 45       | 84 92 31 10. .... 33  |
| 234 020. .... 43           | <b>32</b> .....         | 462 830 - 411. .... 44     | 55 960 - 306 - 01. .... 11 | 81 66 35 10. .... 45       | 84 927 - 302. .... 30 |
| 234 025. .... 43           | 325 010. .... 39        | 462 840 - 411. .... 44     | <b>60</b> .....            | 81 66 50 10. .... 45       | 84 96 12 10. .... 33  |
| 234 030. .... 43           | 325 015. .... 39        | 462 850 - 411. .... 44     | 60 253 - 301. .... 12      | 81 66 60 10. .... 45       | 84 96 22 10. .... 33  |
| 234 040. .... 43           | 325 020. .... 39        | 462 860 - 411. .... 44     | 60 300 - 306 - 01. .... 26 | 81 66 75 10. .... 45       | 84 96 62 10. .... 33  |
| 235 010. .... 39           | 325 025. .... 39        | 462 870 - 411. .... 44     | 60 300 - 306 - 20. .... 26 | 81 68 50 10. .... 45       | <b>85</b> .....       |
| 235 015. .... 39           | 325 030. .... 39        | 462 880 - 411. .... 44     | 60 400 - 306 - 04. .... 23 | 81 80 25 10. .... 45       | 85 05 61 10. .... 29  |
| 235 020. .... 39           | 325 040. .... 39        | 462 899 - 411. .... 44     | 60 895 - 301. .... 20      | 81 80 40 10. .... 45       | 85 253 - 302. .... 28 |
| 235 025. .... 39           | <b>35</b> .....         | 463 530 - 411. .... 41     | 60 963 - 301. .... 10      | 81 80 50 10. .... 45       | 85 353 - 302. .... 28 |
| 235 040. .... 39           | 358 050 - 411. .... 40  | 463 540 - 411. .... 41     | <b>61</b> .....            | 81 80 65 10. .... 45       | 85 453 - 302. .... 28 |
| 236 010. .... 43           | 358 060 - 411. .... 40  | 463 550 - 411. .... 41     | 61 253 - 301. .... 12      | 81 80 76 10. .... 45       | 85 553 - 302. .... 28 |
| 236 015. .... 43           | 358 075 - 411. .... 40  | 463 560 - 411. .... 41     | 61 963 - 301. .... 10      | <b>82</b> .....            | 85 653 - 302. .... 28 |
| 236 020. .... 43           | <b>37</b> .....         | 463 580 - 411. .... 41     | <b>65</b> .....            | 82 75 08 10. .... 40       | 85 753 - 302. .... 28 |
| 236 025. .... 43           | 37 963 - 301. .... 10   | 463 708. .... 41           | 65 233 - 306 - 04. .... 13 | 82 75 12 10. .... 40       | 85 85 25 10. .... 26  |
| 236 030. .... 43           | <b>38</b> .....         | 463 712. .... 41           | 65 530 - 306 - 04. .... 22 | <b>83</b> .....            | <b>86</b> .....       |
| 236 035. .... 43           | 38 060 - 301. .... 18   | 464 040 - 411. .... 38     | 65 695 - 306 - 04. .... 19 | 83 68 07 10. .... 46       | 86 153 - 302. .... 29 |
| 236 040. .... 43           | 384 010. .... 43        | 464 050 - 411. .... 38     | <b>70</b> .....            | 83 68 12 10. .... 46       | 86 253 - 302. .... 29 |
| 236 075. .... 43           | 384 015. .... 43        | 464 060 - 411. .... 38     | 70 300 - 306 - 01. .... 26 | 83 68 14 10. .... 46       | 86 353 - 302. .... 29 |
| <b>25</b> .....            | 384 020. .... 43        | 466 050 - 411. .... 38     | <b>75</b> .....            | 83 68 15 10. .... 46       | 86 453 - 302. .... 29 |
| 25 060 - 301. .... 18      | 384 025. .... 43        | 466 080 - 411. .... 38     | 75 695 - 301. .... 19      | 83 80 07 10. .... 48       | 86 59 10 10. .... 16  |
| 25 110 - 301. .... 17      | 384 030. .... 43        | <b>50</b> .....            | <b>77</b> .....            | 83 80 14 10. .... 48       | 86 70 72 10. .... 26  |
| 25 233 - 301. .... 13      | 384 035. .... 43        | 50 060 - 306 - 01. .... 18 | 77 110 - 301. .... 17      | 83 82 76 10. .... 48       | 86 83 11 19. .... 27  |
| 25 253 - 301. .... 12      | 384 040. .... 43        | 50 110 - 306 - 01. .... 18 | 77 253 - 301. .... 12      | 83 85 08 10. .... 47       | 86 83 12 10. .... 27  |
| 25 3520 - 411. .... 42     | <b>Art.No..... Page</b> | 50 233 - 306 - 01. .... 13 | <b>Art.No..... Page</b>    | 83 85 10 10. .... 47       | 86 83 13 10. .... 27  |
| 25 3525 - 411. .... 42     | <b>Art.No..... Page</b> | 50 233 - 306 - 04. .... 13 | <b>Art.No..... Page</b>    | 83 85 12 10. .... 47       | <b>87</b> .....       |
|                            | <b>Art.No..... Page</b> | 50 300 - 306 - 01. .... 26 | <b>Art.No..... Page</b>    | 83 85 14 10. .... 47       | 87 353 - 302. .... 28 |
|                            | <b>Art.No..... Page</b> | 50 300 - 306 - 10. .... 26 | <b>Art.No..... Page</b>    | 83 85 40 10. .... 48       |                       |
|                            | <b>Art.No..... Page</b> |                            | <b>Art.No..... Page</b>    | 83 86 75 19. .... 48       |                       |
|                            | <b>Art.No..... Page</b> |                            | <b>Art.No..... Page</b>    |                            |                       |



## Index

| Art.No..... Page         | Art.No..... Page         | Art.No..... Page            | Art.No..... Page         | Art.No..... Page         | Art.No..... Page         |
|--------------------------|--------------------------|-----------------------------|--------------------------|--------------------------|--------------------------|
| <b>88</b> .....          | 92 17 21 10 . . . . . 77 | 93 30 75 10 . . . . . 70    | 95 65 20 10 . . . . . 87 | 96 21 50 19 . . . . . 90 | 96 94 50 10 . . . . . 65 |
| 88 02 20 10 . . . . . 93 | 92 17 22 10 . . . . . 77 | 93 30 77 10 . . . . . 70    | 95 67 01 71 . . . . . 88 | 96 22 38 76 . . . . . 58 | 96 94 60 10 . . . . . 65 |
|                          | 92 18 00 10 . . . . . 78 | 93 31 00 10 . . . . . 67    | 95 67 80 10 . . . . . 88 | 96 22 50 76 . . . . . 58 | 96 95 00 10 . . . . . 92 |
| <b>90</b> .....          | 92 18 09 10 . . . . . 78 | 93 31 02 10 . . . . . 67    | 95 67 90 71 . . . . . 88 | 96 26 49 19 . . . . . 59 | 96 95 10 10 . . . . . 92 |
| 90 29 01 10 . . . . . 93 | 92 18 19 10 . . . . . 78 | 93 33 00 10 . . . . . 67    | 95 69 00 10 . . . . . 87 | 96 26 50 19 . . . . . 59 | 96 95 25 10 . . . . . 92 |
|                          | 92 19 25 10 . . . . . 93 | 93 33 01 10 . . . . . 67    | 95 81 30 10 . . . . . 85 | 96 31 20 10 . . . . . 83 | 96 95 65 10 . . . . . 92 |
| <b>91</b> .....          | 92 21 40 10 . . . . . 79 | 93 34 02 10 . . . . . 68    | 95 84 27 10 . . . . . 86 | 96 31 50 10 . . . . . 83 | 96 95 90 10 . . . . . 92 |
| 91 00 01 71 . . . . . 74 | 92 22 10 10 . . . . . 79 | 93 35 40 10 . . . . . 83    | 95 86 00 10 . . . . . 86 | 96 32 50 10 . . . . . 83 | 96 96 22 17 . . . . . 92 |
| 91 00 04 71 . . . . . 74 | 92 25 40 10 . . . . . 80 | 93 35 72 10 . . . . . 83    | 95 86 01 10 . . . . . 86 | 96 40 48 10 . . . . . 91 | 96 96 35 10 . . . . . 65 |
| 91 02 16 10 . . . . . 74 | 92 31 30 10 . . . . . 79 | 93 38 04 71 . . . . . 67    | 95 860 - 301. . . . . 16 | 96 40 50 10 . . . . . 91 | 96 96 95 10 . . . . . 65 |
| 91 02 20 10 . . . . . 74 | 92 39 40 10 . . . . . 79 | 93 38 35 10 . . . . . 82    | 95 87 10 10 . . . . . 86 | 96 40 51 10 . . . . . 91 | 96 96 97 10 . . . . . 65 |
| 91 10 04 71 . . . . . 73 | 92 40 26 10 . . . . . 79 | 93 40 06 10 . . . . . 71    | 95 88 00 10 . . . . . 85 | 96 41 50 10 . . . . . 91 | 96 96 98 10 . . . . . 65 |
| 91 10 06 71 . . . . . 73 | 92 40 32 10 . . . . . 79 | 93 41 00 10 . . . . . 71    | 95 88 50 10 . . . . . 85 | 96 44 25 19 . . . . . 91 | 96 97 25 10 . . . . . 61 |
| 91 10 08 71 . . . . . 73 | 92 40 36 10 . . . . . 79 | 93 42 04 10 . . . . . 71    | 95 89 00 10 . . . . . 86 | 96 45 19 19 . . . . . 91 | 96 97 50 10 . . . . . 61 |
| 91 10 10 71 . . . . . 73 | 92 41 30 10 . . . . . 80 | 93 43 05 10 . . . . . 71    |                          | 96 46 50 19 . . . . . 91 | 96 97 99 10 . . . . . 61 |
| 91 10 12 71 . . . . . 73 | 92 41 40 10 . . . . . 80 | 93 44 05 10 . . . . . 72    | <b>96</b> .....          | 96 48 50 19 . . . . . 90 | 96 98 50 10 . . . . . 61 |
| 91 17 02 10 . . . . . 73 | 92 44 00 10 . . . . . 80 | 93 71 45 10 . . . . . 83    | 96 00 01 10 . . . . . 57 | 96 50 48 10 . . . . . 90 | 96 98 99 10 . . . . . 61 |
| 91 17 04 10 . . . . . 73 | 92 61 00 10 . . . . . 82 | 93 72 80 70 . . . . . 85    | 96 00 02 10 . . . . . 57 | 96 51 48 10 . . . . . 90 | 96 99 15 19 . . . . . 66 |
| 91 17 06 10 . . . . . 73 | 92 62 15 10 . . . . . 83 | 93 80 50 10 . . . . . 72    | 96 00 03 10 . . . . . 57 | 96 53 00 10 . . . . . 91 | 96 99 25 19 . . . . . 66 |
| 91 17 08 10 . . . . . 73 | 92 65 00 10 . . . . . 93 | 93 860 - 301. . . . . 16    | 96 00 04 10 . . . . . 57 | 96 54 33 10 . . . . . 91 | 96 99 99 19 . . . . . 66 |
| 91 17 10 10 . . . . . 73 |                          |                             | 96 00 05 10 . . . . . 57 | 96 69 10 10 . . . . . 53 |                          |
| 91 33 15 10 . . . . . 75 | <b>93</b> .....          | <b>94</b> .....             | 96 00 19 76 . . . . . 57 | 96 69 18 10 . . . . . 53 | <b>97</b> .....          |
| 91 33 25 10 . . . . . 75 | 93 13 08 10 . . . . . 70 | 94 06 04 10 . . . . . 80    | 96 00 25 76 . . . . . 57 | 96 69 30 10 . . . . . 53 | 97 05 41 19 . . . . . 55 |
| 91 33 35 10 . . . . . 75 | 93 13 10 10 . . . . . 70 | 94 06 06 10 . . . . . 80    | 96 00 30 76 . . . . . 57 | 96 74 11 76 . . . . . 53 | 97 05 42 19 . . . . . 55 |
| 91 33 45 10 . . . . . 75 | 93 13 12 10 . . . . . 70 | 94 06 08 10 . . . . . 80    | 96 00 38 76 . . . . . 57 | 96 74 14 76 . . . . . 53 | 97 05 43 19 . . . . . 55 |
| 91 33 60 10 . . . . . 75 | 93 13 18 10 . . . . . 70 | 94 06 10 10 . . . . . 80    | 96 00 41 10 . . . . . 57 | 96 74 18 76 . . . . . 53 | 97 05 45 19 . . . . . 55 |
| 91 34 25 10 . . . . . 75 | 93 14 12 10 . . . . . 69 | 940 750 - 301 - 04 . . . 21 | 96 00 42 10 . . . . . 57 | 96 74 21 76 . . . . . 53 | 97 860 - 301. . . . . 16 |
| 91 34 40 10 . . . . . 75 | 93 14 18 10 . . . . . 69 | 94 07 66 10 . . . . . 80    | 96 00 43 10 . . . . . 57 | 96 74 24 76 . . . . . 53 |                          |
| 91 34 60 10 . . . . . 75 | 93 14 24 10 . . . . . 69 | 94 07 68 10 . . . . . 80    | 96 00 44 10 . . . . . 57 | 96 74 27 76 . . . . . 53 | <b>98</b> .....          |
| 91 48 60 19 . . . . . 75 | 93 14 40 10 . . . . . 69 | 94 07 70 10 . . . . . 80    | 96 00 45 10 . . . . . 57 | 96 74 55 76 . . . . . 53 | 98 51 20 10 . . . . . 96 |
| 91 54 15 10 . . . . . 73 | 93 14 60 10 . . . . . 69 | 94 07 72 10 . . . . . 80    | 96 00 50 76 . . . . . 57 | 96 78 50 76 . . . . . 52 | 98 51 22 10 . . . . . 96 |
| 91 54 60 10 . . . . . 72 | 93 14 80 10 . . . . . 69 | 940 895 - 301 - 04 . . . 20 | 96 02 20 76 . . . . . 56 | 96 78 60 76 . . . . . 52 | 98 52 02 10 . . . . . 95 |
| 91 71 12 10 . . . . . 73 | 93 15 08 10 . . . . . 70 | 94 09 01 10 . . . . . 84    | 96 02 26 76 . . . . . 56 | 96 78 70 76 . . . . . 52 | 98 52 40 10 . . . . . 95 |
| 91 71 15 10 . . . . . 73 | 93 15 10 10 . . . . . 70 | 94 09 11 10 . . . . . 84    | 96 02 31 76 . . . . . 56 | 96 78 80 76 . . . . . 52 | 98 53 01 10 . . . . . 96 |
| 91 71 20 10 . . . . . 73 | 93 15 12 10 . . . . . 70 | 94 10 20 10 . . . . . 81    | 96 02 39 76 . . . . . 56 | 96 80 56 76 . . . . . 52 | 98 53 02 10 . . . . . 96 |
| 91 71 40 10 . . . . . 73 | 93 15 15 10 . . . . . 70 | 94 10 30 10 . . . . . 81    | 96 02 51 76 . . . . . 56 | 96 81 10 76 . . . . . 52 | 98 53 03 10 . . . . . 96 |
| 91 71 60 10 . . . . . 73 | 93 15 18 10 . . . . . 70 | 94 10 35 10 . . . . . 81    | 96 04 91 19 . . . . . 56 | 96 81 40 76 . . . . . 52 | 98 54 01 10 . . . . . 95 |
| 91 71 80 10 . . . . . 73 | 93 15 22 10 . . . . . 70 | 94 10 42 10 . . . . . 81    | 96 04 93 19 . . . . . 56 | 96 82 10 76 . . . . . 52 | 98 54 02 10 . . . . . 95 |
| 91 71 99 10 . . . . . 73 | 93 19 04 10 . . . . . 69 | 94 10 60 10 . . . . . 82    | 96 04 94 19 . . . . . 56 | 96 82 70 76 . . . . . 52 | 98 54 03 10 . . . . . 95 |
|                          | 93 19 06 10 . . . . . 69 | 94 10 63 10 . . . . . 82    | 96 05 25 76 . . . . . 55 | 96 89 03 10 . . . . . 65 | 98 55 10 10 . . . . . 95 |
| <b>92</b> .....          | 93 19 08 10 . . . . . 69 | 94 10 90 10 . . . . . 82    | 96 05 30 76 . . . . . 55 | 96 90 16 10 . . . . . 65 | 98 56 01 10 . . . . . 96 |
| 92 11 00 10 . . . . . 76 | 93 19 10 10 . . . . . 69 | 94 26 03 19 . . . . . 66    | 96 05 38 76 . . . . . 55 | 96 90 21 10 . . . . . 65 | 98 56 02 10 . . . . . 96 |
| 92 11 01 10 . . . . . 76 | 93 19 12 10 . . . . . 69 | 94 26 10 17 . . . . . 66    | 96 05 50 76 . . . . . 55 | 96 90 50 10 . . . . . 65 | 98 56 03 10 . . . . . 96 |
| 92 12 10 10 . . . . . 76 | 93 19 18 10 . . . . . 69 | 94 26 20 17 . . . . . 66    | 96 07 25 76 . . . . . 54 | 96 90 70 10 . . . . . 65 | 98 57 01 10 . . . . . 96 |
| 92 13 05 10 . . . . . 76 | 93 19 24 10 . . . . . 69 | 94 26 24 70 . . . . . 66    | 96 07 30 76 . . . . . 54 | 96 91 00 10 . . . . . 65 | 98 57 02 10 . . . . . 96 |
| 92 14 00 10 . . . . . 77 | 93 19 40 10 . . . . . 69 | 94 26 49 70 . . . . . 66    | 96 07 38 76 . . . . . 54 | 96 91 90 10 . . . . . 65 | 98 57 03 10 . . . . . 96 |
| 92 14 09 10 . . . . . 76 | 93 30 51 10 . . . . . 70 | 94 30 10 17 . . . . . 89    | 96 07 50 76 . . . . . 54 | 96 91 92 10 . . . . . 65 | 98 58 10 10 . . . . . 96 |
| 92 15 02 10 . . . . . 77 | 93 30 53 10 . . . . . 70 | 94 30 15 17 . . . . . 89    | 96 09 25 76 . . . . . 54 | 96 92 12 10 . . . . . 65 | 98 59 02 10 . . . . . 95 |
| 92 16 03 10 . . . . . 78 | 93 30 54 10 . . . . . 70 | 94 30 20 17 . . . . . 89    | 96 10 38 76 . . . . . 59 | 96 92 20 10 . . . . . 65 | 98 59 03 10 . . . . . 95 |
| 92 16 24 10 . . . . . 78 | 93 30 55 10 . . . . . 70 | 94 37 15 17 . . . . . 89    | 96 10 50 76 . . . . . 59 | 96 92 75 10 . . . . . 65 | 98 61 41 72 . . . . . 94 |
| 92 16 26 10 . . . . . 78 | 93 30 57 10 . . . . . 70 | 94 37 20 17 . . . . . 89    | 96 11 30 76 . . . . . 60 | 96 93 02 10 . . . . . 92 | 98 62 50 72 . . . . . 94 |
| 92 16 28 10 . . . . . 78 | 93 30 58 10 . . . . . 70 | 94 38 15 17 . . . . . 89    | 96 11 50 76 . . . . . 60 | 96 93 03 10 . . . . . 92 | 98 64 00 17 . . . . . 94 |
| 92 16 66 10 . . . . . 78 | 93 30 59 10 . . . . . 70 |                             | 96 13 50 76 . . . . . 60 | 96 93 04 10 . . . . . 92 | 98 68 01 17 . . . . . 94 |
| 92 16 99 10 . . . . . 84 | 93 30 63 10 . . . . . 70 | <b>95</b> .....             | 96 14 50 76 . . . . . 59 | 96 93 07 10 . . . . . 92 | 98 68 02 17 . . . . . 94 |
| 92 17 06 10 . . . . . 77 | 93 30 64 10 . . . . . 70 | 95 62 00 10 . . . . . 88    | 96 18 44 76 . . . . . 58 | 96 94 05 10 . . . . . 65 |                          |
| 92 17 08 10 . . . . . 77 | 93 30 65 10 . . . . . 70 | 95 64 00 10 . . . . . 87    | 96 19 50 76 . . . . . 90 | 96 94 12 10 . . . . . 65 |                          |
| 92 17 10 10 . . . . . 77 | 93 30 73 10 . . . . . 70 | 95 65 10 71 . . . . . 87    | 96 21 48 10 . . . . . 90 | 96 94 18 10 . . . . . 65 |                          |
| Art.No..... Page         | Art.No..... Page         | Art.No..... Page            | Art.No..... Page         | Art.No..... Page         | Art.No..... Page         |





## **Ciret s.r.o.**

K Silu 2487  
393 01 Pelhřimov

tel.: + 420 565 327 582

fax: + 420 565 327 581

e-mail: [info@ciret.cz](mailto:info@ciret.cz)

Your supplier:

A large, empty rectangular box with a thin black border, intended for a signature or stamp.

Member of Storch-Ciret Group  
[www.storch-ciret.com](http://www.storch-ciret.com)  
[www.ciret.cz](http://www.ciret.cz)