

Painting Tools

FOR THE PROFESSIONAL

ROTA![®]

Paint rollers and accessories



kana[®]

Paint brushes



masq[®]

Masking products



prep[®]

Surface preparation, covering
and further accessories





Paint rollers and accessories

High quality paint rollers and accessories for paint application: The Rota assortment includes powerful, branded products as well as low budget items. The assortment is clearly structured and presented in an attractive way you are able to offer the best roller for each application to your customer.



Paint brushes

Kana - our selected and innovative brush assortment for the professional: Bristle-mixtures are optimized for each application. From low budget series to our premium line.



Masking products

Masq: our assortment in the range of covering offers exclusive branded products with high quality standards but also low budget items for simple jobs. All series are designed individually and are available in all common sizes and measurements.



Surface preparation, covering and further accessories

From putty knives, spatulas abrasives, wallpapering tools to personal safety equipment: Our Prep-assortment involves everything the painter needs for his work. Premium-, Professional- and Standard-quality.

Index

Competence in Manufacturing	3
The visual concept	5

ROTA!®

Paint rollers and accessories

7



kana®

Paint brushes

35



masq®

Masking products

49



prep®

Surface preparation, covering
and further accessories

63



Index	97
-------	----



Competence in Manufacturing

FOR THE PROFESSIONAL

Rota, Kana, Masq and Prep

The Storch-Ciret-Group provide professional retailers with high-quality paint rollers (Rota), paintbrushes (Kana), masking products (Masq) and hand tools / accessories (Prep).

In order to always achieve the highest possible stability in product and quality and to ensure our quality standards are met, we produce the dominant part of our assortment in our own factories.



PRODUCTION OF STICK-FRAMES



PRODUCTION OF ROLLER REFILLS



FINISHING OF SMALL FOAM REFILLS



COMPLETING OF CQ FOIL



Rota, Kana, Masq and Prep Innovation with experience

No. 1 in Europe for Painting Tools, more than 6.000 products from our own production facilities, more than 100 owned patents and designs - figures which proves the competence of the Storch-Ciret-Group as developer and producer of high quality painting tools. It is our tradition: we produce and sell painting tools since 1896.

Based on this experience and expertise we work continuously on the development of our tools and machines - exactly based on the special requests of our branch with focus on highest quality and best usability for the end-user. Our product development is influenced by the latest research results about ergonomics and materials as well as our own production know-how.

Our new developments will be realized quickly in our modern manufacturing plants. So we can develop continuously and flexible innovative and powerful products to improve working for painters and plasterers.

More than 80 percent of our branded products of the RKMP assortment are produced in our own factories to ensure the well-known and constant quality of our painting tools.

Optimal product presentation

For correct purchase decisions
and satisfied customers.



Our booth on the trade fair BAU 2017 in Munich

We offer high quality and professional painting tools – and corresponding concepts for POS presentation. Everything is clearly structured and designed in an attractive way. Single product highlights are positioned as eyecatcher.

Attractive product presentation

The entire assortment is separated into different segments which can be easily identified: paint rollers/green, brushes/red, masking and preparation/blue. Your customer will recognize immediately where he is located. The POS texts are printed in the respective country language.



Informative data sheet

On the product data sheet you and your customers will find all product specifications, technical data and advantages. Take away and read up.



Multilingual packaging

Multilingual product descriptions on the packaging will help your customers – even if they do not know the national language.





ROTA!®

Paint rollers & Accessories



Index

Which plush for which paint	9
Paint rollers for large and small surfaces	
RotaStreif 21	10
RotaStreif 13	11
RotaGold 18	12
RotaGold 12	13
RotaFlor 18	14
RotaTex 15	15
RotaTex 10	15
RotaClassic 18	16
RotaNyl 18	17
RotaNyl 11	17
RotaNyl 6	18
RotaStar 9	19
RotaStar 5	20
RotaFilt 5	21
RotaMohair 4	22
RotaVelours 4	22
RotaEvolution	23
RotaFlock Concave	23
RotaSchaum Concave	25
RotaSchaum Classic	25
RotaSchaum Standard	26
Edge-Trim-Roller	27
Pipe-Roller	27
Accessories	
RotaKnick	28
RotaGrip	28
RotaClassic	29
RotaJumbo	29
Wipe Grids	30
Paint Trays	31
Paint Tray Inlays	31
Paint Buckets	32
Paint Buckets Inlays	32
Telescopic poles	33




ROTA®!

Page	Roller Cover	Wall Paints								Water Based Lacquers		Solvent Based Lacquers			Wood stain / Glaze	
		Primers	Wall and Ceiling Paints	Latex Paints	Ceramic Paints	Facade Paints	Silicone/Resin Paints	Silicate Paint	Roll-plasters	Water Based Lacquers	2-compounds Varnishes	Solvent-Based Lacquers	2-compounds Varnishes	Rust-Protectors	Glazes	Wood-Oils
10	RotaStreif 21		★	★	☆	★	★	☆	★							
11	RotaStreif 13		★	★	★		☆	☆	☆							
12	RotaGold 18		★	★	☆	★	★	☆	★							
13	RotaGold 12		★	★	★		☆	☆	☆							
14	RotaFlor 18		☆	★		★	★	★								
15	RotaTex 15		★													
15	RotaTex 10		★													
16	RotaClassic 18	☆	☆	☆		☆										
17	RotaNyl 18		☆										☆			
19	RotaStar 9	★	☆													
17	RotaNyl 11											☆	★	☆		
18	RotaNyl 6											★	★			
19	RotaStar 9									☆	☆		☆	★	★	★
20	RotaStar 5									★	★				★	★
21	RotaFilt 5									☆	☆	★		★		
22	RotaMohair 4											★	☆			
22	RotaVelours 4											☆	☆			
23	RotaEvolution									★	★	★				
23	RotaFlock									★	★	☆				
25	RotaSchaum Concave									☆	☆	★				
25	RotaSchaum Classic									☆	☆	★				
26	Schaum Standard											☆				

★ best suitable

☆ good suitable

Intuitive consumer management at POS



The texture of the work surface is a decisive criterion for selecting the tool. For this reason, a clear identification with simple symbols are shown on the product labels. Your customers immediately recognize whether the product is optimally suited for smooth, rough or coarse surfaces.



Liquid-tight core system, easy rolling with the side mounted bearing and sockets, improved thermofusion connection - our 60 mm rollers ensure a minimized linting through the folded in plush ends on the roller sides. The ROTA CORE-icon shows your customers this product feature of the thought-out roller system at the POS.



Introduction of refill pictogram:

A - frame diameter (mm)

B - inner core diameter (mm)

C - core diameter including padding (mm)

D - total diameter including plush pile length (mm)

RotaStreif 21

Premium roller cover from polyamide staple fibre

- Prewashed plush
- ▶ Reduced linting
- Extra long pile (21mm)
- ▶ Extra high paint loading and release

☒ Wall Paints ☐ Water Based Lacquers ☐ Solvent Based Lacquers ☐ Wood Stains



- Extra thick padding (12mm) for extra rough surfaces
- Also to use in corners

Art. No.	Width	Label	PU
37 963-301	27 cm	ROTA!	5



- Water repellent padding material (8mm)
- Also to use in corners

Art. No.	Width	Label	PU
15 963-301	20 cm	ROTA!	5
17 963-301	27 cm	ROTA!	5



- Premium core with 60mm diameter
- Extra big, water-proof core construction
- Folded in plush ends
- Also to use in corners

Art. No.	Width	Label	PU
77 963-301	25 cm	ROTA!	5



- Corner roller with special shaped refill
- Perfect for inner corner coatings

Art. No.	Description	Label	PU
60 963-301	corner roller	ROTA!	5
61 963-301	refill	ROTA!	5





RotaStreif 13

Premium roller-cover from polyamide staple fibre

- Prewashed plush
- Reduced linting
- Short pile (13mm)
- Especially fine surface finish

☒ Wall Paints ☐ Water Based Lacquers ☐ Solvent Based Lacquers ☐ Wood Stains



■ Water-proof core construction



	Art. No.	Width	Label	PU
74 8  48	25 960-301	18 cm	ROTA!	12
	27 960-301	25 cm	ROTA!	12



	Art. No.	Width	Label	PU
56 6  30	40 960-306	12 cm	ROTA!	10
	45 960-301	16 cm	ROTA!	10



	Art. No.	Width	Label	PU
43 6  17	50 960-306-01	10 cm	ROTA!	10
	50 960-306-04	2 × 10 cm	ROTA!	10
	55 960-306-01	15 cm	ROTA!	10



RotaGold 18


Premium roller-cover from polyamide endless fibre

- Endless fibre
- ▶ Practically lintfree
- Long pile (18mm)
- ▶ Extra high paint loading and release
- With LoTex technology
- ▶ Advantages see below

☒ Wall Paints ☐ Water Based Lacquers ☐ Solvent Based Lacquers ☐ Wood Stains



- Water repellent padding material (8mm)
- Also to use in corners




96 8 44 60

Art. No.	Width	Label	PU
15 253-301	20 cm	ROTA!	5
17 253-301	27 cm	ROTA!	5



- Premium core with 60mm diameter
- Extra big, water-proof core construction
- Folded in plush ends
- Also to use in corners




96 8 60

Art. No.	Width	Label	PU
77 253-301	25 cm	ROTA!	5



- Water-proof core construction



84 8 48

Art. No.	Width	Label	PU
25 253-301	18 cm	ROTA!	10
27 253-301	25 cm	ROTA!	10

New RotaGold - with LoTex technology

Paint rollers with LoTex-technology run through a new finishing process, which improves significantly the paint loading & release, cleanability, pile stability and lifetime of the plush.



Your advantages:

- significantly higher paint loading & -release
- faster and more efficient cleaning
- stable plush structure
- noticeable longer product lifetime



The new RotaGold satisfies through its stable plush structure and improved pile stability.



Thanks to LoTex technology it is also easy to clean.



☒ Wall Paints ☐ Water Based Lacquers ☐ Solvent Based Lacquers ☐ Wood Stains

RotaGold 12

Premium roller-cover from polyamide endless fibre

- Endless fibre
- ▶ Practically lintfree
- Short pile (12mm)
- ▶ Especially fine surface finish
- With LoTex technology
- ▶ Advantages see below



■ Water-proof core construction



	Art. No.	Width	Label	PU
72 8  48	25 233-301	18 cm	ROTA!	10
	27 233-301	25 cm	ROTA!	10



	Art. No.	Width	Label	PU
54 6  30	40 233-306	12 cm	ROTA!	10
	45 233-301	16 cm	ROTA!	10



	Art. No.	Width	Label	PU
41 6  17	65 233-306-04	2 × 6 cm	ROTA!	20
	50 233-306-01	10 cm	ROTA!	10
	50 233-306-04	2 × 10 cm	ROTA!	10
	55 233-306-01	15 cm	ROTA!	10



New RotaGold - with LoTex technology

Paint rollers with LoTex-technology run through a new finishing process, which improves significantly the paint loading & release, cleanliness, pile stability and lifetime of the plush.



Your advantages:

- significantly higher paint loading & -release
- faster and more efficient cleaning
- stable plush structure
- noticeable longer product lifetime



The new RotaGold satisfies through its stable plush structure and improved pile stability.



Thanks to LoTex technology it is also easy to clean.

RotaFlor 18

High quality roller-cover from polyamide staple fibre

- Excellent pile raising ability
- ▶ Especially low spatter with silicate- and latex paints
- Long pile (18mm)
- ▶ Extra high paint loading and release

☒ Wall Paints ☐ Water Based Lacquers ☐ Solvent Based Lacquers ☐ Wood Stains



- Water repellent padding material (8mm)
- Also to use in corners



96 8 44 60

Art. No.	Width	Label	PU
15 901-301	20 cm	ROTA!	5
17 901-301	27 cm	ROTA!	5



- Premium core with 60mm diameter
- Extra big, water-proof core construction
- Folded in plush ends
- Also to use in corners



96 8 60

Art. No.	Width	Label	PU
77 900-301	25 cm	ROTA!	5



- Water-proof core construction



84 8 48

Art. No.	Width	Label	PU
25 900-301	18 cm	ROTA!	12
27 900-301	25 cm	ROTA!	12



Art. No.	Width	Label	PU
40 900-306	12 cm	ROTA!	10
45 900-301	16 cm	ROTA!	10



66 6 30



☒ Wall Paints ☐ Water Based Lacquers ☐ Solvent Based Lacquers ☐ Wood Stains



- Water-proof core construction
- Finishing roller for extra fine surfaces (Q4 surface quality)

Art. No.	Width	Label	PU
27 930F301	25 cm	ROTA!	5



RotaTex 15

Special roller-cover of high-tech mixed fibre

- Extra dense cover
- For a superfine surface finish, specially at finishing works directly after application of the paint with a long pile roller or machine painting
- Medium pile (15mm) + Beveled sides
- Especially low streaking



- Special set for smooth walls
- Surface coating with the refill RotaStreif21
 - for extra rich paint application
- Finishing with the refill RotaTex15 -
 - for a superfine surface finish

Art. No.	Width	Label	PU
940 963-301-04	25 / 25 cm	ROTA!	5



☒ Wall Paints ☐ Water Based Lacquers ☐ Solvent Based Lacquers ☐ Wood Stains



- Finishing roller for extra fine surfaces (Q4 surface quality)

Art. No.	Width	Label	PU
50 930F306-01	10 cm	ROTA!	10



RotaTex 10

Special roller-cover of high-tech mixed fibre


- Extra dense cover
- For a superfine surface finish, specially at finishing works directly after application of the paint with a long pile roller or machine painting
- Short pile (10mm)
- Especially low streaking



RotaClassic 18

Standard roller-cover of mixed fibre


- Long pile (18mm)
- Universal use



☒ Wall Paints ☐ Water Based Lacquers ☐ Solvent Based Lacquers ☐ Wood Stains




- Water repellent padding material (8mm)
- Also to use in corners



	Art. No.	Width	Label	PU
96 8  44 60	17 860-301	27 cm	ROTA!	5




- Water repellent padding material (4mm)
- Also to use in corners



	Art. No.	Width	Label	PU
88 8  44 52	95 860-301	20 cm	ROTA!	10
	97 860-301	27 cm	ROTA!	10



- For simple coating works



	Art. No.	Width	Label	PU
80 8  44	93 860-301	25cm	ROTA!	10



- Special set for effective coating of facades
- Water repellent padding material (8mm)
- Also to use in corners



	Art. No.	Width	Label	PU
96 8  44 60	17 860-301-55	27 cm	ROTA!	10



RotaNyl 18

High quality roller-cover of textured nylon fibre

- Textured nylon-fibre
- Especially low spatter with emulsions (dispersions)
- Long pile (18mm)
- High paint loading and release

☒ Wall Paints ☐ Water Based Lacquers ☒ Solvent Based Lacquers ☐ Wood Stains



- Water-proof core construction



Art. No.	Width	Label	PU
27 140-301	25 cm	ROTA!	5



RotaNyl 11

High quality roller-cover of textured nylon fibre

- Textured nylon fibre
- No felting even with viscous paints and lacquers
- Heavy duty, short pile roller-cover (11mm)
- Suitable for special lacquers like 2 compound lacquers

☐ Wall Paints ☐ Water Based Lacquers ☒ Solvent Based Lacquers ☐ Wood Stains



- Premium core with 60mm diameter
- Extra big, water-proof core construction
- Folded in plush ends
- Also to use in corners



Art. No.	Width	Label	PU
77 110-301	25 cm	ROTA!	5



- Water-proof core construction



Art. No.	Width	Label	PU
25 110-301	18 cm	ROTA!	5
27 110-301	25 cm	ROTA!	5





39 6 17

Art. No.	Width	Label	PU
50 110-306-01	10 cm	ROTA!	10



RotaNyl 6

High quality roller-cover of textured nylon fibre

- Textured nylon fibre
- ▶ No felting even with viscous paints and lacquers
- Heavy duty, extra short pile roller-cover (6mm)
- ▶ Suitable for special lacquers like 2 compound lacquers

☐ Wall Paints ☐ Water Based Lacquers ☒ Solvent Based Lacquers ☐ Wood Stains



- Water-proof core construction

60 8 48

Art. No.	Width	Label	PU
25 060-301	18 cm	ROTA!	5
27 060-301	25 cm	ROTA!	5
38 060-301	38 cm	ROTA!	1



42 6 30

Art. No.	Width	Label	PU
40 060-306	12 cm	ROTA!	10



29 6 17

Art. No.	Width	Label	PU
50 060-306-01	10 cm	ROTA!	10





RotaStar 9

High quality roller-cover of microfibre

- 100% Microfibre
- Loads paint up to 6-times of its own volume
- Short pile (9mm)
- Optimal paint holding
- Low spatter, suitable also for overhead works

☒ Wall Paints ☒ Water Based Lacquers ☒ Solvent Based Lacquers ☒ Wood Stains



- Premium core with 60mm diameter
- Extra big, water-proof core construction
- Folded in plush ends
- Also to use in corners



	Art. No.	Width	Label	PU
78 8  60	75 695-301	18 cm	ROTA!	5
	77 695-301	25 cm	ROTA!	5



- Water-proof core construction
- Beveled sides
 - extra low streaking



	Art. No.	Width	Label	PU
66 8  48	25 695-301	18 cm	ROTA!	10
	27 695-301	25 cm	ROTA!	12



	Art. No.	Width	Label	PU
48 6  30	40 695-306	12 cm	ROTA!	10



	Art. No.	Width	Label	PU
35 6  17	65 695-306-04	2 × 6 cm	ROTA!	10
	50 695-306-01	10 cm	ROTA!	10
	50 695-306-04	2 × 10 cm	ROTA!	10





- Special set for efficient coating with waterbased lacquers
- Surface coating with the refill RotaStar9
 - for extra rich paint application
- Finishing with the refill RotaSchaum concave
 - for a superfine surface finish
- with paint can opener & mixer

48/35 6  30/17

Art. No.	Width	Label	PU
40 895-301-55	12 / 11 cm	ROTA!	10
Spare refill set for 40 895-301-55			
940 895-301-04	12 / 11 cm	ROTA!	10



RotaStar 5

High quality roller-cover of microfibre

- 100% Microfibre
 - Receives paint up to 6-times of its own volume
- Extra short pile (5mm)
 - Optimal paint holding
 - Low spatter, suitable also for overhead works

☐ Wall Paints ☒ Water Based Lacquers ☐ Solvent Based Lacquers ☒ Wood Stains



40 6  30

Art. No.	Width	Label	PU
40 895-306	12 cm	ROTA!	10



27 6  17

Art. No.	Width	Label	PU
50 895-306-01	10 cm	ROTA!	10



- Special roller for efficient coating of tongue & groove siding
 - simultaneous coating of flat surface and grooves
- Adjustable push ring

40 6  30

Art. No.	Width	Label	PU
60 895-301	12 cm	ROTA!	5





RotaFilt 5

High quality roller cover of textured endless fibre

- Textured roller-cover
- No felting even with viscous paints and lacquers
- Short pile & even plush surface (5mm)
- For an extra smooth surface finish

☐ Wall Paints ☒ Water Based Lacquers ☒ Solvent Based Lacquers ☐ Wood Stains



- Water-proof core construction



Art. No.	Width	Label	PU
27 750-301	25 cm	ROTA!	5

58 8  48



Art. No.	Width	Label	PU
40 750-306	12 cm	ROTA!	10

40 6  30



Art. No.	Width	Label	PU
50 750-306-01	10 cm	ROTA!	10
50 750-306-04	2 × 10 cm	ROTA!	10

27 6  17



- Spec. set for efficient coating with solvent based lacquers
- Surface coating with the refill RotaFilt5
 - for extra rich paint application
- Finishing with the refill RotaSchaum concave
 - for a superfine surface finish
- With paint can opener & mixer

Art. No.	Width	Label	PU
40 750-301-55	12 / 11 cm	ROTA!	10

40/35 8  30/17

Spare refill set for 40750-301-55			
940 750-301-04	12 / 11 cm	ROTA!	10



RotaMohair 4


Premium roller-cover of angora goat hairs

- Especially fine fibre structure
- For a very smooth surface finish
- Heavy duty, extra short pile roller-cover (4mm)
- Suitable for special lacquers like 2 compound lacquers

☐ Wall Paints ☐ Water Based Lacquers ☒ Solvent Based Lacquers ☐ Wood Stains



Art. No.	Width	Label	PU
50 510-306-01	10 cm	ROTA!	10



RotaVelours 4

Premium roller-cover of woven lamb-wool

- Fine fibre structure
- For a smooth surface finish
- Heavy duty, extra short pile roller-cover (4mm)
- Suitable for special lacquers like 2 compound lacquers

☐ Wall Paints ☐ Water Based Lacquers ☒ Solvent Based Lacquers ☐ Wood Stains




- Water-proof core construction

Art. No.	Width	Label	PU
25 530-301	18 cm	ROTA!	10
27 530-301	25 cm	ROTA!	12



Art. No.	Width	Label	PU
65 530-306-04	2 × 6 cm	ROTA!	20
50 530-306-01	10 cm	ROTA!	10
55 530-306-01	15 cm	ROTA!	10






RotaEvolution

Premium foam roller with improved surface and patented concave roundings

- Improved foam surface
- ▶ Increased paint receptivity
- Concave sides
- ▶ For streakless lacquering

☐ Wall Paints ☒ Water Based Lacquers ☒ Solvent Based Lacquers ☐ Wood Stains




- Perfect for first time coatings



DuPont Patent Application WO 2005/007302 A2

Art. No.	Width	Label	PU
50 449-306-04	2 × 11 cm	ROTA!	10



RotaFlock Concave

Premium Flock roller with patented concave roundings

- Flocked cover
- ▶ Extra high paint loading
- Concave sides
- ▶ For streakless lacquering

☐ Wall Paints ☒ Water Based Lacquers ☒ Solvent Based Lacquers ☐ Wood Stains




- Perfect for first time coatings



DuPont Patent Application WO 2005/007302 A2


Art. No.	Width	Label	PU
50 499-306-01	11 cm	ROTA!	10





The new lacquering refill RotaEvolution

with optimised material loading and release
for perfect lacquered surface



ennobled foam surface

special foam with
specified compressive hardness

concave*
side parts

Your advantages at a glance:

- Ennobled foam surface for increased paint loading
- Optimised paint release for an optimal surface finish
- Concave* sides to avoid streaking
- Special foam with specified compressive hardness for long durability

* DuPont Patent Application
WO 2005/007302 A2



☐ Wall Paints
 ☒ Water Based Lacquers
 ☒ Solvent Based Lacquers
 ☐ Wood Stains



■ Perfect for renovation works

RotaSchaum Concave

Premium foam roller with improved surface and patented concave roundings

- Superfine foam structure
- For superfine surface finish, specially at finishing works directly after application of the paint with RotaStar 9 or RotaFilt 5
- Concave sides
- For streakless lacquering



DuPont Patent Application WO 2005/007302 A2

	Art. No.	Width	Label	PU
	65 469-306-04	2 × 7 cm	ROTA!	10
	50 469-306-01	11 cm	ROTA!	10
	50 469-306-04	2 × 11 cm	ROTA!	10



☐ Wall Paints
 ☒ Water Based Lacquers
 ☒ Solvent Based Lacquers
 ☐ Wood Stains



■ Straight ends

RotaSchaum Classic

High quality foam roller

- Superfine foam structure
- For a fine surface finish



	Art. No.	Width	Label	PU
	60 400-306-04	2 × 5 cm	ROTA!	20
	50 400-306-01	11 cm	ROTA!	10
	50 400-306-04	2 × 11 cm	ROTA!	10



■ Both side rounded



	Art. No.	Width	Label	PU
	50 409-306-01	11 cm	ROTA!	10

RotaSchaum Standard

Standard foam roller

- Fine foam structure
- For simple lacquering works

☐ Wall Paints ☐ Water Based Lacquers ☒ Solvent Based Lacquers ☐ Wood Stains



■ Straight ends



	Art. No.	Width	Label	PU
	60 300-306-01	5 cm	ROTA!	20
	50 300-306-01	11 cm	ROTA!	10
	70 300-306-01	16 cm	ROTA!	10
	60 300-306-20	20 × 5 cm	ROTA!	10
	50 300-306-10	10 × 11 cm	ROTA!	10



■ Both side rounded



	Art. No.	Width	Label	PU
	50 309-306-01	11 cm	ROTA!	10



■ Both side rounded



	Art. No.	Width	Label	PU
	85 85 25 10	25 cm		5



■ Ready set for simple coating works



	Art. No.	Width	Label	PU
	86 70 72 10	11 cm		10

Edge-Trim-Roller

Special-Roller for exact trimming

- Side cover plate
- Fast and clean trimming of edges

☒ Wall Paints ☐ Water Based Lacquers ☐ Solvent Based Lacquers ☐ Wood Stains



Art. No.	Description	Label	PU
86 83 11 19	edge trim roller		1
86 83 12 10	spare refill		1
86 83 13 10	spare trim plate		1



Pipe-Roller

Special-Roller for coating of pipes

- Roller with bent wire
- Ideal for coating of pipes and other cylindric objects

☒ Wall Paints ☒ Water Based Lacquers ☒ Solvent Based Lacquers ☐ Wood Stains



Art. No.	Description	Label	PU
86 82 98 10	pipe roller		5
86 82 10 10	spare refills *		10



* on demand

RotaKnick

Premium roller frame with 2 compound handle and bent stainless steel wire

- Bent wire
- Optimal power transfer and controllability
- Stainless steel wire
- No corrosion/rust
- 2-compound handle
- Slip safe holding of roller



Art. No.	Width	Label	PU
87 353-302	25 cm	ROTA!	5

RotaGrip

High quality roller frame with 2 compound handle

- 2-compound material
- Slip safe holding of roller
- Zinc coated wire
- Rustproof



Art. No.	Width	Label	PU
85 253-302	18 cm	ROTA!	10
85 353-302	25 cm	ROTA!	10



Art. No.	Width / Total Length	Label	PU
85 653-302	5 - 7 cm / 19 cm	ROTA!	10
85 453-302	10 - 12 cm / 27 cm	ROTA!	10
85 553-302	10 - 12 cm / 39 cm	ROTA!	10
85 753-302	15 - 16 cm / 27 cm	ROTA!	10

RotaClassic

Standard roller frame with 1 compound handle

- Zinc coated wire
- Rustproof

- Optimal for working with telescopic poles

Art. No.	Width	Label	PU
86 153-302	18 cm	ROTA!	10
86 253-302	25 cm	ROTA!	10



- Optimal for working with telescopic poles

Art. No.	Width / Total Length	Label	PU
86 353-302	10 - 12 cm / 27 cm	ROTA!	10
86 453-302	10 - 12 cm / 39 cm	ROTA!	10



RotaJumbo

Special roller frame, metal

- Adjustable width size to use with floor coating refills
- Suitable refills to be found on page 18

Art. No.	Width	Label	PU
85 05 61 10	30 - 61 cm		1



Wipe grid

For an even distribution of paints on the roller

- Zinc coated steel
- With fixing metal stripes



Art. No.	Dimension	Label	PU
84 83 21 10	11 × 20 cm		10
84 83 22 10	22 × 30 cm		10
84 83 27 10	26 × 30 cm		10

- Shock-resistant plastic
- With hooks for fixing in bucket



Art. No.	Dimension	Label	PU
84 927-302	27 × 29 cm	ROTA!	10

Paint tray

High quality paint tray, made from shock-resistant plastic

- Stable construction
- High stability and wrap resistance
- Structured wipe-off surface
- Optimal wipe-off of excessive paint
- Specially shaped edge
- Simply outpouring of excessive paints



Art. No.	Dimension	Label	PU
84 815-302	15 × 32 cm	ROTA!	15
84 820-302	20 × 22 cm	ROTA!	10
84 826-302	26 × 32 cm	ROTA!	10
84 832-302	32 × 36 cm	ROTA!	10



Art. No.	Dimension	Label	PU
84 80 30 10	34 × 50 cm		6

Inlays for paint tray

Paint tray inlays made from transparent plastic material

- Perfect fit
- Saves cleaning works of paint trays

■ 1 pack = 3 pcs

Art. No.	Dimension	Label	PU
84 80 15 10	15 × 32 cm		10
84 80 26 10	26 × 32 cm		10



Paint bucket

Paint bucket, made from shock-resistant plastic

- Big, structured wipe off surface
- Optimal wipe-off of excessive paint on roller



Art. No.	Volume	Label	PU
84 82 08 10	8 litres		5
84 82 14 10	12 litres		5
84 82 44 10	14 litres		5

Paint bucket inlays

Paint bucket inlays made from transparent plastic material

- Perfect fit
- Saves cleaning works of paint buckets

■ 1 pack = 5 pcs



Art. No.	Volume	Availability	Label	PU
84 80 08 10 *	8 litres	on demand		10
84 80 13 10	12 litres	on demand		10

Telescopic poles

For fatigue-proof working, also at difficult reachable places

- Main body made of epoxy-glass resin
 - extra stabile
- With click-mechanism
 - easy rod length fixing without efforts
- With extra cone to change
 - for a secure fixing of all ROTA! Roller frames



Art. No.	Length	Label	PU
84 96 62 10	130 - 238 cm		5

- Main body made of epoxy-glass resin
 - extra stabile
- With big outside screw fixing
 - easy rod length fixing
- Built in fixing clip
 - for a quick & secure fixing of all ROTA! Roller frames



Art. No.	Length	Label	PU
84 96 12 10	70 - 120 cm		6
84 96 22 10	120 - 220 cm		6

- Main body made of aluminium
 - extra light
- With big outside screw fixing
 - easy rod length fixing
- With universal cone
 - for easy fixing of most known roller frames



Art. No.	Length	Label	PU
84 92 31 10	100 - 200 cm		10
84 92 32 10	165 - 300 cm		10

- Steel body
- For simple works



Art. No.	Length	Label	PU
84 90 20 10	115 - 200 cm		10
84 90 30 10	165 - 300 cm		10





Paintbrushes



Index

Which bristles for which type of paint	37
KanaStar	38
KanaTank	38
KanaClassic	39
KanaAqua	41
Flat Paintbrushes	43
Corner Brushes	45
Block Brushes	46
Ceiling Brushes	47



kana®

Page	Bristles		Wall Paints	Water Based Lacquers	Solvent Based Lacquers	Wood Stains / / Glaze
38	KanaStar		★	★	★	
38	KanaTank					★
39	KanaClassic				★	
41	KanaAqua		★	★		

★ best suitable

KanaStar

Premium-quality, innovative, full-synthetic bristle-mix

- Perfectly balanced bristle-mix
- ▶ Suitable for all kind of paints/glazes and lacquers
- High-quality plastic ferrule
- ▶ Swellproof & stainless
- High abrasion resistant bristle
- ▶ Up to 5x longer lifetime as usual bristles

☒ Wall Paints ☒ Water Based Lacquers ☒ Solvent Based Lacquers ☐ Wood Stains

FLAT
BRUSH

- Thickness: 12th grade
- Ferrule material: plastic
- Handle material: hardwood



Art. No.	Width	Bristle-Length	Thickness	Label	PU
464 040-411	40 mm	52 mm	19 mm	kana	12
464 050-411	50 mm	57 mm	20 mm	kana	12
464 060-411	60 mm	64 mm	21 mm	kana	12

KanaTank

Innovative 2in1-combination of natural bristle tank and synthetic bristle outside cover

- Natural bristle core
- ▶ Extra high paint absorption and low dripping
- Synthetic-bristle cover with conical tapered fine tops
- ▶ For homogeneous paint transfer and a very fine finish

☐ Wall Paints ☐ Water Based Lacquers ☐ Solvent Based Lacquers ☒ Wood Stains

FLAT
BRUSH

- Thickness: 12th grade
- Ferrule material: stainless steel
- Handle material: hardwood



Art. No.	Width	Bristle-Length	Thickness	Label	PU
466 050-411	50 mm	64 mm	20 mm	kana	12
466 080-411	80 mm	68 mm	21 mm	kana	12

BLOCK
BRUSH

Art. No.	Width	Bristle-Length	Thickness	Label	PU
536 010-411	100 mm	76 mm	30 mm	kana	6





☒ Wall Paints
 ☐ Water Based Lacquers
 ☒ Solvent Based Lacquers
 ☒ Wood Stains

KanaClassic

High-quality bristle mixtures made of synthetic bristles stabilized natural bristles

- Stabilized bristles
- ▶ Stable shape also at high viscosity paints
- Optimal natural bristle ratio
- ▶ High paint absorption
- Optimal synthetic bristle ratio
- ▶ Low swelling

FLAT BRUSH

- Thickness: 12th grade
- Ferrule material: tin plated steel
- Handle material: hardwood

Art. No.	Width	Bristle-Length	Thickness	Label	PU
325 010	30 mm	51 mm	16 mm	kana	6
325 015	40 mm	54 mm	17 mm	kana	6
325 020	50 mm	57 mm	19 mm	kana	6
325 025	70 mm	64 mm	20 mm	kana	6
325 030	80 mm	70 mm	22 mm	kana	6
325 040	100 mm	70 mm	22 mm	kana	6



FLAT BRUSH

- Thickness: 9th grade
- Ferrule material: brass plated steel
- Handle material: hardwood, glazed

Art. No.	Width	Bristle-Length	Thickness	Label	PU
456 030-411	30 mm	44 mm	15 mm	kana	12
456 040-411	40 mm	51 mm	16 mm	kana	12
456 050-411	50 mm	51 mm	17 mm	kana	12
456 060-411	60 mm	57 mm	18 mm	kana	12
456 080-411	80 mm	57 mm	19 mm	kana	12



FLAT BRUSH

- Thickness: 9th grade
- Ferrule material: tin plated steel
- Handle material: black plastic

Art. No.	Width	Bristle-Length	Thickness	Label	PU
235 010	30 mm	38 mm	15 mm	kana	6
235 015	40 mm	44 mm	16 mm	kana	6
235 020	50 mm	51 mm	17 mm	kana	6
235 025	60 mm	57 mm	18 mm	kana	6
235 030	70 mm	64 mm	19 mm	kana	6
235 040	100 mm	70 mm	19 mm	kana	6



BLOCK BRUSH

- Ferrule material: stainless steel
- Handle material: hardwood

Art. No.	Width	Bristle-Length	Thickness	Label	PU
535 310-411	100 mm	61 mm	30 mm	kana	6



CORNER
BRUSH

- Thickness: 1st grade
- Ferrule material: stainless steel
- Handle material: hardwood



Art. No.	Width	Bristle-Length	Thickness	Label	PU
358 035-411	35 mm	51 mm	9 mm	kana	12
358 050-411	50 mm	51 mm	9 mm	kana	12
358 060-411	60 mm	57 mm	9 mm	kana	12
358 075-411	75 mm	57 mm	9 mm	kana	12

SPECIAL
PAINTBRUSH

- Ferrule material: stainless steel
- Handle material: hardwood



Art. No.	Width	Bristle-Length	Label	PU
268 020-411	20 mm	37 mm	kana	12
268 025-411	25 mm	40 mm	kana	12

SPECIAL
PAINTBRUSH

- Ferrule material: stainless steel
- Handle material: hardwood



Art. No.	Width	Bristle-Length	Label	PU
268 225-411	25 mm	25 mm	kana	12

SPECIAL
PAINTBRUSH

- Ferrule material: aluminium
- Handle material: wood



Art. No.	Width	Bristle-Length	Label	PU
82 75 08 10	8 mm	20 mm		12
82 75 12 10	12 mm	24 mm		12

SPECIAL
PAINTBRUSH

- Ferrule material: aluminium
- Handle material: wood



Art. No.	Size	Bristle-Length	Label	PU
229 100	#10	28 mm	kana	12
229 102	#12	29 mm	kana	12
229 104	#14	30 mm	kana	12

SPECIAL PAINTBRUSH

- Bristle material: natural bristle-mix
- Ferrule material: aluminium
- Handle material: wood

Art. No.	Size	Bristle-Length	Label	PU
463 708	#8	22 mm	kana	12
463 712	#12	26 mm	kana	12



KanaAqua

Premium synthetic bristle-mix

- Synthetic-bristle cover with conical tapered fine tops
- ▶ For homogenous paint transfer and a very fine finish
- Full synthetic bristles
- ▶ No swelling of bristles at use with water-based paints and lacquers

☒ Wall Paints ☒ Water Based Lacquers ☐ Solvent Based Lacquers ☐ Wood Stains

ROUND BRUSH

- Handle material: stainless steel
- Ferrule material: hardwood
- Specialty: double thread binding

Art. No.	Size	Bristle-Length	Thickness	Label	PU
453 504-411	#4	70 mm	25 mm	kana	12
453 506-411	#6	70 mm	30 mm	kana	12
453 508-411	#8	76 mm	35 mm	kana	12



FLAT BRUSH

- Thickness: 12th grade
- Ferrule material: stainless steel
- Handle material: hardwood

Art. No.	Width	Bristle-Length	Thickness	Label	PU
463 530-411	30 mm	51 mm	17 mm	kana	12
463 540-411	40 mm	57 mm	18 mm	kana	12
463 550-411	50 mm	63 mm	19 mm	kana	12
463 560-411	60 mm	63 mm	20 mm	kana	12
463 580-411	80 mm	69 mm	21 mm	kana	12



CORNER BRUSH

- Thickness: 1st grade
- Ferrule material: stainless steel
- Handle material: hardwood

Art. No.	Width	Bristle-Length	Thickness	Label	PU
263 535-411	35 mm	51 mm	8 mm	kana	12
263 550-411	50 mm	57 mm	8 mm	kana	12
263 560-411	60 mm	63 mm	8 mm	kana	12
263 575-411	75 mm	63 mm	8 mm	kana	12



FACADE BRUSH

- Thickness: 6th grade
- Ferrule material: stainless steel
- Handle material: hardwood



Art. No.	Width	Bristle-Length	Thickness	Label	PU
423 550-411	50 mm	57 mm	13 mm	kana	6
423 575-411	80 mm	69 mm	17 mm	kana	6

SPECIAL PAINTBRUSH

- Ferrule material: stainless steel
- Handle material: hardwood



Art. No.	Width	Bristle-Length	Thickness	Label	PU
253 520-411	20 mm	43 mm	8 mm	kana	6
253 525-411	25 mm	48 mm	8 mm	kana	6

BLOCK BRUSH

- Ferrule material: stainless steel
- Handle material: hardwood



Art. No.	Width	Bristle-Length	Thickness	Label	PU
533 510-411	100 mm	72 mm	30 mm	kana	6

WINDOW BRUSH

- Thickness: 6th grade
- Ferrule material: stainless steel
- Handle material: hardwood



Art. No.	Width	Bristle-Length	Thickness	Label	PU
293 540-411	40 mm	41 - 51 mm	12 mm	kana	12

Flat brushes

Ideal for coating of medium surfaces like
door & window frames, fences

FLAT BRUSH

- Thickness: 9th grade
- Bristle material: stabilized natural bristle-mix
- Ferrule material: tin plated steel
- Handle material: red plastic

Art. No.	Width	Bristle-Length	Thickness	Label	PU
234 010	30 mm	44 mm	14 mm	kana	12
234 015	40 mm	44 mm	15 mm	kana	12
234 020	50 mm	44 mm	16 mm	kana	6
234 025	60 mm	51 mm	17 mm	kana	6
234 030	70 mm	57 mm	18 mm	kana	6
234 040	100 mm	64 mm	19 mm	kana	6



- ☒ Wall Paints
 ☐ Water Based Lacquers
 ☒ Solvent Based Lacquers
 ☒ Wood Stains

FLAT BRUSH

- Thickness: 9th grade
- Bristle material: stabilized natural bristle-mix
- Ferrule material: tin plated steel
- Handle material: black plastic

Art. No.	Width	Bristle-Length	Thickness	Label	PU
236 075	20 mm	44 mm	13 mm	kana	12
236 010	30 mm	44 mm	14 mm	kana	6
236 015	40 mm	44 mm	15 mm	kana	6
236 020	50 mm	47 mm	16 mm	kana	6
236 025	60 mm	55 mm	17 mm	kana	6
236 030	70 mm	60 mm	17 mm	kana	6
236 035	80 mm	62 mm	18 mm	kana	6
236 040	100 mm	68 mm	19 mm	kana	6



- ☒ Wall Paints
 ☐ Water Based Lacquers
 ☒ Solvent Based Lacquers
 ☒ Wood Stains

FLAT BRUSH

- Thickness: 9th grade
- Bristle material: natural & brown synthetic bristle-mix
- Ferrule material: brass plated steel
- Handle material: blue plastic

Art. No.	Width	Bristle-Length	Thickness	Label	PU
384 010	30 mm	44 mm	14 mm	kana	12
384 015	40 mm	51 mm	15 mm	kana	6
384 020	50 mm	51 mm	16 mm	kana	6
384 025	60 mm	51 mm	17 mm	kana	6
384 030	70 mm	57 mm	18 mm	kana	6
384 035	80 mm	57 mm	18 mm	kana	6



- ☐ Wall Paints
 ☐ Water Based Lacquers
 ☐ Solvent Based Lacquers
 ☒ Wood Stains

FLAT BRUSH

- Thickness: 9th grade
- Bristle material: natural & synthetic bristle-mix
- Ferrule material: tin plated steel
- Handle material: lacquered wood

Art. No.	Width	Bristle-Length	Thickness	Label	PU
81 12 30 10	30 mm	42 mm	14 mm		12
81 12 40 10	40 mm	43 mm	15 mm		12
81 12 50 10	50 mm	44 mm	16 mm		12
81 12 60 10	60 mm	51 mm	17 mm		12
81 12 80 10	80 mm	51 mm	18 mm		12
81 12 99 10	100 mm	57 mm	19 mm		6



- ☒ Wall Paints
 ☐ Water Based Lacquers
 ☐ Solvent Based Lacquers
 ☐ Wood Stains

FLAT BRUSH

- Thickness: 6th grade
- Bristle material: high quality natural & synthetic bristle-mix
- Ferrule material: stainless steel
- Handle material: black plastic

Art. No.	Width	Bristle-Length	Thickness	Label	PU
81 31 30 19	30 mm	38 mm	11 mm		12
81 31 40 19	40 mm	44 mm	12 mm		12
81 31 50 19	50 mm	51 mm	13 mm		12
81 31 70 19	70 mm	57 mm	15 mm		12
81 31 99 19	100 mm	63 mm	17 mm		12



- ☒ Wall Paints
 ☐ Water Based Lacquers
 ☒ Solvent Based Lacquers
 ☐ Wood Stains

FLAT BRUSH

- Thickness: 6th grade
- Bristle material: natural & brown synthetic bristle-mix
- Ferrule material: stainless steel
- Handle material: blue plastic

Art. No.	Width	Bristle-Length	Thickness	Label	PU
204 010	30 mm	38 mm	11 mm		12
204 015	40 mm	50 mm	12 mm		12
204 020	50 mm	50 mm	13 mm		12
204 025	60 mm	57 mm	15 mm		12
204 030	70 mm	57 mm	15 mm		12



- ☐ Wall Paints
 ☐ Water Based Lacquers
 ☐ Solvent Based Lacquers
 ☒ Wood Stains

FLAT BRUSH

- Thickness: 6th grade
- Bristle material: natural & synthetic bristle-mix
- Ferrule material: tin plated steel
- Handle material: red plastic

Art. No.	Width	Bristle-Length	Thickness	Label	PU
462 820-411	20 mm	38 mm	10 mm		12
462 830-411	30 mm	44 mm	12 mm		12
462 840-411	40 mm	44 mm	13 mm		12
462 850-411	50 mm	48 mm	15 mm		12
462 860-411	60 mm	48 mm	11 mm		12
462 870-411	70 mm	51 mm	16 mm		12
462 880-411	80 mm	54 mm	16 mm		12
462 899-411	100 mm	57 mm	17 mm		12



- ☒ Wall Paints
 ☒ Water Based Lacquers
 ☒ Solvent Based Lacquers
 ☐ Wood Stains

FLAT BRUSH

- Thickness: 4th grade
- Bristle material: stabilized bristle-mix
- Ferrule material: tin plated steel
- Handle material: red plastic

Art. No.	Width	Bristle-Length	Thickness	Label	PU
81 20 30 10	30 mm	41 mm	8 mm		12
81 20 40 10	40 mm	41 mm	8 mm		12
81 20 50 10	50 mm	41 mm	8 mm		12
81 20 60 10	60 mm	45 mm	8 mm		12
81 20 70 10	70 mm	45 mm	8 mm		12



- ☒ Wall Paints
 ☐ Water Based Lacquers
 ☒ Solvent Based Lacquers
 ☒ Wood Stains

Corner brushes

Ideal for coating of corners, edges and hard to reach hidden surfaces

CORNER BRUSH

- Thickness: 1st grade
- Bristle material: stabilized bristle mix
- Ferrule material: tin plated steel
- Handle material: red plastic

Art. No.	Width	Bristle-Length	Thickness	Label	PU
81 62 30 10	30 mm	51 mm	12 mm		12
81 62 40 10	40 mm	51 mm	12 mm		12
81 62 50 10	50 mm	51 mm	12 mm		12
81 62 60 10	60 mm	57 mm	12 mm		12
81 62 70 10	70 mm	57 mm	12 mm		6



- ☒ Wall Paints
 ☐ Water Based Lacquers
 ☒ Solvent Based Lacquers
 ☒ Wood Stains

CORNER BRUSH

- Thickness: 1st grade
- Bristle material: stabilized bristle mix
- Ferrule material: plastic
- Handle material: black plastic
- Specialty: metal free brush, short-circuit proof

Art. No.	Width	Bristle-Length	Thickness	Label	PU
81 68 50 10	50 mm	44 mm	10 mm		12



- ☒ Wall Paints
 ☐ Water Based Lacquers
 ☒ Solvent Based Lacquers
 ☒ Wood Stains

CORNER BRUSH

- Thickness: 1st grade
- Bristle material: stabilized bristle mix
- Ferrule material: tin plated steel
- Handle material: black plastic

Art. No.	Width	Bristle-Length	Thickness	Label	PU
81 80 25 10	25 mm	41 mm	11 mm		12
81 80 40 10	40 mm	41 mm	11 mm		12
81 80 50 10	50 mm	41 mm	12 mm		12
81 80 65 10	65 mm	48 mm	13 mm		12
81 80 76 10	75 mm	48 mm	13 mm		6



- ☒ Wall Paints
 ☐ Water Based Lacquers
 ☒ Solvent Based Lacquers
 ☒ Wood Stains

CORNER BRUSH

- Thickness: 1st grade
- Bristle material: synthetic bristles
- Ferrule material: tin plated steel
- Handle material: softwood

Art. No.	Width	Bristle-Length	Thickness	Label	PU
81 66 25 10	25 mm	38 mm	9 mm		12
81 66 35 10	35 mm	38 mm	9 mm		12
81 66 50 10	50 mm	45 mm	9 mm		12
81 66 60 10	60 mm	45 mm	9 mm		12
81 66 75 10	75 mm	51 mm	9 mm		12



- ☒ Wall Paints
 ☐ Water Based Lacquers
 ☐ Solvent Based Lacquers
 ☐ Wood Stains

Block brushes

Ideal for coating of big surfaces like walls

OVAL BLOCK BRUSH

- Bristle material: high quality natural & synthetic bristle-mix
- Body material: hardwood
- Handle material: hardwood
- Specialty: optimal also for special deco techniques

Art. No.	Dimension	Bristle-Length	Label	PU
535 513-411	62 × 130 mm	70 mm	kana	3



- ☒ Wall Paints
 ☒ Water Based Lacquers
 ☒ Solvent Based Lacquers
 ☐ Wood Stains

BLOCK BRUSH

- Bristle material: natural & brown synthetic bristle-mix
- Ferrule material: stainless steel
- Handle material: Hardwood

Art. No.	Dimension	Bristle-Length	Label	PU
532 510-411	30 × 100 mm	57 mm	kana	6



- ☐ Wall Paints
 ☐ Water Based Lacquers
 ☐ Solvent Based Lacquers
 ☒ Wood Stains

BLOCK BRUSH

- Bristle material: natural & synthetic bristle-mix
- Ferrule material: tin plated steel
- Handle material: plastic

Art. No.	Dimension	Bristle-Length	Label	PU
83 68 07 10	30 × 70 mm	44 mm		12
83 68 10 10	30 × 100 mm	44 mm		12
83 68 12 10	30 × 120 mm	44 mm		12
83 68 14 10	40 × 140 mm	50 mm		6
83 68 15 10	50 × 150 mm	50 mm		6



- ☒ Wall Paints
 ☐ Water Based Lacquers
 ☐ Solvent Based Lacquers
 ☐ Wood Stains

Ceiling brushes

Ideal for coating of big surfaces like walls, ceilings

CEILING BRUSH

- Bristle material: high quality natural & synthetic bristle-mix
- Body material: plastic
- Handle material: hardwood

Art. No.	Dimension	Bristle-Length	Label	PU
525 320-411	80 × 180 mm	95 mm	kana	2


☒ Wall Paints

☐ Primer

☐ Limewash

☐ Glue

ROUND CEILING BRUSH

- Bristle material: high quality natural & synthetic bristle-mix
- Body material: plastic
- Handle material: hardwood

Art. No.	Diameter	Bristle-Length	Label	PU
213 006	120 mm	97 mm	kana	2
83 85 10 10	130 mm	100 mm		2
83 85 12 10	130 mm	120 mm		2
213 010	135 mm	122 mm	kana	1


☒ Wall Paints

☐ Primer

☐ Limewash

☐ Glue

CEILING BRUSH

- Bristle material: high quality natural & synthetic bristle-mix
- Body material: plastic
- Handle material: hardwood

Art. No.	Dimension	Bristle-Length	Label	PU
218 515	50 × 150 mm	80 mm	kana	2
218 166	65 × 160 mm	85 mm	kana	2
218 177	70 × 170 mm	90 mm	kana	2
218 188	80 × 180 mm	90 mm	kana	2
218 189	80 × 180 mm	97 mm	kana	2


☒ Wall Paints

☐ Primer

☐ Limewash

☐ Glue

CEILING BRUSH FIBRE

- Bristle material: high quality synthetic bristle-mix
- Body material: hardwood
- Handle material: plastic
- Specialty: acid- and solvent resistant

Art. No.	Dimension	Bristle-Length	Label	PU
83 87 70 19	70 × 170 mm	70 mm		6


☐ Wall Paints

☒ Primer

☐ Limewash

☐ Glue

CEILING BRUSH SILVERPREN

- Bristle material: high quality synthetic bristle-mix Silverpren
- Body material: plastic
- Handle material: plastic
- Specialty: especially for primers, solvent and base resistant

Art. No.	Dimension	Bristle-Length	Label	PU
83 86 75 19	75 × 175 mm	75 mm		6



☐ Wall Paints
 ☒ Primer
 ☐ Limewash
 ☐ Glue

CEILING BRUSH

- Bristle material: synthetic bristle-mix
- Body material: hardwood
- Handle material: plastic

Art. No.	Dimension	Label	PU
83 80 17 10	70 × 170 mm		6



☐ Wall Paints
 ☒ Primer
 ☒ Limewash
 ☒ Glue

CEILING BRUSH

- Bristle material: synthetic bristle-mix
- Body material: plastic
- Handle material: plastic

Art. No.	Dimension	Bristle-Length	Label	PU
83 82 75 10	75 × 170 mm	70 mm		5



☐ Wall Paints
 ☒ Primer
 ☒ Limewash
 ☒ Glue

CEILING BRUSH

- Bristle material: synthetic bristle-mix
- Body material: plastic
- Handle material: plastic

Art. No.	Diameter	Bristle-Length	Label	PU
219 108	108 mm	68 mm	kana	6



☐ Wall Paints
 ☒ Primer
 ☐ Limewash
 ☐ Glue





Masking tapes & CoverMasq

Index

Which masking tape for which situation	51
CoverMasq Gold	52
CoverMasq Classic	52
CoverMasq Paper	53
CoverMasq LightBlue	53
MasqPainter Red	54
MasqPainter Violet	54
MasqPainter Gold	55
Painter's tape Yellow	55
Painter's tape Blue	56
MasqPainter Classic	56
MasqPainter Standard	57
Painter's tape Beige	57
MasqBricklayer Yellow	58
MasqBricklayer LightBlue	58
Bricklayer's tape Orange	59
MasqPlasterer Grooved	59
MasqPlasterer Smooth	60
MasqWinter Smooth	60
Window protection film Blue	61
Window protection film Transparent	61





masq®

Page	Series	Description	UV-stability	Suitability		Material				Surface		
						Wall Paints	Lacquers	Wood Stains	Plasters			
52	9678..	CoverMasq Gold	30 days	✓	✓	★	★	★		✓		
52	968...	CoverMasq Classic	7 days	✓		★	★			✓	✓	
53	9669..	CoverMasq Paper	7 days	✓		★	★			✓	✓	
53	9674..	CoverMasq LightBlue	21 days	✓	✓	★			★		✓	
54	9607..	MasqPainter Red	120 days	✓	✓	★	★	★		✓		
54	9609..	MasqPainter Violet	90 days	✓	✓	★	★	★		✓		
55	9605..	MasqPainter Gold	60 days	✓	✓	★	★	★		✓		
55	97054..	Painter's tape Yellow	7 days	✓	✓	★	★	★		✓		
56	9604..	Painter's tape Blue	14 days	✓	✓	★	★	★		✓		
56	9602..	MasqPainter Classic	7 days	✓		★	★			✓	✓	
57	9600..	MasqPainter Standard	7 days	✓		★	★			✓	✓	
57	9600..	Painter's tape Beige	12 hours	✓		★	★			✓		
58	9618..	MasqBricklayer Yellow	14 days	✓	✓	★			★	✓	✓	✓
58	9622..	MasqBricklayer LightBlue	21 days	✓	✓	★			★	✓	✓	✓
59	9626..	Bricklayer's tape Orange	3 days	✓	✓	★			★			✓
59	9610..	MasqPlasterer Grooved	14 days	✓	✓				★	✓	✓	
59	9614..	MasqPlasterer Grooved	14 days	✓	✓				★	✓	✓	
60	9611..	MasqPlasterer Smooth	14 days	✓	✓				★	✓	✓	
60	9613..	MasqPlasterer Smooth	14 days	✓	✓				★	✓	✓	
60	9612..	MasqWinter Smooth	45 days	✓	✓				★	✓	✓	
61	9697..	Window protection film Blue	90 days	✓	✓					✓		
61	9698..	Window protection f. Transp.	90 days	✓	✓					✓		

★ best suitable

Recommendations for use



Testing of tape on each surface is recommended to avoid any unwanted effects!
 Acceptability of tape on surface is always requested! Surfaces on which tape is applied should be clean, dry and free of grease, oil, moisture, dirt and other contaminants.
 Tape should be removed after painting always before paint dries.
 Max. usability time can be decreased by weather conditions!

CoverMasq Gold

With extra thin layer special paper tape for especially thin paint borders

- Tape material: extra thin layer special paper tape
- Cover material: electrostatic loaded HDPE foil
- Adhesive: acrylic
- Adhesive power: medium

☒ Wall Paints ☒ Lacquers/Varnishes ☒ Wood Stains ☐ Plasters



- Remove within: max. 30 days
- UV resistance: up to 30 days
- Heat resistance: 60 °C (max. 60min.)

Art. No.	Width	Length	Core	Label	PU
96 78 50 76	55 cm	25 m	10 cm	masq	5
96 78 60 76	140 cm	25 m	20 cm	masq	5
96 78 70 76	210 cm	20 m	20 cm	masq	4
96 78 80 76	270 cm	16 m	20 cm	masq	3



CoverMasq Classic

With high quality tape for standard indoor works

- Tape material: thick layer flat crepe tape
- Cover material: HDPE foil
- Adhesive: natural rubber
- Adhesive power: high

☒ Wall Paints ☒ Lacquers/Varnishes ☐ Wood Stains ☐ Plasters



- Remove within: max. 7 days
- Heat resistance: 60 °C (max. 60min.)

Art. No.	Width	Length	Core	Label	PU
96 80 56 76	55 cm	33 m	10 cm	masq	5
96 81 10 76	110 cm	33 m	20 cm	masq	5
96 81 40 76	140 cm	33 m	20 cm	masq	5
96 82 10 76	210 cm	20 m	20 cm	masq	4
96 82 70 76	270 cm	16 m	20 cm	masq	3



CoverMasq Paper

With high quality paper tape for indoor works on small surfaces

- Tape material: thick layer flat crepe tape
- Cover material: special recycling paper
- Adhesive: natural rubber
- Adhesive power: medium

☒ Wall Paints ☒ Lacquers/Varnishes ☐ Wood Stains ☐ Plasters



- Remove within: max. 7 days
- Heat resistance: 60 °C (max. 60min.)

Art. No.	Width	Length	Core	Label	PU
96 69 10 10	10 cm	20 m	6 cm		5
96 69 18 10	18 cm	20 m	10 cm		6
96 69 30 10	30 cm	20 m	16 cm		6




CoverMasq LightBlue

With extra thick layer UV resistant cloth tape for use on rough surfaces

- Tape material: extra strong cloth tape
- Cover material: HDPE foil
- Adhesive: natural rubber

☒ Wall Paints ☐ Lacquers/Varnishes ☐ Wood Stains ☒ Plasters



- Remove within: max. 21 days
- UV resistance: up to 21 days
- Heat resistance: 60 °C (max. 60min.)

Art. No.	Width	Length	Core	Label	PU
96 74 55 76	55 cm	14 m	10 cm	masq	5
96 74 11 76	110 cm	14m	20 cm	masq	5
96 74 14 76	140 cm	14 m	20 cm	masq	5
96 74 18 76	180 cm	14 m	20 cm	masq	5
96 74 21 76	210 cm	14 m	20 cm	masq	5
96 74 24 76	240 cm	14 m	20 cm	masq	5
96 74 27 76	270 cm	14 m	20 cm	masq	3



MasqPainter Red

Extra thin layer, UV resistant and flexible paper tape for very thin paint borders

- Tape material: extra thin layer special paper
- Adhesive: acrylic
- Adhesive power: medium

☒ Wall Paints ☒ Lacquers/Varnishes ☒ Wood Stains ☐ Plasters



- Remove within: max. 120 days
- UV resistance: up to 120 days
- Heat resistance: 60 °C (max. 60min.)

Art. No.	Width	Length	Label	PU
96 07 25 76	25 mm	50 m	masq	10
96 07 30 76	30 mm	50 m	masq	8
96 07 38 76	38 mm	50 m	masq	6
96 07 50 76	50 mm	50 m	masq	5




MasqPainter Violet

Extra thin layer UV resistant paper tape for very thin paint borders, to use on sensitive surfaces

- Tape material: extra thin layer special paper
- Adhesive: acrylic, especially for sensitive surfaces
- Adhesive power: low

☒ Wall Paints ☒ Lacquers/Varnishes ☒ Wood Stains ☐ Plasters



- Remove within: max. 90 days
- UV resistance: up to 90 days
- Heat resistance: 60 °C (max. 60min.)

Art. No.	Width	Length	Label	PU
96 09 25 76	25 mm	50 m	masq	10



MasqPainter Gold

Extra thin layer, UV resistant paper tape
for very thin paint borders

- Tape material: extra thin layer special paper
- Adhesive: acrylic
- Adhesive power: medium

☒ Wall Paints ☒ Lacquers/Varnishes ☒ Wood Stains ☐ Plasters



- Remove within: max. 60 days
- UV resistance: up to 60 days
- Heat resistance: 80 °C (max. 60min.)

Art. No.	Width	Length	Label	PU
96 05 25 76	25 mm	50 m	masq	10
96 05 30 76	30 mm	50 m	masq	8
96 05 38 76	38 mm	50 m	masq	6
96 05 50 76	50 mm	50 m	masq	5




Painter's tape Yellow

Thin layer, UV resistant paper tape
for very thin paint borders

- Tape material: extra thin layer special paper
- Adhesive: acrylic
- Adhesive power: medium

☒ Wall Paints ☒ Lacquers/Varnishes ☒ Wood Stains ☐ Plasters



- Remove within: max. 14 days
- UV resistance: up to 7 days
- Heat resistance: 110 °C (max. 60min.)

Art. No.	Width	Length	Label	PU
97 05 41 19	24 mm	40 m		9
97 05 42 19	29 mm	40 m		9
97 05 43 19	36 mm	40 m		6
97 05 45 19	48 mm	40 m		6



Painter's tape Blue

Thick layer UV resistant tape for universal use

- Tape material: thick layer flat crepe paper
- Adhesive: acrylic
- Adhesive power: medium

☒ Wall Paints ☒ Lacquers/Varnishes ☒ Wood Stains ☐ Plasters



- UV resistance: up to 14 days
- Heat resistance: 70 °C (max. 60min.)

Art. No.	Width	Length	Label	PU
96 04 91 19	25 mm	50 m		9
96 04 93 19	38 mm	50 m		6
96 04 94 19	50 mm	50 m		5



MasqPainter Classic

Thick layer tape for use on indoor surfaces over more days

- Tape material: thick layer flat crepe paper
- Adhesive: natural rubber adhesive
- Adhesive power: high

☒ Wall Paints ☒ Lacquers/Varnishes ☐ Wood Stains ☐ Plasters



- Remove within: max. 7 days
- Heat resistance: 60 °C (max. 60min.)

Art. No.	Width	Length	Label	PU
96 02 19 76	19 mm	50 m	masq	12
96 02 25 76	25 mm	50 m	masq	9
96 02 30 76	30 mm	50 m	masq	8
96 02 38 76	38 mm	50 m	masq	6
96 02 50 76	50 mm	50 m	masq	6



MasqPainter Standard

Medium thick layer tape for standard indoor works over more days

- Tape material: medium thick layer flat crepe paper
- Adhesive: natural rubber adhesive
- Adhesive power: medium

☒ Wall Paints ☒ Lacquers/Varnishes ☐ Wood Stains ☐ Plasters



- Remove within: max. 7 days
- Heat resistance: 60 °C (max. 60min.)

Art. No.	Width	Length	Label	PU
96 00 19 76	19 mm	50 m	masq	48
96 00 25 76	25 mm	50 m	masq	36
96 00 30 76	30 mm	50 m	masq	32
96 00 38 76	38 mm	50 m	masq	24
96 00 50 76	50 mm	50 m	masq	24




Painter's tape Beige

Thin layer tape for simple indoor works

- Tape material: thin layer flat crepe paper
- Adhesive: hot melt adhesive
- Adhesive power: medium

☒ Wall Paints ☒ Lacquers/Varnishes ☐ Wood Stains ☐ Plasters



- Remove within: max. 12 hours
- Heat resistance: 40 °C (max. 60min.)

Art. No.	Width	Length	Label	PU
96 00 01 10	18 mm	25 m		12
96 00 02 10	24 mm	25 m		9
96 00 03 10	29 mm	25 m		8
96 00 04 10	36 mm	25 m		6
96 00 05 10	48 mm	25 m		6



- Remove within: max. 12 hours
- Heat resistance: 40 °C (max. 60min.)

Art. No.	Width	Length	Label	PU
96 00 41 10	18 mm	40 m		48
96 00 42 10	24 mm	40 m		36
96 00 43 10	29 mm	40 m		32
96 00 44 10	36 mm	40 m		24
96 00 45 10	48 mm	40 m		24



MasqBricklayer Yellow

Extra robust thick layer tape for use on rough surfaces, even at works with high pressure water cleaners or sandblasting

- Tape material: thick layer cloth tape with PE top layer
- Adhesive: natural rubber
- Adhesive power: extra high

☒ Wall Paints ☐ Lacquers/Varnishes ☐ Wood Stains ☒ Plasters



- Remove within: max. 14 days
- UV resistance: 14 days
- Heat resistance: 45 °C (max. 60min.)

Art. No.	Width	Length	Label	PU
96 18 44 76	44 mm	50 m	masq	4



MasqBricklayer LightBlue

Thick layer tape for use on rough surfaces, especially at outdoor works

- Tape material: thick layer cloth tape with PE top layer
- Adhesive: natural rubber
- Adhesive power: high

☒ Wall Paints ☐ Lacquers/Varnishes ☐ Wood Stains ☒ Plasters



- Remove within: max. 21 days
- UV resistance: 21 days
- Heat resistance: 45 °C (max. 60min.)

Art. No.	Width	Length	Label	PU
96 22 38 76	38 mm	25 m	masq	8
96 22 50 76	50 mm	25 m	masq	8



Bricklayer's tape Orange

Medium thick layer tape for use at basic works on rough surfaces

- Tape material: medium thick layer PE tape reinforced with cloth mesh
- Adhesive: hot melt
- Adhesive power: high

☒ Wall Paints ☐ Lacquers/Varnishes ☐ Wood Stains ☒ Plasters



- Remove within: max. 3 days
- Heat resistance: 45 °C (max.30min.)

Art. No.	Width	Length	Label	PU
96 26 49 19	50 mm	25 m		6
96 26 50 19	50 mm	50 m		4




MasqPlasterer Grooved

Medium thick grooved PVC tape for plastering works on smooth or light structured surfaces

- Tape material: medium thick layer PVC tape
- Adhesive: natural rubber
- Adhesive power: medium

☐ Wall Paints ☐ Lacquers/Varnishes ☐ Wood Stains ☒ Plasters



- Remove within: max. 14 days
- UV resistance: 14 days
- Heat resistance: 60 °C (max. 60min.)
- Grooved for easy and precise tear off
- Not to use on PVC surfaces!

Art. No.	Width	Length	Label	PU
96 10 38 76	38 mm	33 m	masq	12
96 10 50 76	50 mm	33 m	masq	9



- Remove within: max. 14 days
- UV resistance: 14 days
- Heat resistance: 60 °C (max. 60min.)
- Grooved for easy and precise tear off
- Not to use on PVC surfaces!

Art. No.	Width	Length	Availability	Label	PU
96 14 50 76	50 mm	33 m	on demand	masq	36



MasqPlasterer Smooth

Medium thick smooth & flexible PVC tape for plastering works on smooth or light structured surfaces

- Tape material: medium thick layer PVC tape
- Adhesive: natural rubber
- Adhesive power: medium

☐ Wall Paints ☐ Lacquers/Varnishes ☐ Wood Stains ☒ Plasters



- Remove within: max. 14 days
- UV resistance: 14 days
- Heat resistance: 60 °C (max. 60min.)
- Not to use on PVC surfaces!

Art. No.	Width	Length	Label	PU
96 11 30 76	30mm	33m	masq	6
96 11 50 76	50 mm	33 m	masq	6



- Remove within: max. 14 days
- UV resistance: 14 days
- Heat resistance: 60 °C (max. 60min.)
- Not to use on PVC surfaces!

Art. No.	Width	Length	Availability	Label	PU
96 13 50 76	50 mm	33 m	on demand	masq	36



MasqWinter Smooth

Medium thick smooth PE tape to use on smooth surfaces. Stays flexible even at lower temperatures. Ideal for sensitive surfaces like plastic, aluminium etc.

- Tape material: medium thick layer PE tape
- Adhesive: acrylic
- Adhesive power: medium

☐ Wall Paints ☐ Lacquers/Varnishes ☐ Wood Stains ☒ Plasters



- Remove within: max. 45 days
- UV resistance: 45 days
- Heat resistance: 60 °C (max. 60min.)
- Stays flexible down to +5 °C!

Art. No.	Width	Length	Label	PU
96 12 50 76	50 mm	33 m	masq	9



Window protection film Blue

Self adhesive blue color cover foil for quick masking of glass surfaces and with UV resistance

- Material: low density polyethylene (LDPE)
- Adhesive: acrylic
- Adhesive power: low



- UV resistance: 90 days
- Remove within: max. 90 days
- Heat resistance: 45 °C


Art. No.	Width	Length	Availability	Label	PU
96 97 25 10	25 cm	100 m			4
96 97 50 10	50 cm	100 m			2
96 97 99 10	100 cm	100 m	on demand		4



Window protection film Transparent

Self adhesive cover foil for quick masking of glass surfaces and with UV resistance


- Material: low density polyethylene (LDPE)
- Adhesive: acrylic
- Adhesive power: low



- Remove within: max. 90 days
- UV resistance: 90 days
- Heat resistance: 45 °C

Art. No.	Width	Length	Availability	Label	PU
96 98 50 10	50 cm	100 m	on demand		2
96 98 99 10	100 cm	100 m	on demand		4







Covering materials, Painting tool and Accessories

Index

Covering foil sheets, -rolls	65
Floor covering materials	66
Sanders	67
Sanding material	69
Wire brushes & paint scrapers	71
Putty knives	73
Filling knives	74
Wall- & facade spatulas	75
Smoothing trowels	76
Plasterer's trowels	77
Caulking guns	81
Dry construction & insulation tools	82
Plaster bowls & mortar buckets	84
Wallpapering tools	85
Snap-off knives	87
Snap-off blades	88
Paint- and mortar mixers	89
Non-painter tapes & covers	90
Other tools	92
Personal safety equipment	94



Covering foil sheets, -rolls

COVERING FOIL

- LDPE with re-granulate
- translucent
- folded / rolled

Art. No.	Width	Thickness	Packed	Label	PU
96 92 12 10	4 × 12,5 m	~0,050 mm	folded		5
96 91 90 10	2 × 50 m	~0,050 mm	on roll		1
96 92 20 10	4 × 5 m	~0,040 mm	folded		10
96 94 50 10	4 × 5 m	~0,030 mm	folded		10
96 94 60 10	4 × 12,5 m	~0,030 mm	folded		10
96 89 03 10	4 × 5 m	~0,025 mm	folded		10
96 94 18 10	4 × 5 m	~0,018 mm	folded		30



COVERING FOIL

- LDPE with re-granulate
- dark/black color
- folded / rolled

Art. No.	Width	Thickness	Packed	Label	PU
96 91 92 10	2 × 50 m	~0,080 mm	on roll		1
96 92 75 10	4 × 5 m	~0,075 mm	folded		10
96 96 35 10	4 × 5 m	~0,035 mm	folded		10



COVERING FOIL

- HDPE
- transparent
- folded / rolled

Art. No.	Width	Thickness	Packed	Label	PU
96 91 00 10	2 × 50 m	~0,010 mm	on roll		10
96 94 05 10	4 × 5 m	~0,010 mm	folded		20
96 94 12 10	4 × 12,5 m	~0,010 mm	folded		10
96 90 21 10	4 × 5 m	~0,007 mm	folded		20
96 90 70 10	2 × 50 m	~0,0045 mm	on roll		10
96 90 50 10	4 × 12,5 m	~0,0045 mm	folded		10
96 90 16 10	4 × 4 m	~0,0045 mm	folded		40



STRETCH FOIL ROLL

- virgin, not pre-stretched
- transparent / black color
- on hard paper core

Art. No.	Width	Thickness	Colour	Label	PU
96 96 97 10	0,1 × 150 m	~0,017 mm	transp.		12
96 96 98 10	0,5 × 190 m	~0,017 mm	transp.		6
96 96 95 10	0,5 × 190 m	~0,017 mm	black		6



Floor covering materials

STAPLE FIBER FELT

- special finished, extra fluid absorbent felt mixture
- extra heavy duty & extra strong
- slip resistant waterproof back
- multipurpose use

	Art. No.	Width	Thickness	Packed	Label	PU
*	94 26 27 70	1 × 25 m	260 g/m ²	roll	prep	35
*	94 26 51 70	1 × 50 m	260 g/m ²	roll	prep	15
	94 26 24 70	1 × 25 m	180 g/m ²	roll	prep	1
	94 26 49 70	1 × 50 m	180 g/m ²	roll	prep	1



* on demand

COVERING FLEECE

- fleece surface
- slip resistant waterproof back
- multipurpose use

	Art. No.	Width	Thickness	Packed	Label	PU
	94 26 10 17	1 × 10 m	220 g/m ²	roll		12
	94 26 20 17	1 × 20 m	220 g/m ²	roll		6
	94 26 03 19	1 × 3 m	180 g/m ²	folded		5



COVERING PAPER

- strong brown paper
- for covering of big surfaces

	Art. No.	Width	Thickness	Packed	Label	PU
	96 99 99 19	1 × 50 m	90 g/m ²	roll		3



CORRUGATED PAPER

- for simple covering of big surfaces

	Art. No.	Width	Packed	Label	PU
	96 99 15 19	1,05 × 10 m	roll		3
	96 99 25 19	1,05 × 20 m	roll		3



Sanders

HAND SANDER

- stabile plastic body
- with ergo knob for easy working with less effort
- plastic clip

Art. No.	Dimension	Label	PU
93 38 02 71	85 × 180 mm		5
93 38 04 71	105 × 212 mm		5



HAND SANDER

- plastic body
- metal clip

Art. No.	Dimension	Label	PU
93 31 02 10	165 × 85 mm		5
93 31 00 10	212 × 105 mm		5



HAND SANDER

- plastic body
- with U shaped float handle
- metal clip

Art. No.	Dimension	Label	PU
93 33 01 10	225 × 100 mm		5



HAND SANDER

- stabile plastic body
- with U shaped float handle
- metal clip


Art. No.	Dimension	Label	PU
93 33 00 10	228 × 82 mm		3



SANDER FOR TELESCOPIC POLE

- plastic body
- with special handle part for work with telescopic poles
- metal clip

Art. No.	Dimension	Label	PU
93 34 02 10	228 × 82 mm		1



new hand sander SoftGrip

Available in two sizes for optimal sanding

Dimension	Art.No.
85 × 180 mm	93 38 02 71
105 × 212 mm	93 38 04 71



Sanding material

SANDING CLOTH SHEET

- alu-oxide grain
- waterproof
- heavy duty, universal use

Art. No.	Width	Grit	Label	PU
93 19 04 10	230 × 280 mm	P40		50
93 19 06 10	230 × 280 mm	P60		50
93 19 08 10	230 × 280 mm	P80		50
93 19 10 10	230 × 280 mm	P100		50
93 19 12 10	230 × 280 mm	P120		50
93 19 18 10	230 × 280 mm	P180		50
93 19 24 10	230 × 280 mm	P240		50
93 19 40 10	230 × 280 mm	P400		50



SANDING PAPER SHEET

- alu-oxide grain, open coated
- flexible paper
- especially for water based lacquers, wood and finish plasters

Art. No.	Width	Grit	Label	PU
93 14 40 10	230mm × 280mm	P40		50
93 14 60 10	230mm × 280mm	P60		50
93 14 80 10	230mm × 280mm	P80		50
93 14 12 10	230mm × 280mm	P120		50
93 14 18 10	230mm × 280mm	P180		50
93 14 24 10	230mm × 280mm	P240		50



SANDING PAPER ROLL

- alu-oxide grain, open coated
- flexible paper
- especially for water based lacquers, wood and finish plasters

Art. No.	Width	Grit	Label	PU
93 14 90 10	115mm × 5m	P60		5
93 14 93 10	115mm × 5m	P120		5
93 14 96 10	115mm × 5m	P180		5



SANDING
SPONGE

- alu-oxide grain
- medium hard foam body

Art. No.	Width	Grit	Label	PU
93 30 53 10	100 × 68 × 28 mm	P60		5
93 30 54 10	100 × 68 × 28 mm	P100		5
93 30 55 10	100 × 68 × 28 mm	P220		5

SANDING
PAD

- alu-oxide grain
- soft foam body

Art. No.	Width	Grit	Label	PU
93 30 63 10	125 × 100 × 13 mm	P60		5
93 30 64 10	125 × 100 × 13 mm	P100		5
93 30 65 10	125 × 100 × 13 mm	P220		5

SANDING
MESH

- silicium carbide grain
- glass fibre mesh
- especially good for gypsum plasters

Art. No.	Width	Grit	Label	PU
93 13 08 10	93 × 280 mm	P80		10
93 13 10 10	93 × 280 mm	P100		10
93 13 12 10	93 × 280 mm	P120		10
93 13 18 10	93 × 280 mm	P180		10

SANDING
MESH

- silicium carbide grain
- glass fibre mesh
- especially good for gypsum plasters

Art. No.	Width	Grit	Label	PU
93 15 08 10	115 × 280 mm	P80		10
93 15 10 10	115 × 280 mm	P100		10
93 15 12 10	115 × 280 mm	P120		10
93 15 15 10	115 × 280 mm	P150		10
93 15 18 10	115 × 280 mm	P180		10
93 15 22 10	115 × 280 mm	P220		10



Wire brushes & paint scrapers

WIRE BRUSH

- 5-rows steel wire
- bended hardwood handle

Art. No.	Rows	Label	PU
93 43 05 10	5 rows		10



WIRE BRUSH

- 6-rows steel wire
- wooden handle

Art. No.	Rows	Label	PU
93 40 06 10	6 rows		12



WIRE BRUSH

- 4-rows steel wire
- plastic handle

Art. No.	Rows	Label	PU
93 42 04 10	4 rows		12



MULTIPURPOSE WIRE BRUSH

- brass plated steel wire
- plastic handle

Art. No.	Rows	Label	PU
93 41 00 10	-		10



MULTIPURPOSE SPATULA

- chisel ground stainless stiff blade
- for roller cleaning, wall cleaning, rust removing, nail removing, paint can opening etc.
- ergonomic 2 compound plastic handle
- through tang



Art. No.	Width	Label	PU
91 54 60 10	60 mm		6

PAINT SCRAPER

- black steel blade
- plastic handle



Art. No.	Width	Label	PU
93 80 50 10	100 mm		10

PAINT- & RUST SCRAPER

- chisel ground stiff blade
- through tang



Art. No.	Width	Label	PU
93 44 05 10	50 mm		12

Putty knives

PUTTY KNIFE

- semi flexible
- forged steel blade
- double riveted hardwood handle

Art. No.	Width	Label	PU
91 10 04 71	40 mm		10
91 10 06 71	60 mm		10
91 10 08 71	80 mm		10
91 10 10 71	100 mm		10
91 10 12 71	120 mm		10



DRYWALL SPATULA

- semi flexible
- stainless steel blade
- with PZ2 bitergonomic 2 compound plastic handle

Art. No.	Width	Label	PU
91 54 15 10	150 mm		6



PUTTY KNIFE

- semi flexible
- rolled stainless steel blade
- ergonomic 2 compound plastic handle

Art. No.	Width	Label	PU
91 71 20 10	20 mm		12
91 71 40 10	40 mm		12
91 71 60 10	60 mm		12
91 71 80 10	80 mm		12
91 71 99 10	100 mm		12
91 71 12 10	120 mm		12
91 71 15 10	150 mm		12



PUTTY KNIFE

- semi flexible
- rolled steel blade
- plastic handle

Art. No.	Width	Label	PU
91 16 02 10	25 mm		12
91 16 04 10	40 mm		12
91 16 06 10	60 mm		12
91 16 08 10	80 mm		12
91 16 10 10	100 mm		12
91 16 12 10	120 mm		12



Filling knives

FILLING KNIFE SET

- 4pcs set
- plastic

Art. No.	Width	Label	PU
91 00 01 71	40/80/100/120 mm	prep	10



FILLING KNIFE SET

Art. No.	Width	Label	PU
91 00 04 71	40/80/100/120 mm	prep	10



FILLING SPATULA

Art. No.	Width	Label	PU
91 02 16 10	160 mm		5
91 02 20 10	200 mm		5



Wall- & facade spatulas

ALUSTAR FACADE SPATULA

- stainless steel blade
- ergonomic & light weight aluminium body+ handle

Art. No.	Width	Label	PU
91 48 60 19	600 mm		1



FACADE SPATULA

- stainless steel blade with rounded edges
- aluminium profile back
- ingergonomic 2 compound plastic handle

Art. No.	Width	Label	PU
91 34 60 10	600 mm		2



FACADE SPATULA

- stainless steel blade
- plastic handle

Art. No.	Width	Label	PU
91 33 15 10	150 mm		10
91 33 25 10	250 mm		10
91 33 35 10	350 mm		5
91 33 45 10	450 mm		5
91 33 60 10	600 mm		5



Smoothing trowels

SMOOTHING TROWEL

- stainless steel blade
- aluminium alloy support
- ergonomic 2 compound plastic handle

Art. No.	Dimension	Thickness	Label	PU
92 12 10 10	280 × 130 mm	0,7 mm		5



SMOOTHING TROWEL

- stainless steel blade
- aluminium alloy support
- lacquered wooden handle

Art. No.	Dimension	Thickness	Label	PU
92 14 09 10	270 × 130 mm	0,7 mm		5



SMOOTHING TROWEL

- stainless steel blade
- plastic support & handle

Art. No.	Dimension	Thickness	Label	PU
92 13 05 10	270 × 130 mm	0,7 mm		4



SMOOTHING TROWEL

- ABS plastic blade
- plastic support & handle

Art. No.	Dimension	Thickness	Label	PU
92 11 01 10	280 × 140 mm	2,0 mm		10
92 11 00 10	280 × 140 mm	3,0 mm		5



VENETIAN SMOOTHING TROWEL

- stainless steel blade
- aluminium alloy support
- wooden handle

Art. No.	Dimension	Thickness	Label	PU
92 14 00 10	200 × 90/80 mm	0,7 mm		5



SWISS SMOOTHING TROWEL

- stainless steel blade
- 7 point fixed
- wooden handle

Art. No.	Dimension	Thickness	Label	PU
92 15 02 10	480 × 130 mm	0,7 mm		5



Plasterer's trowels

PLASTERER'S SPATULA

- stainless steel blade
- ergonomic 2 compound plastic handle

Art. No.	Width	Thickness	Label	PU
92 17 21 10	80 mm	0,7 mm		5
92 17 22 10	100 mm	0,7 mm		5



PLASTERER'S SPATULA

- stainless steel blade
- lacquered wooden handle

Art. No.	Width	Thickness	Label	PU
92 17 06 10	60 mm	0,7 mm		10
92 17 08 10	80 mm	0,7 mm		10
92 17 10 10	100 mm	0,7 mm		10



PLASTERER'S
TROWEL

- stainless steel blade
- ergonomic 2 compound plastic handle

Art. No.	Length	Thickness	Label	PU
92 16 66 10	160 mm	1,0 mm		5

PLASTERER'S
TROWEL

- stainless steel blade
- lacquered wooden handle

Art. No.	Length	Thickness	Label	PU
92 16 26 10	160 mm	1,0 mm		10
92 16 28 10	180 mm	1,0 mm		10

PLASTERER'S
TROWEL

- steel blade
- lacquered wooden handle

Art. No.	Length	Thickness	Label	PU
92 16 03 10	180 mm	1,0 mm		12

PLASTERER'S
TROWEL


- stainless steel blade
- lacquered wooden handle

Art. No.	Length	Thickness	Label	PU
92 18 19 10	140 mm	0,7 mm		10

CORNER
TROWEL

- stainless steel blade
- lacquered wooden handle

Art. No.	Dimension	Thickness	Label	PU
* 92 18 00 10	80 × 60 × 60 mm	0,7 mm		10
** 92 18 09 10	80 × 60 × 60 mm	0,7 mm		10



PLASTIC
FLOAT

- polyurethane material
- for plastering works

Art. No.	Dimension	Label	PU
92 40 26 10	260 × 140 mm		5
92 40 32 10	320 × 180 mm		5
92 40 36 10	420 × 220 mm		5

PLASTIC
FLOAT

- plastic float and handle
- for plastering works

Art. No.	Dimension	Label	PU
92 39 40 10	400 × 180 mm		5

PLASTIC
FLOAT

- plastic float with latex foam cover
- for wet plasters

Art. No.	Dimension	Label	PU
92 22 10 10	250 × 130 mm		5

PLASTIC
FLOAT

- plastic float with dense rubber cover
- for tile grouting works

Art. No.	Dimension	Label	PU
92 21 40 10	280 × 140 mm		5

PLASTIC
FLOAT

- plastic float with white felt cover
- for wet plasters

Art. No.	Dimension	Label	PU
92 31 30 10	280 × 140 mm		5



PLASTIC FLOAT

- plastic float with rubber sponge cover
- for wet plasters


Art. No.	Dimension	Thickness	Label	PU
92 41 30 10	280 × 140 mm	9 mm		5
92 41 40 10	280 × 140 mm	18 mm		5



PLASTIC FLOAT

- plastic float with coarse sponge cover
- for rinsing of tiles after grouting

Art. No.	Dimension	Thickness	Label	PU
92 44 00 10	280 × 140 mm	30 mm		5



PLASTIC FLOAT

- plastic float with fine hydro sponge cover
- for rinsing of tiles after grouting

Art. No.	Dimension	Thickness	Label	PU
92 25 40 10	280 × 140 mm	30 mm		5



NOTCHED TROWEL

- stainless steel blade
- natural wooden handle
- thickness: 0,7 mm

Art. No.	Dimension	Notch	Label	PU
94 07 66 10	280 × 130 mm	6 × 6 mm		5
94 07 68 10	280 × 130 mm	8 × 8 mm		5
94 07 70 10	280 × 130 mm	10 × 10 mm		5



NOTCHED TROWEL

- stainless steel blade
- plastic handle
- thickness: 0,7 mm

Art. No.	Dimension	Notch	Label	PU
94 06 04 10	270 × 130 mm	4 × 4 mm		5
94 06 06 10	270 × 130 mm	6 × 6 mm		5
94 06 08 10	270 × 130 mm	8 × 8 mm		5
94 06 10 10	270 × 130 mm	10 × 10 mm		5



Caulking guns

CAULKING GUN

- dented rod
- lacquered steel
- for standard cartridges

Art. No.	Label	PU
94 10 20 10		12



CAULKING GUN

- robust quality, durable design
- lacquered steel
- for standard cartridges

Art. No.	Label	PU
94 10 30 10		6



CAULKING GUN

- professional gun, construction for overflow free use
- for standard cartridges
- professional gun, construction for overflow free use
- for standard cartridges

Art. No.	Label	PU
94 10 35 10		5



CAULKING GUN

- specially with long arm for easy use
- lacquered metal body
- for standard cartridges

Art. No.	Label	PU
94 10 42 10		3



CAULKING
GUN

- detachable aluminium body
- for cartridges and bags



Art. No.	Volume	Label	PU
94 10 63 10	600 ml		1
94 10 60 10	320 ml		1

PU FOAM
GUN

- for PU foam cartridges
- available from 09/2018



Art. No.	Label	PU
94 10 90 10		2

Dry construction & insulation tools

STYROFOAM AND
DRYWALL PLANE

- lacquered metal body



Art. No.	Dimension	Label	PU
92 61 00 10	250 × 40 mm		2

STYROFOAM
HAND SANDER

- with P16 sanding sheet
- HDF body
- plastic handle



Art. No.	Dimension	Label	PU
93 38 35 10	350 × 200 mm		2

STYROFOAM HAND SANDER

- metal rasp sanding surface
- plastic body and handle

Art. No.	Dimension	Label	PU
93 35 72 10	270 × 130 mm		5
93 35 40 10	400 × 180 mm		1



DRYWALL HANDSAW

- extra strong, hardened steel blade
- sharpened denting

Art. No.	Length	Label	PU
92 62 15 10	150 mm		3



PLASTER & CELLULAR CONCRETE GRATER

- especially for YTONG wall surfaces

Art. No.	Dimension	Label	PU
93 71 45 10	450 × 85 mm		1



FIBERGLASS- MESH TAPE

- self-adhesive tape
- with acrylic glue

Art. No.	Width	Length	Label	PU
96 31 20 10	48 mm	20 m		6
96 31 50 10	48 mm	90 m		6



NON-WOVEN FIBERGLASS TAPE

- ideal for drywall constructions & wall-crack repairs

Art. No.	Width	Length	Label	PU
96 32 50 10	50 mm	25 m		10



Plaster bowls and mortar buckets

PLASTER BOWL

- flexible plastic

Art. No.	Form	Label	PU
94 09 01 10	high shape		10
94 09 11 10	flat shape		10



PLASTER POT

- steel body
- natural wooden handle

Art. No.	Diameter	Label	PU
92 16 99 10	180 mm		5



PLASTERER'S BUCKET

- plastic

Art. No.	Volume	Label	PU
84 82 99 10	~12 lit.		10
84 81 20 10	~20 lit.		5



MORTAR BOX

- plastic

Art. No.	Volume	Label	PU
84 81 04 10	~45 lit.		3
84 81 06 10	~60 lit.		3
84 81 09 10	~90 lit.		1



Wallpapering tools

WALLPAPER & FLOOR SCRAPER

Art. No.	Width	Availability	Label	PU
93 72 80 70	100 mm	on demand	prep	10



WALLPAPER PERFORATOR

- with hardened nails
- telescopic aluminium rod

Art. No.	Width	Availability	Label	PU
95 81 30 10	150 mm	on demand		3



WALLPAPER SMOOTHER

- Stiff white plastic

Art. No.	Width	Availability	Label	PU
95 88 50 10	280 mm	on demand		10



WALLPAPER SMOOTHER

- flexible colored plastic

Art. No.	Width	Availability	Label	PU
95 88 00 10	280 mm	on demand		10



PAPERHANGING BRUSH

- synthetic bristles
- natural wood body

Art. No.	Dimension	Availability	Label	PU
95 89 00 10	300 × 25 mm	on demand		12



SEAM ROLLER

- soft polyurethane foam
- plastic handle

Art. No.	Dimension	Availability	Label	PU
95 87 10 10	18 cm	on demand		5
95 86 01 10	4 cm	on demand		10



SEAM ROLLER

- conical shaped
- hard plastic roller
- plastic handle

Art. No.	Dimension	Availability	Label	PU
95 86 00 10	3,5 cm	on demand		5



SCISSORS OPTIMA

- stainless steel blade
- ABS plastic handle
- for left- and right hander

Art. No.	Dimension	Availability	Label	PU
95 84 27 10	28 cm	on demand		12



Snap-off knives

SNAP-OFF KNIFE

- plastic body
- ergonomic 2K soft grip
- with metal guide and fixing knob
- extra wide blade

Art. No.	Width	Label	PU
95 64 00 10	25 mm		6



SNAP-OFF KNIFE

- aluminium body
- with metal guide
- automatic blade fixing device

Art. No.	Width	Label	PU
95 65 20 10	18 mm		24



SNAP-OFF KNIFE

- plastic body
- ergonomic 2K soft grip
- with metal guide
- automatic blade fixing device

Art. No.	Width	Label	PU
95 65 10 71	18 mm	prep	10



SNAP-OFF KNIFE

- plastic body
- with metal guide
- manual blade fixing

Art. No.	Width	Label	PU
95 69 00 10	18 mm		24



SNAP-OFF
KNIFE

- plastic body
- manual blade fixing



Art. No.	Width	Label	PU
95 62 00 10	18 mm		48

Snap-off
bladesREPLACEMENT
BLADES

- 10pcs in plastic box
- extra wide & strong

Art. No.	Width	Thickness	Label	PU
95 67 80 10	25 mm	0,70 mm		10

SPARE BLADES
GOLDCUT

- 10pcs in plastic box
- with Titan-Nitrite layer for heavy duty works

Art. No.	Width	Thickness	Label	PU
95 67 90 71	18 mm	0,50 mm	prep	10

REPLACEMENT
BLADES

- 10pcs in plastic box

Art. No.	Width	Thickness	Label	PU
95 67 01 71	18 mm	0,40 mm	prep	10



Paint- and mortar mixers

PAINT MIXER

- for paints & low viscosity glues
- lacquered steel

Art. No.	Dimension	Loading	Label	PU
94 30 10 17	60 × 400 mm	10 kg		6
94 30 15 17	80 × 400 mm	15 kg		3
94 30 20 17	100 × 530 mm	20 kg		3



PLASTER MIXER

- especially for gypsum plasters
- zinc plated steel

Art. No.	Dimension	Loading	Label	PU
94 38 15 17	100 × 400 mm	15 kg		6



PLASTER MIXER

- for paints, glues, mortars
- zinc plated steel

Art. No.	Dimension	Loading	Label	PU
94 37 15 17	80 × 400 mm	10 kg		6
94 37 20 17	100 × 400 mm	20 kg		6



Non-painter tapes & covers

PACKING TAPE

- for simple fixing of boxes

Art. No.	Width	Length	Colour	Label	PU
96 50 48 10	48 mm	66 m	brown		6
96 51 48 10	48 mm	66 m	transparent		6



DUCT TAPE

- extra strong textile reinforced plastic tape
- all-purpose tape to fix, bond, repair, mount and seal

Art. No.	Width	Length	Label	PU
96 19 50 76	48 mm	50 m	prep	6



DUCT TAPE

- textile reinforced plastic tape
- all-purpose tape to fix, bond, repair, mount and seal

Art. No.	Width	Length	Label	PU
96 21 48 10	48 mm	10 m		12
96 21 50 19	48 mm	50 m		4



ALU COATED PP TAPE

- for drywall- and insulation works
- aluminium coated PP tape

Art. No.	Width	Length	Label	PU
96 48 50 19	50 mm	50 m		12



ALU TAPE

- aluminium tape, self adhesive
- for use at insulation works

Art. No.	Width	Length	Label	PU
96 46 50 19	50 mm	50 m		4
* 96 44 25 19	50 mm	50 m		4

* flame and heat resistant,
certified for DIN-4102-B1



WARNING TAPE

- red/white striped
- plastic
- non adhesive

Art. No.	Width	Length	Label	PU
96 53 00 10	75 mm	200 m		6



BARRIER TAPE

- black/yellow striped
- plastic
- self-adhesive

Art. No.	Width	Length	Label	PU
96 54 33 10	60 mm	33 m		5



CARPET TAPE

- double sided strong adhesive on textile base
- synthetic resin glue
- for permanent installation of floor covers with reinforced backing

Art. No.	Width	Length	Label	PU
96 41 50 71	50 mm	25 m	prep	6



CARPET TAPE

- double sided strong adhesive on textile base
- synthetic resin glue
- for floor covers with smooth backing

Art. No.	Width	Length	Label	PU
96 40 51 71	50 mm	25 m	prep	6
96 40 50 71	50 mm	10 m	prep	6
96 40 48 71	38 mm	25 m	prep	6



Other tools

TARPAULIN

- heavy duty PE, green
- with eyelets per each 1m
- real size is ~4% smaller than nominal size

Art. No.	Size	Thickness/Weight	Label	PU
96 93 02 10	2 × 3 m	75 g/m ²		10
96 93 03 10	3 × 4 m	75 g/m ²		5
96 93 04 10	4 × 6 m	75 g/m ²		1
96 93 07 10	5 × 12 m	75 g/m ²		1



PROTECTION DOOR LDPE

- with L shaped zip-door
- dustproof isolation of single rooms

Art. No.	Size	Label	PU
96 96 22 17	220 × 120 cm		5



GARBAGE BAGS

- 25pcs/roll
- LDPE with re-granulate

Art. No.	Volume	Thickness	Availability	Label	PU
96 95 00 10	120 lit.	~0,034 mm			10
96 95 10 10	120 lit.	~0,053 mm			10
96 95 65 10	240 lit.	~0,065 mm	on demand		10
96 95 25 10	120 lit.	~0,080 mm			6



GARBAGE BAGS

- 3pcs/pack, folded
- LDPE with re-granulate

Art. No.	Volume	Thickness	Label	PU
96 95 90 10	120 lit.	~0,090 mm		15



JOINTING
TROWEL

- silicon cover, plastic body
- with angle shaped edges



Art. No.	Dimension	Label	PU
92 19 25 10	100 × 250 mm		1

TILE CLEANING
SET

- incl. bottom grid and 2 cleaning rollers



Art. No.	Volume	Label	PU
90 29 01 10	20 lit.		1

TAR-BITUMEN
BRUSH

- natural fibre
- heat resistant
- with whole for handle/pole



Art. No.	Dimension	Label	PU
88 02 20 10	200 × 67 mm		10

PLASTIC SOLE
PLATES W. NAILS

- with 11 hardened nails
- for easy and safe walking on wet floor coatings



Art. No.	Dimension	Label	PU
92 65 00 10	135 × 310 mm		1

Personal safety equipment

DUST MASK FFP2

- 2pcs/pack
- with exhalation valve for easy breathing
- CE: EN149:2001 + A1:2009

Art. No.	Label	PU
98 62 50 72	prep	5



DUST MASK FFP1

- 3pcs/pack
- CE: EN149:2001 + A1:2009

Art. No.	Label	PU
98 61 41 72	prep	5



PROTECTIVE GOGGLES

- with rubber strap
- with ventilation valve
- CE: EN166:2001

Art. No.	Label	PU
98 64 00 17		6



PAINTER'S OVERALL

- non-woven PE material
- with protective hood
- with ankle-, arm-, and waist bands

Art. No.	Size	Label	PU
98 68 01 17	XL / size 56-58		10
98 68 02 17	XXL / size 60-62		10



LATEX
GLOVES

- lightly roughened
- CE cat.1/EN420

Art. No.	Size	Label	PU
98 52 02 10	L / size 9		10
98 52 03 10	XL / size 10		10

LATEX GLOVES
SUPERGRIP

- secure grip
- roughened surface
- water repellent palm
- CE cat.2/EN388

Art. No.	Size	Label	PU
98 52 42 10	L / size 9		12
98 52 40 10	XL / size 10		12

LATEX GLOVES
WINTERGRIP

- secure grip
- excellent cold protection (acrylic terrycloth)
- good tactile sensitivity
- CE cat.2./EN388

Art. No.	Size	Label	PU
98 59 02 10	L / size 9		12
98 59 03 10	XL / size 10		12

COTTON
GLOVES

- cotton gloves with latex dots for better grip
- CE cat.1/EN420

Art. No.	Size	Label	PU
98 55 10 10	XL / size 10		12

PAINTER'S GLOVES
SENSOGRIP

- breathable polyester gloves with polyurethane covering
- CE cat.2/EN388

Art. No.	Size	Label	PU
98 54 02 17	L / size 9		12
98 54 03 17	XL / size 10		12
98 54 04 17	XXL / size 11		12



NITRIL GLOVES AQUAGRIP

- secure grip at works with fluids
- moisture repellent
- CE cat.2/EN388

Art. No.	Size	Label	PU
98 57 01 10	M / size 8		12
98 57 02 10	L / size 9		12
98 57 03 10	XL / size 10		12



NITRIL GLOVES PAINTGRIP

- for works with paints, varnishes etc.
- CE cat.2/EN388

Art. No.	Size	Label	PU
98 51 22 10	L / size 9		12
98 51 20 10	XL / size 10		12



NITRIL GLOVES GECKOGRIP

- secure grip due microfoam coating
- excellent sensitivity
- CE cat.2/EN388

Art. No.	Size	Label	PU
98 56 01 10	M / size 8		12
98 56 02 10	L / size 9		12
98 56 03 10	XL / size 10		12



NITRIL GLOVES TOPGRIP

- secure grip
- moisture repellent
- CE cat.2/EN388

Art. No.	Size	Label	PU
98 53 01 10	M / size 8		12
98 53 02 10	L / size 9		12
98 53 03 10	XL / size 10		12



COTTON GLOVES WORKGRIP

- for rough works
- cotton lining
- CE cat.2/EN388

Art. No.	Size	Label	PU
98 58 10 10	XL / size 10		12



Index

Art.No..... Page	Art.No..... Page	Art.No..... Page	Art.No..... Page	Art.No..... Page	Art.No..... Page
15	236 040	38	50	70	83 82 75 10
15 253 - 301. 12	236 075	38 060 - 301. 18	50 060 - 306 - 01 18	70 300 - 306 - 01 26	83 85 10 10
15 901 - 301. 14		384 010	50 110 - 306 - 01 18		83 85 12 10
15 963 - 301. 10	25	384 015	50 233 - 306 - 04 13	75	83 86 75 19
	25 060 - 301. 18	384 020	50 233 - 306 - 01 13	75 695 - 301. 19	83 87 70 19
	25 110 - 301. 17	384 025	50 300 - 306 - 01 26		
17	25 233 - 301. 13	384 030	50 300 - 306 - 10 26	77	84
17 253 - 301. 12	25 253 - 301. 12	384 035	50 309 - 306 - 01 26	77 110 - 301. 17	84 80 08 10
17 860 - 301. 16	253 520 - 411		50 400 - 306 - 01 25	77 253 - 301. 12	84 80 13 10
17 860 - 301 - 55 16	253 525 - 411	40	50 400 - 306 - 04 25	77 695 - 301. 19	84 80 15 10
17 901 - 301. 14	25 530 - 301. 22	40 060 - 306. 18	50 409 - 306 - 01 25	77 900 - 301. 14	84 80 26 10
17 963 - 301. 10	25 695 - 301. 19	40 233 - 306. 13	50 449 - 306 - 04 23	77 963 - 301. 10	84 80 30 10
	25 900 - 301. 14	40 695 - 306. 19	50 469 - 306 - 01 25		84 81 04 10
	25 960 - 301. 11	40 750 - 301 - 55 21	50 469 - 306 - 04 25	81	84 81 06 10
20		40 750 - 306. 21	50 499 - 306 - 01 23	81 12 30 10	84 81 09 10
204 010	26	40 895 - 301 - 55 20	50 510 - 306 - 01 22	81 12 40 10	84 81 20 10
204 015	263 535 - 411	40 895 - 306. 20	50 530 - 306 - 01 22	81 12 50 10	84 815 - 302. 31
204 020	263 550 - 411	40 900 - 306. 14	50 695 - 306 - 01 19	81 12 60 10	84 820 - 302. 31
204 025	263 560 - 411	40 960 - 306. 11	50 695 - 306 - 04 19	81 12 80 10	84 82 08 10
204 030	263 575 - 411		50 750 - 306 - 01 21	81 12 99 10	84 82 14 10
	268 020 - 411	42	50 750 - 306 - 04 21	81 20 30 10	84 82 44 10
	268 025 - 411	423 550 - 411	50 895 - 306 - 01 20	81 20 40 10	84 826 - 302. 31
21	268 225 - 411	423 575 - 411	50 930 F 306 - 01 15	81 20 50 10	84 82 99 10
213 006		45	50 960 - 306 - 01 11	81 20 60 10	84 83 21 10
213 010	27	45 233 - 301. 13	50 960 - 306 - 04 11	81 20 70 10	84 83 22 10
218 166	27 060 - 301. 18	453 504 - 411	52	81 31 30 19	84 832 - 302. 31
218 177	27 110 - 301. 17	453 506 - 411	525 320 - 411	81 31 40 19	84 83 27 10
218 188	27 140 - 301. 17	453 508 - 411		81 31 50 19	84 90 20 10
218 189	27 233 - 301. 13	453 508 - 411	53	81 31 70 19	84 90 30 10
218 189	27 253 - 301. 12	456 030 - 411	532 510 - 411	81 31 99 19	84 92 31 10
218 515	27 530 - 301. 22	456 040 - 411	533 510 - 411	81 62 30 10	84 92 32 10
219 108	27 695 - 301. 19	456 050 - 411	535 310 - 411	81 62 40 10	84 927 - 302. 30
	27 750 - 301. 21	456 060 - 411	535 513 - 411	81 62 50 10	84 96 12 10
22	27 900 - 301. 14	456 080 - 411	536 010 - 411	81 62 60 10	84 96 22 10
229 100	27 930 F 301	45 900 - 301. 14		81 62 70 10	84 96 62 10
229 102	27 960 - 301. 11	45 960 - 301. 11	55	81 66 25 10	
229 104		46	55 233 - 306 - 01 13	81 66 35 10	85
	29	462 820 - 411	55 530 - 306 - 01 22	81 66 50 10	85 05 61 10
	293 540 - 411	462 830 - 411	55 960 - 306 - 01 11	81 66 60 10	85 253 - 302. 28
23		462 840 - 411		81 66 75 10	85 353 - 302. 28
234 010	32	462 850 - 411	60	81 68 50 10	85 453 - 302. 28
234 015	325 010	462 860 - 411	60 300 - 306 - 01 26	81 80 25 10	85 553 - 302. 28
234 020	325 015	462 870 - 411	60 300 - 306 - 20 26	81 80 40 10	85 653 - 302. 28
234 025	325 020	462 880 - 411	60 400 - 306 - 04 25	81 80 50 10	85 753 - 302. 28
234 030	325 025	462 889 - 411	60 895 - 301. 20	81 80 65 10	85 85 25 10
234 040	325 030	463 530 - 411	60 963 - 301. 10	81 80 76 10	
235 010	325 040	463 540 - 411			86
235 015		463 550 - 411	61	82	86 153 - 302. 29
235 020	35	463 560 - 411	61 963 - 301. 10	82 75 08 10	86 253 - 302. 29
235 025	358 035 - 411	463 580 - 411		82 75 12 10	86 353 - 302. 29
235 030	358 050 - 411	463 708	65		86 453 - 302. 29
235 040	358 060 - 411	463 712	65 233 - 306 - 04 13	83	86 70 72 10
236 010	358 075 - 411	464 040 - 411	65 469 - 306 - 04 25	83 68 07 10	86 82 10 10
236 015		464 050 - 411	65 530 - 306 - 04 22	83 68 10 10	86 82 98 10
236 020	37	464 060 - 411	65 695 - 306 - 04 19	83 68 12 10	86 83 11 10
236 025	37 963 - 301. 10	466 050 - 411		83 68 14 10	86 83 12 10
236 030		466 080 - 411		83 68 15 10	86 83 13 10
236 035				83 80 17 10	
Art.No..... Page	Art.No..... Page	Art.No..... Page	Art.No..... Page	Art.No..... Page	Art.No..... Page

Index

Art.No..... Page	Art.No..... Page	Art.No..... Page	Art.No..... Page	Art.No..... Page	Art.No..... Page
87	92 17 21 10 77	93 33 01 10 67	95 67 90 71 88	96 26 49 19 59	96 95 65 10 92
87 353 - 302. 28	92 17 22 10 77	93 34 02 10 68	95 69 00 10 87	96 26 50 19 59	96 95 90 10 92
	92 18 00 10 78	93 35 40 10 83	95 81 30 10 85	96 31 20 10 83	96 96 22 17 92
88	92 18 09 10 78	93 35 72 10 83	95 84 27 10 86	96 31 50 10 83	96 96 35 10 65
88 02 20 10 93	92 18 19 10 78	93 38 02 71 67	95 86 00 10 86	96 32 50 10 83	96 96 95 10 65
	92 19 25 10 93	93 38 04 71 67	95 86 01 10 86	96 40 48 71 91	96 96 97 10 65
90	92 21 40 10 79	93 38 35 10 82	95 860 - 301. 16	96 40 50 71 91	96 96 98 10 65
90 29 01 10 93	92 22 10 10 79	93 40 06 10 71	95 87 10 10 86	96 40 51 71 91	96 97 25 10 61
	92 25 40 10 80	93 41 00 10 71	95 88 00 10 85	96 41 50 71 91	96 97 50 10 61
91	92 31 30 10 79	93 42 04 10 71	95 88 50 10 85	96 44 25 19 91	96 97 99 10 61
91 00 01 71 74	92 39 40 10 79	93 43 05 10 71	95 89 00 10 86	96 46 50 19 91	96 98 50 10 61
91 00 04 71 74	92 40 26 10 79	93 44 05 10 72		96 48 50 19 90	96 98 99 10 61
91 02 16 10 74	92 40 32 10 79	93 71 45 10 83	96	96 50 48 10 90	96 99 15 19 66
91 02 20 10 74	92 40 36 10 79	93 72 80 70 85	96 00 01 10 57	96 51 48 10 90	96 99 25 19 66
91 10 04 71 73	92 41 30 10 80	93 80 50 10 72	96 00 02 10 57	96 53 00 10 91	96 99 99 19 66
91 10 06 71 73	92 41 40 10 80	93 860 - 301. 16	96 00 03 10 57	96 54 33 10 91	
91 10 08 71 73	92 44 00 10 80		96 00 04 10 57	96 69 10 10 53	97
91 10 10 71 73	92 61 00 10 82	94	96 00 05 10 57	96 69 18 10 53	97 05 41 19 55
91 10 12 71 73	92 62 15 10 83	94 06 04 10 80	96 00 19 76 57	96 69 30 10 53	97 05 42 19 55
91 16 02 10 73	92 65 00 10 93	94 06 06 10 80	96 00 25 76 57	96 74 11 76 53	97 05 43 19 55
91 16 04 10 73		94 06 08 10 80	96 00 30 76 57	96 74 14 76 53	97 05 45 19 55
91 16 06 10 73	93	94 06 10 10 80	96 00 38 76 57	96 74 18 76 53	97 860 - 301. 16
91 16 08 10 73	93 13 08 10 70	940 750 - 301 - 04 . . 21	96 00 41 10 57	96 74 21 76 53	
91 16 10 10 73	93 13 10 10 70	94 07 66 10 80	96 00 42 10 57	96 74 24 76 53	98
91 16 12 10 73	93 13 12 10 70	94 07 68 10 80	96 00 43 10 57	96 74 27 76 53	98 51 20 10 96
91 33 15 10 75	93 13 18 10 70	94 07 70 10 80	96 00 44 10 57	96 74 55 76 53	98 51 22 10 96
91 33 25 10 75	93 14 12 10 69	940 895 - 301 - 04 . . 20	96 00 45 10 57	96 78 50 76 52	98 52 02 10 95
91 33 35 10 75	93 14 18 10 69	94 09 01 10 84	96 00 50 76 57	96 78 60 76 52	98 52 03 10 95
91 33 45 10 75	93 14 24 10 69	94 09 11 10 84	96 02 19 76 56	96 78 70 76 52	98 52 40 10 95
91 33 60 10 75	93 14 40 10 69	940 963 - 301 - 04 . . 15	96 02 25 76 56	96 78 80 76 52	98 52 42 10 95
91 34 60 10 75	93 14 60 10 69	94 10 20 10 81	96 02 30 76 56	96 80 56 76 52	98 53 01 10 96
91 48 60 19 75	93 14 80 10 69	94 10 30 10 81	96 02 38 76 56	96 81 10 76 52	98 53 02 10 96
91 54 15 10 73	93 14 90 10 69	94 10 35 10 81	96 02 50 76 56	96 81 40 76 52	98 53 03 10 96
91 54 60 10 72	93 14 93 10 69	94 10 42 10 81	96 04 91 19 56	96 82 10 76 52	98 54 02 17 95
91 71 12 10 73	93 14 96 10 69	94 10 60 10 82	96 04 93 19 56	96 82 70 76 52	98 54 03 17 95
91 71 15 10 73	93 15 08 10 70	94 10 63 10 82	96 04 94 19 56	96 89 03 10 65	98 54 04 17 95
91 71 20 10 73	93 15 10 10 70	94 10 90 10 82	96 05 25 76 55	96 90 16 10 65	98 55 10 10 95
91 71 40 10 73	93 15 12 10 70	94 26 03 19 66	96 05 30 76 55	96 90 21 10 65	98 56 01 10 96
91 71 60 10 73	93 15 15 10 70	94 26 10 17 66	96 05 38 76 55	96 90 50 10 65	98 56 02 10 96
91 71 80 10 73	93 15 18 10 70	94 26 20 17 66	96 05 50 76 55	96 90 70 10 65	98 56 03 10 96
91 71 99 10 73	93 15 22 10 70	94 26 24 70 66	96 07 25 76 54	96 91 00 10 65	98 57 01 10 96
	93 19 04 10 69	94 26 27 70 66	96 07 30 76 54	96 91 90 10 65	98 57 02 10 96
92	93 19 06 10 69	94 26 49 70 66	96 07 38 76 54	96 91 92 10 65	98 57 03 10 96
92 11 00 10 76	93 19 08 10 69	94 26 51 70 66	96 07 50 76 54	96 92 12 10 65	98 58 10 10 96
92 11 01 10 76	93 19 10 10 69	94 30 10 17 89	96 09 25 76 54	96 92 20 10 65	98 59 02 10 95
92 12 10 10 76	93 19 12 10 69	94 30 15 17 89	96 10 38 76 59	96 92 75 10 65	98 59 03 10 95
92 13 05 10 76	93 19 18 10 69	94 30 20 17 89	96 10 50 76 59	96 93 02 10 92	98 61 41 72 94
92 14 00 10 77	93 19 24 10 69	94 37 15 17 89	96 11 30 76 60	96 93 03 10 92	98 62 50 72 94
92 14 09 10 76	93 19 40 10 69	94 37 20 17 89	96 11 50 76 60	96 93 04 10 92	98 64 00 17 94
92 15 02 10 77	93 30 53 10 70	94 38 15 17 89	96 12 50 76 60	96 93 07 10 92	98 68 01 17 94
92 16 03 10 78	93 30 54 10 70		96 13 50 76 60	96 94 05 10 65	98 68 02 17 94
92 16 26 10 78	93 30 55 10 70	95	96 14 50 76 59	96 94 12 10 65	
92 16 28 10 78	93 30 63 10 70	95 62 00 10 88	96 18 44 76 58	96 94 18 10 65	
92 16 66 10 78	93 30 64 10 70	95 64 00 10 87	96 19 50 76 90	96 94 50 10 65	
92 16 99 10 84	93 30 65 10 70	95 65 10 71 87	96 21 48 10 90	96 94 60 10 65	
92 17 06 10 77	93 31 00 10 67	95 65 20 10 87	96 21 50 19 90	96 95 00 10 92	
92 17 08 10 77	93 31 02 10 67	95 67 01 71 88	96 22 38 76 58	96 95 10 10 92	
92 17 10 10 77	93 33 00 10 67	95 67 80 10 88	96 22 50 76 58	96 95 25 10 92	
Art.No..... Page	Art.No..... Page	Art.No..... Page	Art.No..... Page	Art.No..... Page	Art.No..... Page



Ciret s.r.o.


K Silu 2487
393 01 Pelhřimov

tel.: + 420 565 327 582

fax: + 420 565 327 581

e-mail: info@ciret.cz

Your supplier:



Member of Storch-Ciret Group
www.storch-ciret.com
www.ciret.cz